


Industry Standing Data: MHHS Entities/Data Items

Version 5.78

© Elexon Limited 2024

Page 0 of 44



© Elexon Limited 2024

Version 5.83. 03 October 202313 August 2024

Page 1 of 44

(

Contents

Contents	<u>2</u> 4	
Introduction	<u>4</u> 3	
Amended Exis	ting Entities	<u>5</u> 4
ISD Entity ID	1 - Market Participant Organisation	<u>5</u> 4
Column Name	Data Type/Length Other information	<u>5</u> 4
Example		<u>5</u> 4
ISD Entity ID	2 - GSP Licensed Distribution System Operator	<u>6</u> 5
Column Name	Data Type/Length Other information	<u>6</u> 5
Example		<u>6</u> 5
ISD Entity ID	4 - SMR Agent Appointment	<u>7</u> 6
Column Name	Data Type/Length Other information	<u>7</u> 6
Example		<u>7</u> 6
ISD Entity ID	14 - Clock Time Change	<u>8</u> 7
Column Name	Data Type/Length Other information	<u>8</u> 7
Example		<u>8</u> 7
ISD Entity ID	17 - DUoS Tariff ID	<u>9</u> 8
Column Name	Data Type/Length Other information	<u>9</u> 8
Example		<u>9</u> 8
ISD Entity ID	18 - GSP Group	<u>11</u> 10
Column Name	Data Type/Length Other information	<u>11</u> 10
Example		<u>11</u> 10
ISD Entity ID	21 - Market Role	<u>12</u> 11
Column Name	Data Type/Length Other information	<u>12</u> 11
Example (note l	MHHS service roles to be added)	<u>12</u> 11
ISD Entity ID	23 - Settlement Period Duration	<u>13</u> 12
Column Name	Data Type/Length Other information	<u>1312</u>
Example		<u>1312</u>
ISD Entity ID	43 - Day Type ID	<u>14</u> 13
Column Name	Data Type/Length Other information	<u>14</u> 13
Example		<u>14</u> 13
ISD Entity ID	44 - Energisation Status	<u>15</u> 14
Column Name	Data Type/Length Other information	<u>15</u> 14
Example		<u>15</u> 14
ISD Entity ID	45 - Market Participant Role	<u>16</u> 15
Column Name	Data Type/Length Other information	<u>1615</u>
Example		<u>16</u> 15
ISD Entity ID	47 - Measurement Quantity	<u>18</u> 17

© Elexon Limited 2024

Version 5.83. 03 October 202313 August 2024

Page 2 of 44

Commented [ZH1]: DIN-896

E	Data Type/Length Other information	<u>18</u> 1
Example	1. Octilizer and Trees	<u>18</u> 1
-	1 - Settlement Type	<u>19</u> 4
Column Name	Data Type/Length Other information	<u>19</u> 1
Example (note the	following types needed for Transition but will be reduced set post Transition	on completior <u>19</u> 44
ISD Entity ID 6	1 - BM Unit for Supplier in GSP Group	<u>-10</u> 11 20 1
Column Name	Data Type/Length Other information	201
Example		201
New MHHS Entiti	es	212
ISD Entity ID M1	- Market Segment	212
Column Name	Data Type/Length Other information	212
ISD Entity ID M2	- Connection Type Indicator	222
Column Name	Data Type/Length Other information	222
ISD Entity ID M3	- Line Loss Factor Identifier	232
Column Name	Data Type/Length Other information	232
ISD Entity ID M4	- Load Shape Categories	242
Column Name	Data Type/Length Other information	<u>24</u> 2
ISD Entity ID M5	- MHHS Consumption Component Classes	<u>25</u> 2
Column Name	Data Type/Length Other information	<u>25</u> 2
ISD Entity ID M6	- MHHS GSPG Scaling Weights	<u>26</u> 2
Column Name	Data Type/Length Other information	<u>26</u> 2
ISD Entity ID M7	- Valid Market Segment/ Connection/ Meter Type/ Meter Group	<u>27</u> 2
Column Name	Data Type/Length Other information	<u>27</u> 2
ISD Entity ID M8	 Valid Market Segment/ Metering Service Mapping 	<u>30</u> 2
Column Name	Data Type/Length Other information	<u>30</u> 2
ISD Entity ID M9	- UMS Charge Codes	<u>31</u> 3
Column Name	Data Type/Length Other information	<u>31</u> 3
ISD Entity ID M1	0 – UMS Manufacturer Equipment LED Range Charge Codes	<u>32</u> 3
Column Name	Data Type/Length Other information	<u>32</u> 3
ISD Entity ID M1	1- UMS Switch Regimes	<u>33</u> 3
Column Name	Data Type/Length Other information	<u>33</u> 3
ISD Entity ID M1	2- UMS Variable Power Switch Regimes	<u>34</u> 3
Column Name	Data Type/Length Other information	<u>34</u> 3
ISD Entity ID M	14 - Master Settlement Timetable	<u>35</u> 3-
Column Name	Data Type/Length Other information	<u>35</u> 3
ISD Entity ID M	15 - Consent Granularity	<u>36</u> 3
Column Name	Data Type/Length Other information	<u>36</u> 3
ISD Entity ID M	16 - Market Participant to DIP Participant Mapping	<u>37</u> 3
Column Name	Data Type/Length Other information	<u>37</u> 3
Example		<u>37</u> 3
ISD Entity ID M1	7 - Valid /Consent Granularity Combinations	<u>39</u> 3

Example	<u>39</u> 38
ISD Entity ID M18 – DIP Market Roles	<u>40</u> 39
Column Name Data Type/Length Other information	<u>40</u> 39
Example	<u>40</u> 39
ISD Entity ID M19 – Settlement Period Quality Indicators	<u>41</u> 40
Example	<u>41</u> 40
ISD Entity ID M20 – SVA Line Loss Factors	<u>41</u> 40
Column Name Data Type/Length Other information	<u>41</u> 40
Column Naffffme Data Type/Length Other information	<u>41</u> 40
Column Name Data Type/Length Other information	<u>41</u> 40
Example	<u>42</u> 41
ISD Entity ID M21 – CVA Line Loss Factors	<u>42</u> 41
Column Name Data Type/Length Other information	<u>42</u> 41
Column Naffffme Data Type/Length Other information	<u>42</u> 41-
Column Name Data Type/Length Other information	<u>42</u> 41
Example	<u>42</u> 41

Introduction

For this document wherever DATE format is used for an ISD Data item, the ISO Standard 8601 short format is used, e.g. YYYY-MM-DD.

© Elexon Limited 2024

Version 5.83. 03 October 202313 August 2024

Page 4 of 44

Amended Existing Entities

ISD Entity ID 1 - Market Participant Organisation

Company Registration Number	Registered Company Name	ISO Country Code

	Name

Data Type/Length

Other information

Company Registration Number Registered Company Name ISO Country Code Up to 10 characters Up to [160] characters 2 characters Mandatory Mandatory (checked against Companies House) Mandatory (default is GB)

Commented [M(2]: DIN730

Example

Company Registration Number	Registered Company Name	ISO Country Code
03078711	BRITISH GAS TRADING LIMITED	GB
03782443	E.ON NEXT ENERGY LIMITED	GB
12291202	MORRISON ENERGY SERVICES	GB

Version 5.83. 03 October 2023 13 August 2024

Page 5 of 44

ISD Entity ID 2 - GSP Licensed Distribution System Operator

GSP Group ID	Market Participant ID	Market Participant Role Code	Effective From Date {MPR}	Effective From Settlement Date {GGD}	Effective To Settlement Date {GGD}

Column Name	Data Type/Length	Other information
GSP Group ID	2 characters	Mandatory
Market Participant ID	4 characters	Mandatory, the LDSO MPID
Market Participant Role Code	1 character	Mandatory, R in all cases
Effective From Date {MPR}	Date	Mandatory (the date on which the Market Participant was Qualified as a Licensed Distribution System Operator)
Effective From Settlement Date {GGD}	Date	Mandatory (the first Settlement Date on which the Market Participant became active as a Licensed Distribution System Operator within the GSP Group)
Effective To Settlement Date {GGD}	Date	Optional (the last Settlement Date on which the Market Participant was active as a Licensed Distribution System Operator within the GSP Group)

Example

GSP Group ID	Market Participant ID	Market Participant Role Code	Effective From Date {MPR}	Effective From Settlement Date {GGD}	Effective To Settlement Date {GGD}
_D	MANW	R	1996-04-01	1996-04-01	
_E	MIDE	R	1996-04-01	1996-04-01	

© Elexon Limited 2024

Version 5.83. 03 October 202313 August 2024

Page 6 of 44

ISD Entity ID 4 - SMR Agent Appointment

GSP Group ID	Market Participant ID	Market Participant Role Code	Effective From Date {MPR}	Effective From Date {PAA}	Effective To Date {PAA}

Column Name	Data Type/Length	Other information
GSP Group ID	2 characters	Mandatory
Market Participant ID	4 characters	Mandatory
Market Participant Role Code	1 character (P)	Mandatory
Effective From Date {MPR}	Date	Mandatory (the date on which the Market Participant was Qualified as a SMR Agent)
Effective From Date {PAA}	Date	Mandatory (the first day on which the Market Participant became active as a SMR Agent within the GSP Group)
Effective To Date {PAA}	Date	Optional (the last day on which the Market Participant was active as a SMR Agent within the GSP Group)

Example

GSP Group ID	Market Participant ID	Market Participant Role	Effective From Date {MPR}	Effective From Date {PAA}	Effective To Date
		Code			(ΡΔΔ)
_A	EELC	Р	1996-04-01	1996-04-01	
_B	EMEB	Р	1996-04-01	1996-04-01	

© Elexon Limited 2024

Version 5.83. 03 October 202313 August 2024

ISD Entity ID 14 - Clock Time Change

Change Date	Post Change Local Time			

Column Name	Data Type/Length	Other information
Change Date	Date	Mandatory, The day on which the clocks change (forward or back)
GMT Time	Time	Mandatory, 24 hour format e.g. (01:00:00), the time in GMT at which the clocks change (forward or back)
Post Change Local Time	Time	Mandatory, 24 hour format e.g. (02:00:00), the local time shown on the clock after the change (forward or back)

Example

Change Date GMT Time		Post Change Local Time	
1998-03-29	01:00:00	02:00:00	Clocks go forward
1998-10-25	01:00:00	01:00:00	Clocks go back

Page 8 of 44

ISD Entity ID 17 - DUoS Tariff ID

Market Participant ID	Market Participant Role Code	Effective From Date {MPR}	GSP Group ID	DUoS Tariff ID	DUoS Tariff Description	Effective From Settlement Date {DUoS ID }	Effective To Settlement Date (DUoS ID }	DUoS Tariff Domestic Premise Indicator	DUoS Tariff Energy	LLF ID	MS Specific LLF ID Indicator

Column Name	Data Type/Length	Other information
Market Participant ID	4 characters	Mandatory, the LDSO MPID
Market Participant Role Code	1 character (R)	Mandatory
Effective From Date {MPR}	Date	Mandatory (the date on which the Market Participant was Qualified as a Licensed Distribution System Operator)
GSP Group ID	2 characters	Mandatory
DUoS Tariff ID	Up to 3 characters	Mandatory. Alphanumeric, excludes '000' or any combination beginning '0' or '00', lower case letters, special characters and any combination using 'l' or 'O'
DUoS Tariff Description	Up to 50 characters	Mandatory
Effective From Settlement Date {DUoS Tariff} II	D }	Date
Effective To Settlement Date {DUoS Tariff} ID }	Date	Mandatory (the first Settlement Date on which the DUoS Tariff ID is active) Optional (the last Settlement Date on which the DUoS Tariff ID is active)
DUoS Tariff Domestic Premise Indicator	Boolean	Mandatory, T or F
DUoS Tariff Energy Direction	1 character	Mandatory, E or I
Line Loss Factor Identifier	3 characters	Mandatory. Alphanumeric, excludes '000' or any combination beginning '0' or '00', lower case letters, special characters and any combination using 'l' or '0'
MS Specific LLF ID Indicator	1 character	Mandatory A (General LLF Class Import), B (Site Specific Import), C (General LLF Class Export) and D (Site Specific Export)

Example

© Elexon Limited 2024

Version 5.83. 03 October 202313 August 2024

Page 9 of 44

Market Participant ID	Market Participant Role Code	Effective From Date {MPR}	DUoS Tariff ID	DUoS Tariff Description	Effective From Settlement Date (DUoS ID }	Effective To Settlement Date {DUoS ID }	DUoS Tariff Domestic Premise Indicator	DUoS Tariff Energy	LLF ID	MS Specific LLF ID Indicator
NORW	R	1996-04- 01	300	Solway Offshore Wind, Import	2007-04-05		F	I	111	В
FEAL	R	2017-11- 15	A01	LV_A/LV Dom Agg with Res	2021-11-17		Т	Ι	A22	A

© Elexon Limited 2024

Version 5.83. 03 October 202313 August 2024

Page 10 of 44

ISD Entity ID 18 - GSP Group

GSP Group ID	GSP Group Name	

Column Name

Data Type/Length

Other information

GSP Group ID GSP Group Name

2 characters Up to 30 characters Mandatory Mandatory

Example

GSP Group ID	p ID GSP Group Name	
К	South Wales	
L	South Western	
_M	Yorkshire	

© Elexon Limited 2024

Version 5.83. 03 October 202313 August 2024

Page 11 of 44

ISD Entity ID 21 - Market Role

Market Participant Role Code	Market Role Description

Column Name

Data Type/Length

Other information

Market Participant Role Code Market Role Description 1 character Up to 40 characters Mandatory Mandatory

Example (note MHHS service roles to be added)

Market Participant Role Code	Market Role Description
Х	Supplier
R	Distributor

© Elexon Limited 2024

Version 5.83. 03 October 202313 August 2024

Page 12 of 44

ISD Entity ID 23 - Settlement Period Duration

Settlement Period Duration	Settlement Period Duration (Description)	Effective from Settlement Date {SPD}	Effective to Settlement Date {SPD}

Column Name

Data Type/Length

Settlement Period Duration Settlement Period Duration (Description) Effective From Settlement Date {SPD} Effective To Settlement Date {SPD} Integer 2 50 characters Date Date

OBJ

Mandatory Mandatory Mandatory YYYY-MM-DD Optional YYYY-MM-DD

Other information

Commented [M(3]: DIN671

Example

Settlement Period Duration	Settlement Period Duration (Description)	Effective from Settlement Date {SPD}	Effective to Settlement Date {SPD}	
30]	The duration of a Settlement Period in minutes	1996-04-01		 Commented [M(4]: DIN716

Version 5.83. 03 October 2023 13 August 2024

Page 13 of 44

ISD Entity ID 43 - Day Type ID

Day Type ID	Day Type ID Description		

Column Name

Data Type/Length

Other information

Day Type ID Day Type ID Description 2 characters Up to 30 characters Mandatory Mandatory

Example

Day Type ID	Day Type ID Description	
A2	Late August Bank Holiday	
BD	Boxing Day	
CD	Christmas Day	
EM	Easter Monday	

© Elexon Limited 2024

Version 5.83. 03 October 202313 August 2024

Page 14 of 44

ISD Entity ID 44 - Energisation Status

Commented [M(5]: DIN588

Energisation Status	Energisation Status Description

Column Name

Data Type/Length

Energisation Status Energisation Status Description 1 character Up to 30 characters Other information

Mandatory Mandatory

Example

Energisation Status	Energisation Status Description
D	De-Energised
E	Energised

© Elexon Limited 2024

Version 5.83. 03 October 202313 August 2024

Page 15 of 44

ISD Entity ID 45 -**Market Participant Role**

Company Registration Number	
Market Participant ID	
Market Participant Role Code	
Effective From Date {MPR}	
Effective To Date {MPR}	
Distributor Short Code	
Trading Party ID	

Column Name

Company Registration Number¹ Market Participant ID Market Participant Role Code² Effective From Date {MPR} Effective To Date {MPR} Distributor Short Code³

Trading Party ID

Data Type/Length Up to 10 characters

1 character

Date

Date

Integer

Other information

Mandatory 4 characters Mandatory Optional Mandatory Optional 4 characters

Conditional Mandatory if Market Participant Role Code is R (Distributor), P (SMRA) or 3 (UMSO), otherwise Null For Suppliers this field is mandatory, and should be the same as the Market Participant ID (unless otherwise agreed with BSCCo or due to recognized circumstances e.g. where the supplier ID has been transferred due to a trade sale). For non-Suppliers, this field is not required, and should be left blank.

Commented [S(6]: DIN-633 - MPID Optional

¹ The valid set of values is contained in the ISD table Market Participant Organisations (ISD Entity ID 1)

² The valid set of values is contained in the ISD table Market Role (ISD Entity ID 21). It should be noted that some new MHHS Participants may not have a MPRC assigned.

³ Propose to require Distributor Short Code to also be held against Market Participant ID for SMRA and UMSO

⁴ Where an MPID is related to the following Market Roles: Meter Operator, Advanced MOA or Smart MOA, the MPID and Market Role combinations must always be assigned to the same Company ID.]

Commented [M(7]: DIN721

Example

Company Registration Number	04945062
Market Participant ID	BMET
Market Participant Role Code	Μ
Effective From Date {MPR}	01-07-2006
Effective To Date {MPR}	
Distributor Short Code	
Trading Party ID	

© Elexon Limited 2024

Version 5.83. 03 October 202313 August 2024

Page 16 of 44

© Elexon Limited 2024

Version 5.83. 03 October 202313 August 2024

Page 17 of 44

ISD Entity ID 47 - Measurement Quantity

Measurement Quantity ID	Measurement Quantity Description	Energy Direction	

Column Name

Data Type/Length

Other information

Measurement Quantity ID Measurement Quantity Description Energy Direction

2 characters Up to 50 characters 1 character Mandatory Mandatory Mandatory, E or I

Example

Measurement Quantity ID	Measurement Quantity Description	Energy Direction
AE	Active kWh export (Generation)	E
AI	Active kWh import (Consumption)	1
AL	Alarm	I
AM	AMPS MAXIMUM DEMAND (Amps)	1
AR	Phase Advance Reactive I	

© Elexon Limited 2024

Version 5.83. 03 October 2023 13 August 2024

Page 18 of 44

ISD Entity ID 51 - Settlement Type

Settlement Code	Settlement Sequence Number	Settlement Code Description

Column Name

Data Type/Length

Other information

Settlement Code Settlement Sequence Number Settlement Code Description 2 characters Int(2) Up to 30 characters Mandatory Optional, 1 to 99 Mandatory

Example (note the following types needed for Transition but will be reduced set post Transition completion)

Settlement Code	Settlement Sequence Number	Settlement Code Description
DR		Dispute
11	1	Interim Information Volume Allocation
SF	2	Final Initial Volume Allocation
R1	3	First Reconciliation Volume Allocation
R2	4	Second Reconciliation Volume Allocation
R3	5	Third Reconciliation Volume Allocation
RF	6	Final Reconciliation Volume Allocation
DF	7	Final Dispute

Version 5.83. 03 October 2023 13 August 2024

Page 19 of 44

ISD Entity ID 61 - BM Unit for Supplier in GSP Group

GSP Group ID	Market Participant (Supplier) ID	Market Participant Role Code	Effective From Date {MPR}	BM Unit ID	Effective From Settlement Date {BMU ID}	Effective To Settlement Date {BMU ID}

Column Name GSP Group ID

Market Participant ID

Market Participant Role Code Effective From Date {MPR}

Data Type/Length

Other information

2 characters	Mandatory
4 characters	Mandatory the Supplier MPID
1 character	Mandatory, X in all cases
Date	Mandatory (the date must match the Effective From Date {MPR} and the Supplier Base BM Unit in CRA)
11 characters	Mandatory
Date	Mandatory (the first day on which the BM Unit was active within the GSP Group)
Date	Optional (the last day on which the BM Unit was active within the GSP Group)

Effective From Settlement Date {BMU ID} Effective To Settlement Date {BMU ID}

Example

BM Unit ID

GSP Group ID	Market Participant (Supplier) ID	Market Participant Role Code	Effective From Date {MPR}	BM Unit ID		Effective To Settlement Date (BMU ID}
_A	SOUT	X	1996-04-01	2_ASOUT000	2000-09-08	
_B	SEEB	Х	1996-04-01	2_BSEEB000	2000-09-01	

© Elexon Limited 2024

Version 5.83. 03 October 202313 August 2024

Page 20 of 44

New MHHS Entities

ISD Entity ID M1 - Market Segment

Market Segment	Effective From Settlement	Market Segment
•	D 1	0
Indicator	Date	Description
	{MSI}	
	{10131}	
L		

Column Name

Data Type/Length

Other information

Market Segment Indicator Effective From Settlement Date {MSI} Market Segment Description 1 characters Date Up to 50 characters Mandatory. Either 'U', 'S' or 'A' Mandatory Mandatory

Example:

Market Segment	Effective From Settlement	Market Segment Description
Indicator	Date	
	{MSI}	
U	2025-04-01	Unmetered Supplies Market
S	2025-04-01	Smart and Non-smart Market
A	2025-04-01	Advanced Market Segment

Version 5.83. 03 October 2023 13 August 2024

Page 21 of 44

ISD Entity ID M2 - Connection Type Indicator

Connection Type Indicator	Connection Type Description

Column Name

Connection Type Indicator Connection Type Description 1 characters Up to 50 characters

Data Type/Length

Other information

Mandatory, Either W, L, H, E or U Mandatory. Either Whole Current, Low Voltage with Current Transformer. High Voltage with Current transformer, Extra High Voltage with Current Transformer or Unmetered

Example:

Connection Type Indicator	Connection Type Description
W	Whole Current
L	Low Voltage with Current Transformer
Н	High Voltage with Current transformer
E	Extra High Voltage with Current Transformer
U	Unmetered

Version 5.83. 03 October 2023 13 August 2024

ISD Entity [D] M3 - Line Loss Factor Identifier

Commented [RT(8]: DIN557

Market Participant	Line Loss	LLF ID	MS Specific	Effective From Settlement	Effective To Settlement
ID	Factor Identifier	Description	LLF ID	Date	Date
			Indicator	{LLF ID}	{LLF ID}

Column Name	Data Type/Length	Other information
Market Participant ID	4 characters	Mandatory, the LDSO MPID
Line Loss Factor Identifier	Up to 3 characters	Mandatory. Alphanumeric, excludes '000' or any combination beginning '0' or '00', lower case letters, special characters and any combination using 'l' or '0'
LLF ID Description	Up to 50 characters	Mandatory
MS Specific LLF ID Indicator	1 character	Mandatory A, B, C or D, A (General LLF Class Import), B (Site Specific Import), C (General LLF Class Export) and D (Site Specific Export
Effective From Settlement Date {LLF ID}	Date	Mandatory (the first Settlement Date on which the LLF Id is active)
Effective To Settlement Date {LLF ID}	Date	Optional (the last Settlement Date on which the LLF Id is active)

Example:

Market	Line Loss Factor	LLF ID	MS	Effective From	Effective To Date		
Participant ID	Identifier	Description	Specific	Settlement Date	{LLF ID}		Commented [RT(9]: DIN557
		•	LLF ID	{LLF ID}			
			Indicator				
NORW	123	Low Voltage Network	Α	2025-04-01			
SEEB	567	NEWHVN - Import	В	2025-04-01			
SWEB	910	LV Generation HH	С	2025-04-01			

ISD Entity D M4 - Load Shape Categories

Commented [RT(10]: DIN557

Market	GSP Group	Load Shape Domestic	Measurement	Non-Smart	Off-Peak	Off-Peak	Connection	De-minimis		
Segment	ID	Premise <u>s</u>	Quantity ID	Switched Load	Period (UTC)	Period (UTC)	Type Indicator	Data Count		 Commented [TR12]: DIN-1063
Indicator		Indicator		Profile	Start Time	End Time				 Commented [TR11]: MHHS-DIN-1072
									_	
Column Na	me		Data 1	ype/Length	Other in	formation				

Market Segment Indicator 1 character Mandatory GSP Group ID Optional, 2 characters Load Shape Domestic Premises Indicator -Optional. Either T-<u>, or</u>_F <u>or null</u> Boolean1 character Commented [TR13]: MHHS-DIN-1072 Measurement Quantity ID 2 characters Mandatory. Either Active Import 'AI' Commented [TR14]: DIN-1063 or Active Export 'AE' Non-Smart Switched Load Profile Class Up to 2 characters Optional. Either '02'or '04' Off-Peak Period (UTC) Start Time Optional, Either '00:00 or '00:30' 12 characters Off-Peak Period (UTC) End Time 12 characters Optional, Either '07:00 or '07:30' Connection Type Indicator 1 characters Mandatory. Either W, L, H, E or U De-minimis Data Count Int(3) Mandatory

Example:

Note: Table above is for example purposes only. A full list is available in the LSS Method Statement.

Market	GSP Group	Load Shape	Measurement	Non-Smart	Off-Peak	Off-Peak	Connection	De-minimis		
Segment	ID	Domestic Premise <u>s</u>	Quantity ID)	Switched Load	Period (UTC)	Period (UTC)	Type Indicator	Data Count		Commented [TR16]: DIN-1063
Indicator		Indicator		Profile	Start Time	End Time				Commented [TR15]: MHHS-DIN-1072
									-	· · ·
S	A	Т	AI	02	00:00	07:00	W	[50]		
S	А	F	AI	04	00:00	07:00	W	[50]		
S	А	Т	AE				W	[50]		
S	А	F	AE				W	[50]		

Version 5.83. 03 October 202313 August 2024

Page 24 of 44

ISD Entity D M5 - MHHS Consumption Component Classes

Commented [RT(17]: DIN557

CCC ID	Market Segment Indicator	Measurement Quantity <u>ID</u>	Consumption Component Indicator	Connection Type Indicator	Settlement Period Quality Indicator	Commented [TR18]: DIN-1063
Column Name		Data Type	e/Length	Other infor	mation	—
CCC ID		Int(3)		MHHS Cons	Unique Identifier for sumption Component Classe	5
Market Segmer Measurement C		1 characte 2 characte		,	Either 'U', 'S' or 'A' Either Active Import 'Al'	Commented [TR19]: DIN-1063
Consumption C Consumption 'C	omponent Indicator .' or Losses 'L'	1 characte	er	or Active Ex Mandatory.	•	
Connection Typ Settlement Peri	e Indicator od Quality Indicator	1 characte 5 characte			Either W, L, H, E or U E.g. A, E1, E2, E3, E4	Commented [M(20]: DIN158

Example:

CCC ID	Market Segment Indicator	Measurement Quantity <u>ID</u>	Consumption Component Indicator	Connection Type Indicator	Settlement Period Quality Indicator		Commented [TR21]: DIN-1063
104 [104]	U	AI	C C	U	E ZE	-	
105	U	Al	L	U	E		Commented [M(22]: DIN409 (following DRG decision)
105	U U	AI	L C	U	ZE		Commented [M(23]: DIN409 (following DRG decision)
107 108		AE	L	U W	A		
108 109 110	S S	AI	L	W W W	A		

Note: Table above if incomplete and for example purposes only.

© Elexon Limited 2024

Version 5.83. 03 October 202313 August 2024

Page 25 of 44

ISD Entity ID M6 - MHHS GSPG Scaling Weights

CCC ID	GSPG Scaling Weight	Effective From Date {GSPGSW}	Effective To Date {GSPGSW}

Column Name

GSPG Scaling Weight

Effective From Date {GSPGSW}

Effective To Date {GSPGSW}

Data Type/Length

Num(3), 2 decimal places

Other information

CCC	ID	

Integer 3

Date

Date

Mandatory. Unique Identifier for MHHS Consumption Component Classes Mandatory Mandatory Optional

Example:

CCC ID	GSPG Scaling Weight	Effective From Date {GSPGSW}	Effective To Date {GSPGSW}
100	1.20	2025-04-01	
101	1.40	2025-04-01	
102	1.20	2025-04-01	
103	1.40	2025-04-01	
104	1.40	2025-04-01	

Note: Table above if incomplete and for example purposes only.

© Elexon Limited 2024

Version 5.83. 03 October 202313 August 2024

Page 26 of 44

ISD Entity ID M7 - Valid Market Segment/ Connection/ Meter Type/ Meter Group

Market Segment Indicator	Connection Type Indicator	Meter Type	Meter Group

Column Name

Market Segment Indicator Connection Type Indicator Meter Type or U for Unmetered Meter Group 1 character 1 character Up to 5 characters

Data Type/Length

Up to 11 characters

Mandatory. Either 'U', 'S' or 'A' Mandatory, Either U, W, L, H, E Mandatory. Valid Set as per EMAR¹

Other information

Mandatory. Either Smart, Traditional, Advanced or Unmetered

Commented [ZH24]: DIN-1033

Commented [ZH25]: DIN-1033

Example:

Market Segment Indicator	Connection Type Indicator	Meter Type	Meter Group
S	W	S1	Smart
S	W	S2A	Smart
S	W	S2B	Smart
S	W	S2C	Smart
S	W	S2AD	Smart
S	W	S2BD	Smart
S	W	S2CD	Smart
S	W	S2ADE	Smart
S	W	S2BDE	Smart
S	W	S2CDE	Smart
S	W	2ADF	Smart
S	W	2ADEF	Smart
S	W	2AEF	Smart
S	W	2AF	Smart
S	W	2BF	Smart
S	W	2BDF	Smart
s	W	2BDEF	Smart
S	W	2BEF	Smart
s	w	2CDEF	Smart
S	w	2CF	Smart
s	w	2CDF	Smart
s	w	2CEF	Smart
S	W	к	Traditional

¹ Energy Market Architecture Repository (EMAR)

© Elexon Limited 2024

Version 5.83. 03 October 202313 August 2024

Page 27 of 44

c	14/	N	Tuesdations
S	W	N	Traditional
S	w	NSS	Traditional
S	W	S	Traditional
S	W	SPECL	Traditional
S	W	Т	Traditional
A	W	H	Advanced
A	W	LAG_	Advanced
A	W	LEAD_	Advanced
A	W	MAIN_	Advanced
A	W	NCAMR	Advanced
A	W	RCAMR	Advanced
A	W	RCAMY	Advanced
A	L	Н	Advanced
A	L	LAG_	Advanced
A	L	LEAD_	Advanced
A	L	MAIN_	Advanced
A	L	NCAMR	Advanced
A	L	RCAMR	Advanced
A	L	RCAMY	Advanced
A	H	Н	Advanced
A	Н	LAG_	Advanced
A	н	LEAD_	Advanced
A	Н	MAIN_	Advanced
A	Н	NCAMR	Advanced
A	н	RCAMR	Advanced
A	Н	RCAMY	Advanced
A	E	Н	Advanced
A	E	LAG_	Advanced
A	E	LEAD_	Advanced
A	E	MAIN	Advanced
A	E	NCAMR	Advanced
A	E	RCAMR	Advanced
A	E	RCAMY	Advanced
U	U	U	Unmetered
L			

© Elexon Limited 2024

Version 5.83. 03 October 202313 August 2024

Page 28 of 44

© Elexon Limited 2024

Version 5.83. 03 October 202313 August 2024

Page 29 of 44

ISD Entity ID M8 - Valid Market Segment/ Metering Service Mapping

Market Segment	Metering Service ID	Effective From Date	Effective To Date		
Indicator	{MS ID}	(MS ID)	{MS ID}		Commented [M(26]: DIN409
					Commented [M(27]: DIN409
					Commented [M(28]: DIN409

Other information

Column Name

Data Type/Length

Market Segment Indicator Metering Service ID {MS ID} Effective From Date {MS ID} Effective To Date {MS ID} 1 character 4 characters Date Date Mandatory. Either, 'S' or 'A' Mandatory, A Valid Metering Service Mandatory, YYYY-MM-DD Optional, YYYY-MM-DD

Example:

	Market Segment Indicator	Metering Service ID {MS ID}	Effective From Date {MS ID}	Effective To Date {MS ID}
ĺ	S	ACCU	2025-04-01	
	А	DASL	2025-04-01	
	А	SPOW	2025-04-01	

© Elexon Limited 2024

Version 5.83. 03 October 202313 August 2024

Page 30 of 44

ISD Entity ID M9 - UMS Charge Codes

Charge Code	Nominal Watts	Unit Description 1	Unit Description 2	Company	Manufacturer's Designation	Circuit Watts	Dimmed Circuit Watts	Effective From Date {CC}	Effective To Date {CC}	Equipment Type

Column Name

Charge Code Nominal Watts Unit Description 1 Unit Description 2 Company Manufacturer's Designation

Circuit Watts **Dimmed Circuit Watts** Effective From Date {CC} Effective To Date {CC} Equipment Type

Nominal

Watts

24

25

40

60

Unit Description 1

General lighting

service filament

General lighting

service filament

General lighting

service filament

General lighting

service filament

Unit

Description 2

Tungsten

GLS GLD

GLS GLD

GLS GLD

Company

Generic

Generic

Generic

Generic

Example:

Charge Code

0100240000100

0100250000100

0100400000100

0100600000100

Data Type/Length

13 Characters NUM(7,2) Up to 100 characters Up to 100 characters Up to 50 characters Up to 100 characters NUM(7,2)

NUM(7,2) Date Date Up to 50 characters

Manufacturer's

Designation

None

None

None

None

Circuit

Watts

24

25

40

60

Other information

Mandatory. Mandatory Mandatory. Optional Mandatory. Optional Mandatory

Dimmed

Circuit

Watts



Effective

From Date

{CC}

2005-06-01

2005-06-01

2005-06-01

2005-06-01

Effective To

Date

Equipment

Туре

Lamps

Lamps

Lamps

Lamps

Commented [M(29]: DIN678

Commented [B(30]: DIN-795

© Elexon Limited 2024

Version 5.83.03 October 202313 August 2024

Page 31 of 44

ISD Entity ID M10 – UMS Manufacturer Equipment LED Range Charge Codes

Manufacturer	Manufacturers	Generic LED Codes –	Generic LED Codes –	Effective From Date	Effective To Date
	Designation	Lower Limit	Upper Limit	{LEDCC}	{LEDCC}

Column Name

Manufacturer Manufacturers Designation Generic LED Codes – Lower Limit Generic LED Codes – Upper Limit Effective From Date {LEDCC} Effective To Date {LEDCC}

Data Type/Length

Up to 50 characters Up to [100] characters 13 Characters 13 Characters Date Date

Other information

Mandatory. Mandatory Mandatory Mandatory Mandatory Optional

Commented [M(31]: DIN678

Example:

Manufacturer	Manufacturers Designation	Generic LED Codes – Lower Limit	Generic LED Codes – Upper Limit	Effective From Date {LEDCC}	Effective To Date {LEDCC}
Acrospire Products	ACRO-12L-MODULE- 19W	4200190000100	4200190000100	2019-10-23	
Acrospire Products	ACRO-12L-MODULE- 28W	4200280000100	4200280000100	2019-10-23	
Acrospire Products	ACRO-12L-MODULE- 43W	4200430000100	4200430000100	2019-10-23	
Acrospire Products	ACRO-24L-MODULE- 43W	4200430000100	4200430000100	2019-10-23	
Acrospire	ACRO-24L-MODULE-	4200690000100	4200690000100	2019-10-23	
Acrospire Products	ACRO-24L-MODULE- 83W	4200830000100	4200830000100	2019-10-23	

© Elexon Limited 2024

Version 5.83. 03 October 202313 August 2024

Page 32 of 44

ISD Entity ID M11 - UMS Switch Regimes



After Sunset	Before Sunrise	Lux On	Lux Off	Intermediate Off	Intermediate On	Switch On	Switch Off

Default Switch Regime	GMT/ CLK	Effective From Date {SR}	Effective To Date {SR}

Column Name	Data Type/Length	Other information
Switch Regime	3 characters	Mandatory.
SR Description	Up to 100 characters	Mandatory.
After Sunset	Num(2)	Optional.
Before Sunrise	Num(2)	Optional.
Lux On	Num(3)	Optional.
Lux Off	Num(3)	Optional.
Intermediate Off	Time	Optional e.g. 00:00.
Intermediate On	Time	Optional e.g. 00:00.
Switch On	Time	Optional e.g. 00:00.
Switch Off	Time	Optional e.g. 00:00.
Default Switch Regime	3 characters	Mandatory.
GMT/ CLK	3 characters	Mandatory, GMT or CLK
Effective From Date (SR)	Date	Mandatory. YYYY-MM-DD
Effective To Date {SR}	Date	Optional. YYYY-MM-DD

N.B this Entity M11 Unmetered Supplies Switch Regimes will incorporate the Switch Regime data for Unmetered Supplies Highway Message Sign and Indicator Sign Operating Hours.

Example:

See: https://www.elexon.co.uk/operations-settlement/unmetered-supplies/charge-codes-and-switch-regimes/

© Elexon Limited 2024

Version 5.83. 03 October 202313 August 2024

Page 33 of 44

ISD Entity ID M12 - UMS Variable Power Switch Regimes

Switch Regime	PECU lux level/Time Settings	GMT or Clock	On Event	% Power	Switch Event 2	% Power	Switch Event 3	% Power	Switch Event 4	% Power	Switch Event 5

% Power	Switch Event 6	% Power	Switch Event 7	% Power	Switch Event 8	% Power	OFF Event

Column Name

Data Type/Length

Switch Regime PECU lux level/ Time Setting 20/20, 10/10 and 5/5. GMT or Clock On Event % Power
Switch Event 2
% Power
Switch Event 3
% Power
Switch Event 4
% Power
Switch Event 5
% Power
Switch Event 6
% Power
Switch Event 7
% Power
Switch Event 8
% Power
OFF Event

3 characters 10 characters 3 characters 5 characters Num(3) Time Num(3) Time Num(3) Time Num(3) Time Num(3) Time Num(3) Time Num(3)

Other information Mandatory. Mandatory. e.g. 70/35, 55/28, 35/18,

Mandatory. GMT or CLK Mandatory. PECUS or TIMER Mandatory. 0 to 100 Optional. e.g. 00:00 Optional. 0 to 100 5 characters Mandatory. PECUS, NEVER or TIMER

Commented [ZH32]: DIN-1002

Example:

See: https://www.elexon.co.uk/operations-settlement/unmetered-supplies/charge-codes-and-switch-regimes/

Time

Num(3)

© Elexon Limited 2024

Version 5.83.03 October 202313 August 2024

Page 34 of 44

ISD Entity ID M14 - Master Settlement Timetable

Settlement Date	Day Type ID	Settlement Code	LSS Run Date	CDCA Run Date	MDS Run Date	VAS Run Date	SAA Run Date	Notification Date	Payment Date

Column Name

- Settlement Date Day Type ID Settlement Code LSS Run Date CDCA Run Date MDS Run Date VAS Run Date SAA Run Date Notification Date Payment Date

Other information

Mandatory. YYYY-MM-DD Mandatory. (Optional). YYYY-MM-DD Mandatory. YYYY-MM-DD Mandatory. YYYY-MM-DD Mandatory. YYYY-MM-DD Optional. YYYY-MM-DD Optional. YYYY-MM-DD

Commented [M(33]: DIN678

Example:

Settlement Date	Day Type ID	Settlement Code	LSS Run Date	CDCA Run Date	MDS Run Date	VAS Run Date	SAA Run Date	Notification Date	Payment Date
2025-04-01	WE	II	2025-04-04	2025-04-04	2025-04-04	2025-04-08	2025-05-09	2025-04-10	2025-04-15 -

Version 5.83. 03 October 2023 13 August 2024

ISD Entity ID M15 - Consent Granularity

Consent Granularity Description			

Column Name

Data Type/Length

Consent Granularity Consent Granularity Description 1 characters Up to 60 characters Mandatory Mandatory

Other information

Example:

Consent Granularity	Consent Granularity Description
Н	Half-Hourly Consumption data can be collected
D	Daily Consumption or Register data can be collected
Μ	Monthly Consumption or Register data can be collected
N	No Consent

Commented [ZH34]: DIN-980

© Elexon Limited 2024

Version 5.83. 03 October 2023 13 August 2024

Page 36 of 44

ISD Entity ID M16 - Market Participant to DIP Participant Mapping

Market Participant ID	Market Participant Role Code	DIP Participant ID	DIP Market Role	Effective From Date {MP2DPM}	Effective To Date {MP2DPM}

Data Type/Length

Column Name

Market Participant ID Market Participant Role Code^{1,3} DIP Participant ID DIP Market Role Effective From Date {MM2DPM}² Effective To Date {MM2DPM}² 4 characters 1 character 10 characters min 3 / Max 5 characters Date Date

Mandatory Optional Mandatory Mandatory Mandatory Optional

Other information

¹ The valid set of values is contained in the ISD table Market Role (ISD Entity ID 21)

² The Effective From and To Dates refer to this Market Participant to DIP Participant Mapping table.

³ Allocation of a Market Participant Role Code) may not always be possible, for example, as with MDRs where this value shall remain blank.

Example

Market Participant ID	Market Participant Role Code	DIP Participant	DIP Market Role	Effective From Date {MP2DPM}	Effective To Date {MP2DPM}
BGAS	Х	0307871100	SUP	2023-04-01	
ACCU	Т	0123456799	MSA	2023-04-01	
ACCU	0	0123456788	ADS	2023-04-01	
ACCU	S	0123456777	MSS	2023-04-01	
ACCU	Ν	0123456766	SDS	2023-04-01	
SEEB	3	0123456755	UMSO	2023-04-01	
NEEB	Q	0123456744	UDS	2023-04-01	
YELG	R	0123456733	LDSO	2023-04-01	
SWAL	Р	1122334455	REGS	2023-04-01	
MDR1	<null></null>	0123456722	MDR	2023-04-01	

Note:

MDS, LSS, EES, VAS, ISD & DIP are valid DIP Roles, utilised for message routing, but that may not be maintained in this table.

CSS, DCP, DCC, MAP, MRS, are valid DIP Roles, which are reserved for future use, which again may not be maintained in this table.

The full list of DIP Role Codes is maintained in ISD Entity "M18 - DIP Role Codes"

© Elexon Limited 2024

Version 5.83.03 October 202313 August 2024

Page 37 of 44

Commented [S(37]: DIN959

Commented [M(38R37]: DIN ref should be 595

Commented [SC35]: DIN-070

Commented [M(36]: DIN678

© Elexon Limited 2024

Version 5.83. 03 October 202313 August 2024

Page 38 of 44

ISD Entity ID M17 - Valid /Consent Granularity Combinations

Energy Direction	Domestic Premise Indicator	Market Segment Indicator	Meter Group	Consent Granularity

Column Name	Data Type/Length	Other information	
Energy Direction	1 character	Mandatory, E or I	
Domestic Premise Indicator	Boolean	Mandatory. Either T or F	
Market Segment Indicator	1 character	Mandatory. Either U, S or A	
Meter Group	Up to 11 characters	Mandatory: Either Smart, Traditional,	Commented [ZH40]: DIN-1033
		Advanced or Unmetered	
Consent Granularity	1 characters	Mandatory. Either H, M or D or N	

Commented [KH39]: DIN-292

Example

Energy Direction	Domestic Premise Indicator	Market Segment Indicator	Meter Group	Consent Granularity		Commented [KH41]: DIN-292 - Table update to show only valid combinations
					J	
I	Т	S	Smart	Н]	
1	Т	S	Smart	D		
1	Т	S	Smart	Μ		
1	F	S	Smart	Н		
1	Т	A	Advanced	H		
1	Т	A	Advanced	D		
1	Т	A	Advanced	Μ	_	
1	F	A	Advanced	Н	_	
	F	U	Unmetered	H	_	
ŧ	Ŧ	U	Unmetered	<u>H</u>		Commented [ZH42]: DIN-1033
E	Т	S	Smart	Н		Commented [TR43]: DIN-1072
E	F	S	Smart	Н		· · ·
E	Т	A	Advanced	Н		
E	F	A	Advanced	Н		
I	Т	S	Traditional	Ν		
E	Т	S	Traditional	Ν		
1	F	S	Traditional	Ν		
E	F	S	Traditional	Ν		

© Elexon Limited 2024

Version 5.83.03 October 202313 August 2024

Page 39 of 44

[SD Entity ID M18 – DIP Market Roles]

DIP Market Role	DIP Role Description	Market Participant Role Code	Effective From Date {DIPRole}	Effective To Date {DIPRole}

Commented [SC44]: DIN-372

Column Name	Data Type/Length	Other information		
DIP Market Role	min 3 / max 5 characters	Mandatory		
DIP Role Description	100 characters	Mandatory		
Market Participant Role Code	1 character	(Optional)	Formatted: English (United Kingdom)	
Effective From Date {DIPROLE}	Date	Mandatory	Commented [R(45]: DIN600	
Effective To Date {DIPROLE}	Date	Optional		

Example

DIP Role	DIP Role Description	Market	Effective From Date	Effective To Date
		Participant	{DIPROLE}	{DIPROLE}
		Role Code		
MSA	Metering Service Advanced	Т	2023-01-01	
ADS	Advanced Data Service	0	2023-01-01	
MSS	Metering Service Smart	S	2023-01-01	
MRS	Meter Reading Service	N/A	2023-01-01	
SDS	Smart Data Service	Ν	2023-01-01	
MDR	Meter Data Retriever	N/A	2023-01-01	
UMSO	Unmetered Supplied Operator	3	2023-01-01	
UMSDS	Unmetered Data Service	Q	2023-01-01	
MDS	Marketwide Data Service	N/A	2023-01-01	
LSS	Load Shaping Service	N/A	2023-01-01	
ISD	Industry Standing Data	N/A	2023-01-01	
VAS	Volume Allocation Service	N/A	2023-01-01	
REGS	Registration Service	Р	2023-01-01	
SUP	Supplier	Х	2023-01-01	
MAP	Meter Asset Provider	8	2023-01-01	
LDSO	Licenced Distribution System Operation	R	2023-01-01	
EES	Electricity Enquiry Service	L	2023-01-01	
CSS	Central Switching Service	N/A	2023-01-01	
DCC	Data Communications Co.	N/A	2023-01-01	
DTS	Data Transfer Service	N/A	2023-01-01	
DIP	Data Integration Platform	N/A	2023-01-01	
DCP	DIP Connection Provider	N/A	2023-01-01	
SMSO	Smart Meter System Operator	5	2023-01-01	

© Elexon Limited 2024

Version 5.83. 03 October 202313 August 2024

Page 40 of 44

ISD Entity ID M19 – Settlement Period Quality Indicators

Commented [M(47]: DIN-657

Settlement Period Quality Indicator		Actual/Esti	mate	
Column Name	Data Type/Leng	gth	Other information	
O a title are and D a size of O and little land in a targe	E also an atom		Manu da ta mi	

Settlement Period Quality Indicator Actual/Estimate Estimate based on Actual Read 5 characters 30 characters Mandatory, Mandatory. Either Actual, Estimate or

Example

Settlement Period Quality Indicator	Actual/Estimate
A	Actual
A1	Actual
A2	Actual
A3	Actual
E	Estimate
E1	Estimate
E2	Estimate based on Actual Read
E3	Estimate based on Actual Read
E4	Estimate
E5	Estimate
E6	Estimate based on Actual Read

ISD Entity ID M20 – SVA Line Loss Factors

et Participant ID LLF ID	Settlement Date	Settlement Period	Value

Column Name

Market Participant ID¹

Data Type/Length

4 characters Up to 3 characters Other information Mandatory

Mandatory

© Elexon Limited 2024

LLF ID²

Version 5.83. 03 October 202313 August 2024

Page 41 of 44

Formatted Table

Formatted: English (United Kingdom)

Commented [Z(48]: MHHS-DIN-754

Formatted: English (United Kingdom)

Commented [R(49]: DIN600 Commented [R(50]: DIN600

Settlement Date	Date
Settlement Period ³	Up to 2 characters
Value	Num(4), 3 decimal places

¹The valid set of values is contained in the ISD table Market Participant Role (ISD Entity ID 45) & SVA Market Participant Id should only allow Market Participant's with Role Code = 'R'

Mandatory Mandatory

Mandatory

²The valid set of values is contained in the ISD table Line Loss Factor Identifier (ISD Entity ID M3)

³Should be in the range 1-50 (1-48 normally, 1-46 or 1-50 for clock change days)

Example

Market Participant ID	LLF ID	Settlement Date	Settlement Period	Value
NEED	111	2023-04-01	1	1.035
NEED	111	2023-04-01	2	1.055
NEED	111	2023-04-01	3	1.045
NEED	111	2023-04-01	4	1.025

Note: LLF details will be published in a different file format to all other entities by ISD.

ISD Entity ID M21 – CVA Line Loss Factors

Market Participant ID	MS ID	Settlement Date	Settlement Period	Value

Column Name	Data Type/Length	Other information
Market Participant ID1	4 characters	Mandatory
MS ID	4 Num	Mandatory
Settlement Date	Date	Mandatory
Settlement Period ²	Up to 2 characters	Mandatory
Value	Num(4), 3 decimal places	Mandatory

¹The valid set of values is contained in the ISD table Market Participant Role (ISD Entity ID 45) & SVA Market Participant Id should only allow Market Participant's with Role Code = 'R'

²Should be in the range 1-50 (1-48 normally, 1-46 or 1-50 for clock change days)

Example

© Elexon Limited 2024

Version 5.83. 03 October 202313 August 2024

Page 42 of 44

Commented [Z(51]: MHHS-DIN-754

Formatted Table

Formatted: English (United Kingdom)

Formatted: English (United Kingdom)

Commented [R(52]: DIN600 Commented [R(53]: DIN600

Market Participant ID	MS ID	Settlement Date	Settlement Period	Value
NEED	1212	2023-04-01	1	1.035
NEED	1212	2023-04-01	2	1.055
NEED	1212	2023-04-01	3	1.045
NEED	1212	2023-04-01	4	1.025

Note: LLF details will be published in a different file format to all other entities by ISD.

MS ID refers to Metering System Identifier

© Elexon Limited 2024

Version 5.83. 03 October 202313 August 2024

Page 43 of 44

Change Record

Date	Author	Version	Change Detail	
16/02/2023	SI Design	V5.0	Initial Version	
08/06/2023	SI Design	V5.1	DIN 292	
03/07/2023	SRO Design	V5.2	DIN -372 (Addition of M18) & DIN-070 (Clarification & Updates to M16) DIN454	
02/08/2023	SI Design	V5.3	DIN557 and DIN588 updates throughout document from Id to ID DIN-590 Update M18 so that 'UDS' shows as 'UMSDS' DIN-595 DIN-600 Corrected Row Headings in table M18 to Read "DIP ROLE" DIN633 DIN158 Valid Settlement Period Quality Indicator Set changed to Settlement Period Quality Indicator DIN409 MSID to MS Id in entity M8 DIN657 Addition of M19	
	SI Design	V5.4	DIN671 updates to ISD entities M3 and 23 DIN678 changes to entities M9/M10/M14 and M16 DIN716 removal of text in Entity 23 DIN500 M17 example correction DIN730 increase to character limit	
			DIN721 rule added to entity 45	
17/01/2024	SI Design	V5.5	DIN-754 added M20 and M21 DIN-795 updated M9	
05/03/2024	SI Design	V5.5.1	DIN-899 updated M15 and M17	
22/03/2024	SI Design	V5.6	DIN-896 added to update the contents table	
11/06/2024	SI Design	V5.7	DIN-980, 1002 and 1033	
13/08/2024	SI Design	V5.8	DIN-1063 and 1072	

Commented [M(54]: DIN158

© Elexon Limited 2024

Version 5.83. 03 October 202313 August 2024

Page 44 of 44