

# ELEXON

**MARKET-WIDE HALF HOURLY SETTLEMENT**

**SERVICE USERS  
OPERATIONS MANUAL  
V2.0**

## Document Control

### Properties

| Owner                       | Organisation | Email Address           |
|-----------------------------|--------------|-------------------------|
| Mark Scott                  | Elxon        | mark.scott@elxon.co.uk  |
| Last Update                 | Next Update  | Document Classification |
| 6 <sup>th</sup> August 2025 |              | Public                  |

### Changes

| Version    | Date     | Author(s)              | Comments                                                                                        |
|------------|----------|------------------------|-------------------------------------------------------------------------------------------------|
| DRAFT      | 14/10/24 | Ian Giles & Mark Scott | Initial Draft                                                                                   |
| Draft v0.1 | 13/11/24 | Ian Giles & Mark Scott | Updates to<br>Change Management<br>Incident Management<br>Test Cases Links<br>Workshop Feedback |
| Draft v0.2 | 28/11/24 | Ian Giles & Mark Scott | Updated following comments and feedback from Draft v0.1                                         |
| 1.0        | 8/1/25   | Ian Giles & Mark Scott | Updated following comments and feedback from Draft v0.2                                         |
| 1.1        | 14/3/25  | Ian Giles & Mark Scott | Updated following comments and feedback from SIT Testing and MHHS feedback spreadsheet          |
| 1.2        | 8/4/25   | Mark Scott             | Following further feedback from the Comments Log                                                |
| 1.3        | 6/5/25   | Mark Scott             | Following further feedback from the Comments Log                                                |
| 1.4        | 4/6/25   | Mark Scott             | Following further feedback from the Comments Log                                                |
| 1.5        | 2/7/25   | Mark Scott             | Following further feedback from the Comments Log                                                |
| 1.6        | 16/7/25  | Mark Scott             | Following further feedback from the Comments Log and ORT – version published for consultation   |
| 2.0        | 6/8/25   | Mark Scott             | Updated following consultation                                                                  |

### Approvers

| Organisation | Name       | Role                       |
|--------------|------------|----------------------------|
| Elxon        | Gary Leach | Head of Service Management |
|              |            |                            |
|              |            |                            |

### Documents & References

| Title | Description | Version | Location |
|-------|-------------|---------|----------|
|-------|-------------|---------|----------|

|                                  |                                                                                                                         |     |                                                                                                                                                                                                                                                                                                                                                                                                         |
|----------------------------------|-------------------------------------------------------------------------------------------------------------------------|-----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| SDD                              | Service Definition Document – Service Users                                                                             | 2.4 | <a href="https://www.mhhsprogramme.co.uk/uploads/72f30e91-35c2-4df4-b32a-39468f9732d1/Elxon_Service_Definition_Document_v2.4.pdf">https://www.mhhsprogramme.co.uk/uploads/72f30e91-35c2-4df4-b32a-39468f9732d1/Elxon_Service_Definition_Document_v2.4.pdf</a>                                                                                                                                           |
| LLSD                             | Low Level Service Design – Service Users                                                                                | 2.0 | <b><i>To be updated after the LLSD is uploaded</i></b>                                                                                                                                                                                                                                                                                                                                                  |
| Service Management Strategy      | MHHS Service Management Strategy<br><br>MHHS-DEL2124                                                                    | 1.0 | <a href="https://www.mhhsprogramme.co.uk/uploads/e993792e-7590-4947-b759-ce37d67649b1/MHHS-DEL2124 - MHHS Service Management Strategy_v1.0.pdf">https://www.mhhsprogramme.co.uk/uploads/e993792e-7590-4947-b759-ce37d67649b1/MHHS-DEL2124 - MHHS Service Management Strategy_v1.0.pdf</a>                                                                                                               |
| Runbook                          | CPSD Scenarios_Runbook                                                                                                  | 1.0 | <a href="https://mhhsprogramme.sharepoint.com/:x:/r/sites/Market-wideHalfHourlySettlement/Transition/CPSD Scenarios_Runbook.xlsx?d=w422b7d5426ef4d1e986547d8d68d4bcf&amp;csf=1&amp;web=1&amp;e=fRY9BH">https://mhhsprogramme.sharepoint.com/:x:/r/sites/Market-wideHalfHourlySettlement/Transition/CPSD Scenarios_Runbook.xlsx?d=w422b7d5426ef4d1e986547d8d68d4bcf&amp;csf=1&amp;web=1&amp;e=fRY9BH</a> |
| CPSD Approach Document           | Describes the approach taken for the CPSD                                                                               | 1.0 | <a href="https://mhhsprogramme.sharepoint.com/:b:/r/sites/Market-wideHalfHourlySettlement/Transition/Elxon SM CPSD Approach v1.0.pdf?csf=1&amp;web=1&amp;e=VJ8waN">https://mhhsprogramme.sharepoint.com/:b:/r/sites/Market-wideHalfHourlySettlement/Transition/Elxon SM CPSD Approach v1.0.pdf?csf=1&amp;web=1&amp;e=VJ8waN</a>                                                                         |
| DIP User Guide                   | MHHS Data Integration Platform (DIP) - Market Participant Portal User Guide                                             | 0.4 | <a href="https://www.mhhsprogramme.co.uk/uploads/f5e3ba6f-6823-46aa-bb17-0d4186b4d82f/DIP-D26 MP Portal User Guide.pdf">https://www.mhhsprogramme.co.uk/uploads/f5e3ba6f-6823-46aa-bb17-0d4186b4d82f/DIP-D26 MP Portal User Guide.pdf</a>                                                                                                                                                               |
| DIP Interface Code of Connection | Defining the interface usage requirements and responsibilities for Market Participants to securely exchange information | 1.6 | <a href="https://mhhsprogramme.sharepoint.com/:b:/r/sites/Market-wideHalfHourlySettlement/DIP/MHHS-DEL1197 - Interface Code of Connection v1.6 Clean Version.pdf?csf=1&amp;web=1&amp;e=papFzC">https://mhhsprogramme.sharepoint.com/:b:/r/sites/Market-wideHalfHourlySettlement/DIP/MHHS-DEL1197 - Interface Code of Connection v1.6 Clean Version.pdf?csf=1&amp;web=1&amp;e=papFzC</a>                 |
| DIP PKI Policy                   | Sets out the requirements and the DIP Public Key infrastructure environment                                             | 1.0 | <a href="https://mhhsprogramme.sharepoint.com/:b:/r/sites/Market-wideHalfHourlySettlement/DIP/MHHS-DEL1210 - DIP PKI Policy v1.0.pdf?csf=1&amp;web=1&amp;e=vgeePk">https://mhhsprogramme.sharepoint.com/:b:/r/sites/Market-wideHalfHourlySettlement/DIP/MHHS-DEL1210 - DIP PKI Policy v1.0.pdf?csf=1&amp;web=1&amp;e=vgeePk</a>                                                                         |

## Contents

|                                                              |    |
|--------------------------------------------------------------|----|
| Document Control.....                                        | 2  |
| Properties.....                                              | 2  |
| Changes.....                                                 | 2  |
| Approvers.....                                               | 2  |
| Documents & References.....                                  | 2  |
| 1    Summary .....                                           | 9  |
| 1.1    Purpose.....                                          | 9  |
| 1.2    Scope.....                                            | 9  |
| 2    Key Definitions .....                                   | 10 |
| 2.1    Special Operations .....                              | 10 |
| 2.1.1    Industry-Wide Major Incident Management:.....       | 10 |
| 2.1.2    BSC-Related Query Handling .....                    | 10 |
| 2.1.3    Definition of an Industry-Wide Major Incident ..... | 11 |
| 2.2    Normal Operations .....                               | 11 |
| 2.3    Working Hours .....                                   | 12 |
| 2.3.1    Core .....                                          | 12 |
| 2.3.2    Non-Core .....                                      | 12 |
| 3    Getting Support.....                                    | 13 |
| 3.1    Contact Us & Service Hours .....                      | 13 |
| 3.2    Logging a Case - Portal .....                         | 13 |
| 3.3    Elexon Service Levels .....                           | 14 |
| 3.4    Service Levels for Normal Operations.....             | 14 |
| 3.5    New Services.....                                     | 14 |
| 3.6    Existing Services.....                                | 14 |
| 3.7    Service Levels for Special Operations .....           | 14 |
| 3.8    Incident Classification & Prioritisation.....         | 15 |
| 3.9    Elexon Incident Priority Definitions .....            | 15 |
| 3.10    Elexon Service Levels .....                          | 15 |
| 3.11    MHHS Primary Service Desks.....                      | 16 |
| 4    Triage Process .....                                    | 18 |
| 4.1    Triage Process – Process Steps .....                  | 18 |
| 5    Incident & Major Incident Management.....               | 20 |
| 5.1    Incident Management Definition.....                   | 20 |
| 5.1.1    Settlement Process Definition.....                  | 20 |

|        |                                                         |    |
|--------|---------------------------------------------------------|----|
| 5.2    | Key Aspects of an Incident .....                        | 20 |
| 5.3    | Examples of Incidents .....                             | 21 |
| 5.4    | Mandatory Fields – Logging an Incident .....            | 21 |
| 5.5    | Raising an Incident with Elexon .....                   | 21 |
| 5.6    | Key Aspects of a Major Incident .....                   | 22 |
| 5.7    | Major Incident Triage.....                              | 23 |
| 5.8    | Validity Checks .....                                   | 25 |
| 5.9    | Example Thresholds and Triggers .....                   | 26 |
| 5.10   | Summary Process for Validity Checks .....               | 27 |
| 5.10.1 | Settlement.....                                         | 27 |
| 5.10.2 | Data Integration Platform .....                         | 27 |
| 5.11   | Major Incident Process Steps.....                       | 27 |
| 5.12   | ServiceNow Status Options.....                          | 29 |
| 5.13   | Example Major Incident Workflow .....                   | 29 |
| 5.14   | ServiceNow Category Drops Downs .....                   | 29 |
| 5.15   | Engagement Communications .....                         | 30 |
| 5.16   | Engagement Communications Summary Overview.....         | 32 |
| 5.17   | Major Incident Communications List .....                | 32 |
| 5.17.1 | Communications Frequency.....                           | 33 |
| 5.18   | Industry Circular.....                                  | 33 |
| 5.19   | How to get added to Major Incident Comms .....          | 34 |
| 5.20   | Location of the BSC Website.....                        | 34 |
| 5.21   | Post Major Incident Review .....                        | 34 |
| 5.22   | Non-Elexon Major Incidents .....                        | 36 |
| 6      | Problem Management .....                                | 38 |
| 6.1    | Problem Management Definition .....                     | 38 |
| 6.2    | Key Aspects of a Problem Management .....               | 38 |
| 6.3    | Examples of Problems.....                               | 38 |
| 6.4    | Raising a Problem with Elexon.....                      | 39 |
| 6.5    | Problem Management Mandatory Fields in ServiceNow ..... | 39 |
| 7      | Request Fulfilment .....                                | 41 |
| 7.1    | Method to raise a service request .....                 | 41 |
| 7.2    | Response & Resolution SLA .....                         | 41 |
| 7.3    | Communications Method for Request Fulfilments.....      | 41 |
| 8      | Change Management.....                                  | 43 |
| 8.1    | Change Management Definition.....                       | 43 |

|        |                                                      |    |
|--------|------------------------------------------------------|----|
| 8.1.1  | Key Objectives of Change Management include: .....   | 43 |
| 8.1.2  | Types of Changes:.....                               | 43 |
| 8.2    | Raising a Normal Change .....                        | 43 |
| 8.3    | Mandatory fields for the ServiceNow for Change ..... | 44 |
| 8.4    | Risk Matrix .....                                    | 44 |
| 8.5    | Risk Definition .....                                | 45 |
| 8.6    | Impact Definition .....                              | 45 |
| 8.7    | Additional Information .....                         | 46 |
| 8.8    | Closing Changes .....                                | 46 |
| 8.9    | CAB.....                                             | 47 |
| 8.9.1  | Purpose.....                                         | 47 |
| 8.9.2  | Scope .....                                          | 47 |
| 8.9.3  | Changed Requiring CAB Approval.....                  | 47 |
| 8.9.4  | Objectives .....                                     | 48 |
| 8.9.5  | Responsibilities .....                               | 48 |
| 8.9.6  | Agenda.....                                          | 48 |
| 8.9.7  | Membership .....                                     | 49 |
| 8.9.8  | Meeting Frequency.....                               | 49 |
| 8.9.9  | Post-Implementation Review (PIR).....                | 49 |
| 8.10   | Reporting .....                                      | 49 |
| 8.10.1 | Forward Schedule of Change .....                     | 49 |
| 8.10.2 | Retrospective Change Report.....                     | 50 |
| 8.11   | Monthly Reporting.....                               | 50 |
| 8.12   | External Parties Notification of Change .....        | 50 |
| 9      | Emergency Change Management .....                    | 51 |
| 9.1    | Emergency Change Management Definition .....         | 51 |
| 9.2    | Mandatory fields for the ServiceNow for Change ..... | 51 |
| 9.2.1  | Risk Definition.....                                 | 52 |
| 9.2.2  | Impact Definition .....                              | 52 |
| 9.3    | Closing Emergency Changes .....                      | 53 |
| 9.4    | Emergency CAB.....                                   | 53 |
| 9.4.1  | Purpose.....                                         | 53 |
| 9.4.2  | Scope .....                                          | 54 |
| 9.4.3  | Membership .....                                     | 54 |
| 9.4.4  | Meeting Frequency.....                               | 54 |
| 10     | Service Portal Access Management .....               | 55 |

|        |                                                     |    |
|--------|-----------------------------------------------------|----|
| 10.1   | Requesting Service Portal Access.....               | 55 |
| 10.2   | Portal Account Permissions .....                    | 55 |
| 10.3   | Case Updates .....                                  | 56 |
| 10.4   | Case Closures .....                                 | 56 |
| 10.5   | Parent & Child Accounts .....                       | 57 |
| 10.6   | Security Statement / Justification .....            | 58 |
| 10.6.1 | Secure Data Handling and Protection .....           | 58 |
| 10.6.2 | User Authentication and Access Management .....     | 58 |
| 10.6.3 | Incident Management and Accountability .....        | 59 |
| 10.6.4 | Compliance with Industry Security Standards.....    | 59 |
| 10.6.5 | Storing MPANs .....                                 | 59 |
| 11     | Knowledge Management .....                          | 60 |
| 11.1   | How to access Knowledge Management .....            | 60 |
| 11.2   | Requesting Knowledge Article .....                  | 60 |
| 11.2.1 | Elxon Glossary .....                                | 60 |
| 11.2.2 | Support Portal Knowledge Management.....            | 60 |
| 12     | Operations Manual Governance .....                  | 61 |
| 13     | Monitoring and Event Management.....                | 63 |
| 13.1   | Post M10 Implementation .....                       | 63 |
| 13.1.1 | Process Summary Steps .....                         | 63 |
| 13.2   | M10 Readiness.....                                  | 64 |
| 14     | Service Reporting .....                             | 65 |
| 14.1   | Request a Report .....                              | 65 |
| 14.2   | Reporting .....                                     | 65 |
| 14.3   | Reporting SLA.....                                  | 66 |
| 15     | Service Level Management .....                      | 67 |
| 16     | Supplier Management.....                            | 68 |
| 16.1   | Suppliers .....                                     | 68 |
| 16.2   | Routine Monitoring and SLA Compliance Tracking..... | 68 |
| 16.2.1 | Daily and Weekly Monitoring:.....                   | 68 |
| 16.2.2 | SLA Compliance Check .....                          | 68 |
| 16.2.3 | Monthly Performance Review Meetings.....            | 68 |
| 16.2.4 | Review of key KPIs and SLA compliance.....          | 68 |
| 16.2.5 | Follow-Up on Action Items:.....                     | 68 |
| 16.3   | Incident and Problem Management.....                | 69 |
| 16.4   | Change and Release Management .....                 | 69 |

|        |                                                                          |    |
|--------|--------------------------------------------------------------------------|----|
| 16.5   | Post-Implementation Review (PIR):.....                                   | 69 |
| 16.6   | Compliance and Risk Management .....                                     | 69 |
| 16.7   | Risk Assessments and Mitigation:.....                                    | 69 |
| 16.8   | Reporting and Documentation .....                                        | 70 |
| 16.9   | Roles and Responsibilities in Vendor Management.....                     | 70 |
| 17     | DIP Management .....                                                     | 71 |
| 18     | Cross Party Service Desk (CPSD).....                                     | 72 |
| 18.1   | Purpose .....                                                            | 72 |
| 18.2   | CPSD Stakeholders .....                                                  | 73 |
| 18.3   | Cross Party Service Desk Principles.....                                 | 74 |
| 18.4   | Service Desks and Help Desks .....                                       | 75 |
| 18.5   | Elexon Case Exchange Protocols with External Service Desks .....         | 76 |
| 18.5.1 | Raising Cases from Elexon to External Parties .....                      | 76 |
| 18.5.2 | Key expectations .....                                                   | 76 |
| 18.5.3 | Case Contents: .....                                                     | 77 |
| 18.5.4 | Receiving Cases from External Parties into the Elexon Service Desk ..... | 77 |
| 18.5.5 | Case Contents.....                                                       | 77 |
| 18.5.6 | Elexon Actions .....                                                     | 77 |
| 18.6   | Example Incident Flow .....                                              | 77 |
|        | Appendix A – Glossary of Terms.....                                      | 79 |
|        | Appendix B - Standard Reports Available.....                             | 84 |
|        | Appendix C – Post Major Incident Review Template .....                   | 85 |
|        | Appendix D - ServiceNow Definitions (Cases, Incidents & Comms) .....     | 88 |
|        | Appendix E - Other Industry Service Desks and Help Desks.....            | 89 |

# 1 Summary

## 1.1 Purpose

The MHHS Service User Operations Manual serves as a guide for managing and maintaining systems supporting MHHS. Its purpose is to ensure that IT operations have all the required information to run smoothly, consistently, and efficiently by providing clear, documented procedures and guidelines.

The focus of the document is on how the services are delivered, including the interactions between the different parties supporting MHHS.

It is intended to compliment the previously published SDD and LLSD.

This document has been developed to be consistent with the MHHS Service Management Strategy (MHHS-DEL2124 version 1.0), which sets out the high-level model that industry participants will operate to support the systems, process and services described within the MHHS Target Operating Model and MHHS Design artefacts.

## 1.2 Scope

The scope of this document is limited to the management and operation of systems and processes supporting MHHS that are managed by Elexon.

It does not extend to management and operation of systems and processes outside of Elexons management. This distinction is intentionally out of scope and should be covered by the relevant parties responsible for those external systems or processes.

Additionally, this document will not include local work instructions or process flows.

## 2 Key Definitions

### 2.1 Special Operations

#### 2.1.1 Industry-Wide Major Incident Management:

This encompasses incidents such as the outage of a key central system (e.g., CSS or DIP) or significant data breaches. These incidents require coordinated response and management due to their impact across multiple services or stakeholders.

The following descriptions have been aligned with the MHHS Service Strategy Document

##### 2.1.1.1 Examples of Significant Data Breach

| Breach Type                            | Description                                                                                                           |
|----------------------------------------|-----------------------------------------------------------------------------------------------------------------------|
| DIP Credential Leak                    | Leakage of API credentials for the Data Integration Platform (DIP), enabling unauthorized access to settlement data.  |
| PII Breach                             | Exposure of Personal Identifiable Information (PII) of consumers, such as names, addresses, or energy usage patterns. |
| Tampering with Settlement Data         | Unauthorized modifications to settlement data, leading to incorrect billing, forecasting, or market imbalances.       |
| Ransomware Attack                      | A cyberattack encrypts critical MHHS systems like CSS or DIP, demanding ransom for data decryption.                   |
| Insider Threat                         | Malicious activity by an authorized insider accessing or leaking sensitive data, such as market participant details.  |
| Data Exfiltration from Market Systems  | Unauthorized data extraction from MHHS systems, such as forecasts, consumption patterns, or settlement results.       |
| Distributed Denial of Service (DDoS)   | A coordinated DDoS attack disrupts key services like CSS or DIP, causing outages or delayed settlement processes.     |
| Compromise of Forecasting Algorithms   | Hacking or tampering with algorithms used for demand and consumption forecasting in settlement systems.               |
| Phishing Attack on Market Participants | Targeted phishing campaigns trick stakeholders into sharing sensitive credentials or data.                            |

#### 2.1.2 BSC-Related Query Handling

Industry stakeholders with queries related to the Balancing and Settlement Code (BSC), including topics like BSC qualification, should direct these to the Elexon Service Desk. The Elexon Service Management team will be responsible for addressing BSC-related inquiries raised by any Market Participant within the MHHS TOM framework. Queries unrelated to the BSC should continue to be directed to the appropriate Code Body.

### 2.1.3 Definition of an Industry-Wide Major Incident

An industry-wide Major Incident refers to an event within a Central Service that causes substantial disruption to the normal operations of both the affected Central Service and any interconnected Central Services or Market Participants.

Such an incident necessitates an immediate, high-priority response involving collaboration from at least one or more Central Services and/or third parties linked to these services. Resolution will require participation from entities beyond the MHHS Service Management scope under 'Normal Operations.'

The definition of a Major Incident also includes those that significantly impact the MHHS TOM (Target Operating Model) or Settlement processes. Incidents outside the scope of the MHHS TOM or Settlement processes are not covered by this document and should be managed by the relevant parties responsible for those processes.

Further details on Major Incidents are [here](#).

## 2.2 Normal Operations

The Electricity SVA Settlement Central Services delivery functions comprise the Elexon Central Services, Data Integration Platform (DIP), Central Switching Service (CSS), Data Transfer Network, EES (Electricity Enquiry Service) and the Central Service Operations supporting Smart Metering.

In the event of an industry-wide major incident, specific Central Service Providers and relevant Market Participants will work together to resolve the issue, led by the Service Management function of the appropriate Central Service Provider. Further details on Major Incidents are [here](#).

The nature of the incident and the services affected will determine which providers and participants are involved, as well as which provider's Service Management function will take the lead. For instance, if the CSS were impacted, the Switching Operator would be expected to lead the resolution. The applicable Service Level Agreements (SLAs) guiding the resolution will be those relevant to the lead provider's Service Management function.

It is important to note that only a Central Service Provider can lead the resolution of an industry-wide major incident. However, these incidents may significantly impact broader stakeholders, such as Suppliers and Licensed Distribution System Operators (LDSOs). Therefore, collaborative efforts to resolve the issue may include not only Central Service Providers but also other Market Participants.

Any event falling outside the scope of 'Special Operations,' as defined above, and outside MHHS's 'Normal Operations' Service Management will be resolved independently by the affected parties, without MHHS Service Management's involvement or notification. This approach minimizes unnecessary engagement by MHHS Service Management and enables other parties to act quickly in their resolution efforts.

## 2.3 Working Hours

### 2.3.1 Core

Core working hours are defined as 08.30 to 17.30, Monday to Friday (excluding Bank Holidays), during which Elexon staff are expected to be available to handle routine and high-priority activities. These hours ensure that key tasks, such as data validation, monitoring, and issue resolution, are managed in real time to minimise disruptions.

### 2.3.2 Non-Core

Non-core working hours fall outside of the standard core hours, encompassing evenings, weekends, and public holidays. During these periods, Elexon will operate in a monitoring and support capacity.

Essential tasks, such as system monitoring, alert responses, and critical incident management, will be maintained to prevent any service degradation.

## 3 Getting Support

### 3.1 Contact Us & Service Hours

| Support Website                                                                                                                                                                                                  | Telephone    |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|
| <a href="https://support.elexon.co.uk/csm">https://support.elexon.co.uk/csm</a><br><br>If you have not had email confirmation of your case being logged within 15 minutes, please call the Service Desk directly | 03700 106950 |

| Hours of Cover                                                                                                                                                                                                                                                    |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <ul style="list-style-type: none"><li>• Definition of Work Hours is <a href="#">here</a></li><li>• Elexon Service Desk will be available 24/7/365.</li><li>• There is further detail in this document defining Central Service Providers Hours of Cover</li></ul> |

### 3.2 Logging a Case - Portal

The purpose of the ServiceNow portal is to provide a web-based interface that allows industry parties to undertake the following

- Logging of New Cases against Elexon– For Incidents and Requests
- Tracking the updates and status of previously logged cases
- Browse Knowledge

It is not for logging cases to non-Elexon parties such as LDSOs

When logging a Case in the Portal there are a number of fields that are required.

| Field                           | Description                                                                                                                    |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------|
| Organisation Name               | This is a drop down and will have those organisations to log Cases against                                                     |
| Party ID                        | Not mandatory – there is a check box where a party ID is not available.                                                        |
| Unregistered Organisation Name  |                                                                                                                                |
| Market Participant ID           |                                                                                                                                |
| CRA Market Role                 |                                                                                                                                |
| Request Details                 |                                                                                                                                |
| *Category                       | Based on a drop-down list that is under constant review                                                                        |
| *Subject                        | A short description of Incident / Request                                                                                      |
| *Description                    | A full description of the Incident / Request, including – where possible, details of steps undertaken to resolve the Incident. |
| URL of related page or document | Any associated URL that is related                                                                                             |
| Add Attachments                 | Not a field – an option to add attachments, error logs, screenshots etc.                                                       |

\*Indicates mandatory field

### 3.3 Elexon Service Levels

A response is defined as the initial contact (via the Support Portal, where possible) with a customer to acknowledge the issue, undertake initial troubleshooting, ensure all details are documented and advise the customer of the next steps.

To request an account to access the Portal, please see section [Service Portal](#)

### 3.4 Service Levels for Normal Operations

Elexon Service Levels will apply to Normal Operations (BSC Central Services) as specified in the MHHS Strategy Document; products defined as below

### 3.5 New Services

- Data Integration Platform
- Industry Standing Data
- Load Shape Service
- Market Wide Data Service
- Volume Allocation Service
- Settlement Operations

### 3.6 Existing Services

- Central Registration Agent
- Funds Administration Agent
- Central Data Collection Agent
- Energy Contract Volume Aggregation Agent
- Settlement Administration Agent

### 3.7 Service Levels for Special Operations

During a Major Incident involving 'Special Operations,' Central Service Provider SLAs will take precedence. While Elexon will aim to meet its Normal Operations SLAs where possible, its response will ultimately align with and be guided by the SLAs of the Central Service Provider to ensure a coordinated and consistent approach to incident resolution.

This ensures that all actions are synchronised with the primary service provider managing the issue.

### 3.8 Incident Classification & Prioritisation

|         |                                                                        | Impact              |                          |                    |
|---------|------------------------------------------------------------------------|---------------------|--------------------------|--------------------|
|         |                                                                        | High<br>System Wide | Medium<br>Multiple Users | Low<br>Single User |
| Urgency | High<br>Primary functions<br>not working                               | P1<br>6 Hours       | P2<br>1 Day              | P3<br>5 Days       |
|         | Medium<br>Work functions<br>are impaired but<br>workaround in<br>place | P2<br>1 Day         | P3<br>5 Days             | P4<br>20 Days      |
|         | Low<br>Inconvenient                                                    | P3<br>5 Days        | P4<br>20 Days            | P4<br>20 Days      |

The impact and urgency will also consider number of consumers and customers impacted, along with any financial impact.

The impact and urgency are assessed by the Service Desk; they are not options that can be selected when logging a case in the portal.

### 3.9 Elexon Incident Priority Definitions

| Priority | Service Level                                                                                                                                                                              |
|----------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| P1       | Complete loss of network infrastructure or systems, or unauthorised data breach due to a security incident or suspected security incident. Unauthorised penetration of customer system(s). |
| P2       | Moderate operational impact on customer system(s) or a security incident/ suspected security incident. Specified and identified threat to the customer system(s).                          |
| P3       | Minor operational impact on customer system(s) or a security incident/ suspected security incident. Specified and identified threat to the customer system (s).                            |
| P4       | Service Request                                                                                                                                                                            |

### 3.10 Elexon Service Levels

These apply to Elexon – other parties will have their own SLAs

| Priority | Service Level                                                                                             |
|----------|-----------------------------------------------------------------------------------------------------------|
| P1       | For Priority Level 1 Incidents, a work around or enduring fix tested and implemented with 6 hours         |
| P2       | For Priority Level 2 Incidents, a work around or enduring fix tested and implemented with 1 Day           |
| P3       | For Priority Level 3 Incidents, a work around or enduring fix tested and implemented with 5 Business Days |

|    |                                                                                                                               |
|----|-------------------------------------------------------------------------------------------------------------------------------|
| P4 | For Priority Level 4 Incidents (Service Requests), a work around or enduring fix tested and implemented with 20 Business Days |
|----|-------------------------------------------------------------------------------------------------------------------------------|

A response is defined as the initial contact (via a telephone call, where possible) with a customer to acknowledge the issue, undertake initial troubleshooting, ensure all details are documented and advise the customer of the next steps.

If another Central Service Provider experiences a Major Incident that does not require any support from Elexon to resolve, we would expect to receive the standard Major Incident updates for awareness.

### 3.11 MHHS Primary Service Desks

| Service Desk                          | Services Covered                                                                                                                                                                                                                                                                                                                    | Contact Details                                                                                                                                                                    |
|---------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| MHHS Service Desk (Elexon)            | <ul style="list-style-type: none"> <li>- Data Integration Platform (DIP)</li> <li>- Load Shaping Service (LSS)</li> <li>- CDCA, FAA, SAA, BMRA, ECVA</li> <li>- Qualification Testing Support</li> </ul>                                                                                                                            | Portal: <a href="https://support.elexon.co.uk">https://support.elexon.co.uk</a><br>Phone: +44 3700 106950<br>Email: <a href="mailto:support@elexon.co.uk">support@elexon.co.uk</a> |
| Elexon BSC Service Desk               | <ul style="list-style-type: none"> <li>- BMRA, ECVA, FAA, SAA, CDCA, CRA, SVAA</li> <li>- Settlement Timetable &amp; Data Accuracy</li> <li>- Code Documents &amp; Communications</li> </ul>                                                                                                                                        |                                                                                                                                                                                    |
| Retail Energy Code (REC) Service Desk | <ul style="list-style-type: none"> <li>- REC knowledge / process queries</li> <li>- REC Qualification queries</li> <li>- REC Change management</li> <li>- Energy Market Data Repository queries. Including for DTS and DIP flows held with-in the Energy Market Data Specification.</li> <li>- REC Performance Assurance</li> </ul> | Portal: <a href="https://recportal.co.uk">https://recportal.co.uk</a><br>Email: <a href="mailto:enquiries@recmanager.co.uk">enquiries@recmanager.co.uk</a>                         |
| Switching Service Desk (DCC)          | Switching queries for both the CSS and the DNO operated ERDS.                                                                                                                                                                                                                                                                       | Portal: <a href="https://portal.smartdcc.co.uk">https://portal.smartdcc.co.uk</a><br>Email: <a href="mailto:servicedesk@smartdcc.co.uk">servicedesk@smartdcc.co.uk</a>             |
| EES Service Desk C&C Group            | EES Technical queries                                                                                                                                                                                                                                                                                                               | <a href="mailto:helpdesk@groups.candc-uk.com">helpdesk@groups.candc-uk.com</a>                                                                                                     |
| DTS Service Desk                      | DTS Technical queries                                                                                                                                                                                                                                                                                                               | <a href="mailto:helpdesk@electralink.co.uk">helpdesk@electralink.co.uk</a>                                                                                                         |

|             |  |  |
|-------------|--|--|
| Electralink |  |  |
|-------------|--|--|

## 4 Triage Process

*This section, originally defined in the Service Definition Document, has been included here for completeness.*

### 4.1 Triage Process – Process Steps

| Number | Action                                                   | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|--------|----------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1.     | Case Raised in Service Portal                            | Service Users will raise a case on the Elexon Support Portal                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| 2.     | <b>1<sup>st</sup> Line:</b> Case Management Triage       | <p>Each case raised via the Elexon Support Portal is subject to 1<sup>st</sup> line triage (within 15 mins of raising case).</p> <p>1<sup>st</sup> line case management involves verifying if the query is valid for Elexon or requires re-routing. If re-routing is needed, guide the raiser to the correct service desk.</p> <p>If the case has been determined as to be dealt with by Elexon, the 1<sup>st</sup> Line triage will reassign to the correct function (Incident, Change, Request)</p>                                                                                                                                     |
| 3.     | Incident                                                 | Case is assigned to Incident Management and triage process will move to Step 7                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| 4.     | Request                                                  | Case is assigned to Request Fulfilment and triage process will end here                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| 5.     | <b>SME Triage:</b> Understand the Incident & its Impacts | If the case is assigned to Incident Management it will then move on to the next level of triage, SME Triage. This Triage will understand the Incident and its impacts                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| 6.     | Incident Classification                                  | <ul style="list-style-type: none"><li>• Impact Assessment: Evaluate how the incident affects business operations.</li><li>• Urgency Assessment: Determine how quickly the incident needs to be resolved.</li><li>• Priority Matrix:<ul style="list-style-type: none"><li>○ High Impact &amp; High Urgency: Immediate attention, escalate to Level 2 or 3 support.</li><li>○ High Impact &amp; Low Urgency: Scheduled resolution, but with attention.</li><li>○ Low Impact &amp; High Urgency: Quick fix, but less impactful.</li><li>○ Low Impact &amp; Low Urgency: Defer until higher priority issues are resolved.</li></ul></li></ul> |
| 7.     | Technical Triage                                         | During Technical Triage it is determined if the Incident can be assigned to Internal Elexon Technical Resolvers or engage Service User technical support teams (LDSO, RECCo, DCC etc)                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| 8.     | Contact Service User Triage                              | If in step 8 requires Service User support interaction, the triage team will contact and apply dual triage of the Incident                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| 9.     | Engage Technical Resolvers & Product Owner               | This involves the appropriate technical experts (resolvers) and the product owner in the incident management process to ensure that the issue is properly addressed.                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |

|     |                                                                                        |                                                                                                                                                                                                                                   |
|-----|----------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|     |                                                                                        | Technical resolvers work on diagnosing and fixing the problem, while the product owner provides input on business priorities and impacts,                                                                                         |
| 10. | <b>Analyse:</b> Capture & Analyse data/information                                     | This step refers to the gathering of relevant details about an incident and then examining that data to understand the nature, impact, and potential root cause of the issue.                                                     |
| 11. | <b>Contain/Mitigate:</b> Stop or lower the impact, prevent spread of the issue         | This step means implementing immediate actions to limit the damage caused by an incident, reduce its effect on services, and prevent it from affecting additional systems or users while a permanent solution is being developed. |
| 12. | <b>Remediate/Eradicate:</b> Fully remove/stop Incident, confirm successful remediation | This step means completely resolving the incident by eliminating its root cause and ensuring that the issue is fully addressed, followed by verifying that the solution is effective, and the incident will not recur.            |
| 13. | <b>Recover:</b> Recover data & systems, resume business as usual                       | This step means restoring any lost or affected data and systems to their normal functioning state and ensuring that regular business operations are fully resumed after an incident.                                              |
| 14. | <b>Review:</b> Fully remove/stop Incident, confirm successful remediation              | This step means evaluating the incident resolution to ensure the problem has been eliminated and verifying that the remediation was successful, preventing recurrence.                                                            |

## 5 Incident & Major Incident Management

### 5.1 Incident Management Definition

Incident Management refers to any unplanned disruption or degradation of service that affects one or more aspects of the settlement processes but does not meet the severity or impact thresholds defined for a "major incident."

This includes Settlement-related incidents and also covers DIP incidents, such as Retail issues, even if they do not directly impact the Settlement Process.

For clarification, the Incident and Major Incident processes apply to Elexon Managed Services, and MHHS related services.

#### 5.1.1 Settlement Process Definition

| Settlement Process                 | Description                                                                                                   | Impact of Major Incident                                                                                         |
|------------------------------------|---------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------|
| Data Aggregation and Collection    | Gathering and processing half-hourly consumption data from market participants (suppliers, generators, etc.). | Missing, incorrect, or incomplete data leading to incorrect settlement calculations.                             |
| Data Validation                    | Checking the collected data for accuracy, consistency, and errors.                                            | Widespread validation failures or discrepancies that impact settlement accuracy.                                 |
| Settlement Calculation             | Calculating charges and credits based on validated data, including consumption, generation, and balancing.    | Errors in the calculation process leading to incorrect charges or credits for market participants.               |
| Reconciliation and Billing         | Ensuring correct financial amounts are billed or credited based on settlement calculations.                   | Billing errors, incorrect financial data, or delays in processing settlements.                                   |
| Dispute Resolution and Adjustments | Resolving disputes and adjusting settlement calculations after initial settlement.                            | Challenges in resolving disputes or implementing adjustments, causing long-term discrepancies.                   |
| Timeliness and Compliance          | Ensuring settlement processes are completed on time and comply with regulatory requirements.                  | Delays in settlement processing or missed regulatory deadlines leading to non-compliance or financial penalties. |

### 5.2 Key Aspects of an Incident

| Type | Description |
|------|-------------|
|------|-------------|

|                                |                                                                                                                                                                                          |
|--------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Limited Impact                 | The incident has a limited impact on the settlement process, meaning it does not significantly disrupt core functions or most market participants                                        |
| Scale                          | Affects a small number of users, systems, or transactions within the MHHS Target Operating Model                                                                                         |
| Routine Resolution Path        | It is addressed through established incident management procedures, often involving standard troubleshooting, diagnosis, and resolution steps.                                           |
| No Immediate Regulatory Impact | Unlike major incidents, normal incidents do not immediately threaten compliance with regulatory deadlines or requirements, although they may affect performance if not promptly resolved |
| Lower Urgency                  | Normal incidents are usually prioritized lower than major incidents, as their resolution timeframe may not require immediate intervention                                                |

### 5.3 Examples of Incidents

- Minor data discrepancies in non-critical settlement processes.
- Temporary issues affecting a limited number of participants.
- Minor delays in routine reporting that do not impact overall deadlines.

### 5.4 Mandatory Fields – Logging an Incident

The following are the mandatory fields required when logging an incident.

- Category
  - Based on a drop-down list that is under constant review
- Subject
- Description

### 5.5 Raising an Incident with Elexon

| Number | Action                                   | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|--------|------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1.     | Case Raised in Service Portal            | Service Users will raise a case on the Elexon Support Portal                                                                                                                                                                                                                                                                                                                                                                                                         |
| 2.     | Review & 1st Line Case Management Triage | <p>Each case raised via the Elexon Support Portal is subject to 1st line triage (within 15 mins of raising case).</p> <p>1st line case management involves verifying if the query is valid for Elexon or requires re-routing. If re-routing is needed, guide the raiser to the correct service desk.</p> <p>If the case has been determined as to be dealt with by Elexon, the 1st Line triage will reassign to the correct function (Incident, Change, Request)</p> |
| 3.     | Major Incident Candidate                 | A major incident candidate in the incident management flow is an incident that has the potential to cause significant disruption to critical services, requiring immediate evaluation and possible escalation to major incident status for prioritised response and resolution.                                                                                                                                                                                      |

|     |                                            |                                                                                                                                                                                                                                                             |
|-----|--------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 4.  | Major Incident                             | If step 3 has been determined as a Major Incident, then the Incident Management flow ends, and the Major Incident Management process is started. Please click this link for the <a href="#">Major Incident Process Steps</a>                                |
| 5.  | Technical Triage & Attempt to Resolve      | This Triage will understand the Incident and its impacts and will attempt to apply a technical fix to resolve if possible                                                                                                                                   |
| 6.  | Triage Resolution                          | If the Technical Triage resolves the Incident, then move to step 9                                                                                                                                                                                          |
| 7.  | Engage Technical Resolver & Product Owners | If the Technical Triage is unable to resolve the Incident, then it will Engage Technical Resolvers and Product Owners. Technical Resolvers and Product Owners can be internal to Elexon or External Service User as part of the MHHS Target Operating Model |
| 8.  | Send Update Comms                          | Update Comms are issued to the Service Users who has raised the case, this communication will be via the Service Portal, which will also send an email update on the status of the Incident                                                                 |
| 9.  | Resolved                                   | If the Incident at this point is resolved, then move to step 14.                                                                                                                                                                                            |
| 10. | Review Incident & Attempt Resolution       | If the Incident is not resolved, then the Technical Resolver will review the Incident to attempt a resolution                                                                                                                                               |
| 11. | Change Required                            | As part of the Incident resolution, a Change may be required, if not move to step 13.                                                                                                                                                                       |
| 12. | Change Management                          | If a Change is required, the flow now moves into the Change Management process flow                                                                                                                                                                         |
| 13. | Resolved                                   | Once a resolution has been applied (either via a technical solution applied or Change Management process) this step confirms the resolution                                                                                                                 |
| 14. | Send Resolution Comms                      | Once resolution has been confirmed, resolution communications is sent via the Service Portal                                                                                                                                                                |
| 15. | Resolve Incident                           | The case that has been raised will then be moved to the resolve status in the ITSM toolset                                                                                                                                                                  |
| 16. | Incident Report                            | Post Incident and after the resolution, an Incident report will be created to review the fix and determine if a problem record needs to be created                                                                                                          |
| 17. | Problem Record                             | If as part of the Incident Report a Problem Management Case Record needs to be created, if not, the flow ends                                                                                                                                               |
| 18. | Problem Management                         | If a Problem Management record needs to be created, this moves to the Problem Management flow and this process ends                                                                                                                                         |

## 5.6 Key Aspects of a Major Incident

| Type        | Description                                                                                                                                                                         |
|-------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| High Impact | The incident affects critical settlement processes or a substantial number of market participants, potentially causing significant delays or inaccuracies in settlement activities. |
| Wide Scope  | Affects core functions, systems, or large-scale data within the MHHS Target Operating Model, with potential impact to downstream processes.                                         |

|                                               |                                                                                                                                                                                                                                                                                                                                                  |
|-----------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Immediate Regulatory and Compliance Risk      | The incident may put Elexon or other market participants at risk of missing regulatory deadlines or breaching compliance requirements.                                                                                                                                                                                                           |
| Heightened Urgency and Priority               | Major incidents are prioritised at the highest level and typically require immediate action, dedicated resources, and rapid escalation.                                                                                                                                                                                                          |
| Formal Communication Protocol                 | Elexon's Service Management team initiates formal incident communication channels to keep all stakeholders, including market participants and regulatory bodies, informed of the incident status, resolution efforts, and impact assessments.                                                                                                    |
| Specialised Major Incident Management Process | Elexon follows a structured major incident management process (please refer to Service Definition Document for process flow and actions)                                                                                                                                                                                                         |
| Financial Impact                              | A major financial impact involves significant monetary losses to market participants, such as suppliers or consumers. It can also include large-scale billing or settlement errors, resulting in incorrect charges or missed payments, and disruptions to settlement processes that lead to financial instability or disputes across the market. |
| Health & Safety                               | A major health and safety incident involves MHHS failures causing harm or risks to life, such as power disconnections for medical equipment or widespread outages affecting public safety.                                                                                                                                                       |
| Vulnerability                                 | Situations where a lack of access to critical systems or data creates barriers for vulnerable consumers to manage their energy usage effectively, exacerbating financial or physical challenges.                                                                                                                                                 |

## 5.7 Major Incident Triage

How a Major Incident is raised, assessed and how these are initially triaged.

| Action                                | Description                                                                                                                                                                                                                                                                                   |
|---------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Logging                               | The incident is logged in Elexon's Support Portal detailing initial information such as: <ul style="list-style-type: none"> <li>• Date and time of detection</li> <li>• Systems affected</li> <li>• Observed symptoms</li> <li>• Initial severity assessment</li> </ul>                       |
| Verification of Major Incident Status | Elexon's service management team assesses the incident to verify whether it meets the criteria for a major incident (high impact, regulatory risk, etc.).                                                                                                                                     |
| Classification                        | Based on initial findings, the incident is classified as a major incident, distinguishing it from lower-priority issues.                                                                                                                                                                      |
| Impact Assessment                     | Elexon evaluates the scale of the incident to understand its impact on: <ul style="list-style-type: none"> <li>• Core settlement processes</li> <li>• Number and types of affected market participants</li> <li>• Financial Impact</li> <li>• Downstream or interdependent systems</li> </ul> |

| Action                                               | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Severity and Urgency Assessment                      | This phase includes determining the urgency level, based on factors like:<br>Extent of disruption to settlement activities<br>Time sensitivity (e.g., risk of regulatory deadline breach)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| Regulatory and Compliance Risks                      | Assess if there's a risk of non-compliance with regulatory obligations.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| Stakeholder Notification and Escalation              | <p><b>Internal Escalation:</b> Elexon activates its internal major incident management team, involving specialists, technical leads, and senior management.</p> <p><b>Stakeholder Communication:</b> Key stakeholders, including affected market participants and regulatory bodies, are notified according to a predefined communication protocol. This includes:</p> <ul style="list-style-type: none"> <li>• Initial incident briefing</li> <li>• Estimated time to resolution, if known</li> <li>• Advice on interim measures for affected participants</li> </ul>                                                                                                                                                                                                                                                                                                                                      |
| Assignment of Major Incident Manager and Triage Lead | <p><b>Major Incident Manager:</b> Elexon assigns a dedicated incident manager who will oversee the incident resolution and coordinate resources.</p> <p><b>Triage Lead:</b> A triage lead is appointed to handle ongoing assessment and adjust priorities if the incident evolves.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| Prioritisation of Actions and Resource Allocation    | <p><b>Resource Allocation:</b> Assess the impact of the incident on both Settlement and Retail areas, engaging industry participants to understand the disruption caused by the DIP outage.</p> <p><b>Prioritisation of Actions:</b> Implement temporary fixes or workarounds to minimise the impact of the DIP outage, with industry participants following guidance to limit disruptions.</p> <p>Focus on full restoration of services, root cause analysis, and long-term fixes. Industry participants will be informed and may assist with testing or providing required data.</p> <p><b>Disaster Recovery Plan (if needed):</b> If core systems (including DIP) are severely impacted, initiate disaster recovery to restore service continuity, with industry participants involved for business continuity, such as performing manual transactions or alternative processes. Service continuity.</p> |
| Ongoing Monitoring and Real-Time Updates             | <p><b>Real-Time Monitoring:</b> The incident manager and triage team monitor real-time data to track the incident's progression and effectiveness of the resolution steps.</p> <p><b>Continuous Communication:</b> Regular updates are provided to stakeholders, detailing any changes in the resolution timeline, adjustments in priority actions, and progress toward incident resolution.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| Resolution and Post-Incident Review                  | <p><b>Resolution Verification:</b> Once resolved, the incident is validated to ensure all affected systems are back to normal operation.</p> <p><b>Post-Incident Analysis:</b> A post-incident review (PIR) is conducted to assess:</p> <ul style="list-style-type: none"> <li>• Root causes and contributing factors</li> <li>• Effectiveness of the response and triage process</li> <li>• Improvements to prevent similar incidents in the future</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                             |

| Action | Description                                                                                                                                                                                          |
|--------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|        | <b>Documentation and Reporting:</b> Final documentation is completed, and a report is shared with stakeholders, summarising the incident, resolution, and any recommendations for future prevention. |

Please refer to [Engagement Communications](#) for further information on Engagement Details

## 5.8 Validity Checks

Major Incident Validity Checks are a set of predefined assessments carried out to determine whether an incident qualifies as a "major incident" under service management criteria.

These checks involve evaluating the incident's impact, severity, and scope — such as the number of affected stakeholders, disruption to critical services, or potential regulatory implications.

Below is a set of Validity checks Elexon will apply for Major Incident Management:

| Type                                            | Category                             | Description                                                                                                                                                                                           |
|-------------------------------------------------|--------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Impact on Settlement Processes                  | Critical Process Interruption        | The incident disrupts core settlement processes essential to MHHS, such as data processing, calculation, or reporting, which impacts daily or monthly settlement cycles.                              |
|                                                 | Major Data Integrity Issues          | Significant data discrepancies or corruption that compromise the accuracy or reliability of settlement data.                                                                                          |
| Scope and Scale of Affected Market Participants | High Number of Participants Affected | The incident affects a substantial portion of market participants (e.g., multiple suppliers, generators, or distribution networks), hindering their ability to participate in the settlement process. |
|                                                 | Geographical or Segment Spread:      | The incident affects multiple regions or segments of the market, indicating widespread impact across different areas or participant types.                                                            |
| Regulatory and Compliance Risk                  | Risk to Regulatory Deadlines         | The incident poses a clear threat to meeting mandatory regulatory timelines, such as month-end settlement deadlines or compliance reporting dates.                                                    |
|                                                 | Non-Compliance Risk                  | Failure to resolve the incident promptly could lead to a regulatory breach, resulting in penalties, market sanctions, or other compliance issues for Elexon or participants.                          |

| Type                               | Category                          | Description                                                                                                                                                                                                                |
|------------------------------------|-----------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Severity of Service Disruption     | Significant System Downtime       | The incident causes prolonged downtime or unavailability of critical systems that support the MHHS TOM.                                                                                                                    |
|                                    | Severe Performance Degradation    | Even if systems remain operational, performance degradation severely limits functionality, slowing down data processing or transactions and impeding market operations.                                                    |
| Urgency and Restoration Complexity | Extended Resolution Time Expected | If initial assessment indicates that the incident will require extensive time to resolve due to complexity, interdependencies, or resource needs, it may justify elevation to Major Incident status.                       |
|                                    | Complex Recovery Requirements     | The incident may require disaster recovery procedures, specialized expertise, or significant resource allocation to restore services, suggesting an elevated response level.                                               |
| Security or Cybersecurity Concerns | Data Security Threat              | If the incident involves potential or confirmed data security risks, such as a data breach, unauthorized access, or potential compromise of sensitive data, immediate promotion to Major Incident status may be warranted. |
|                                    | Cyberattack or Threat Detected    | A confirmed or suspected cyberattack on critical infrastructure or systems that support MHHS TOM would likely trigger escalation to Major Incident status.                                                                 |

## 5.9 Example Thresholds and Triggers

Using the above criteria, Exelon's service management will apply thresholds or triggers for escalation, such as:

- Impact Threshold
  - Affecting more than 10% of market participants or a critical settlement function.
- Duration Threshold
  - Expected resolution time exceeds standard SLAs by 50% or more.
- Compliance Risk Threshold
  - Any incident that risks non-compliance with regulatory obligations.
- Security Threshold
  - Any confirmed or suspected security breach affecting settlement data integrity.

## 5.10 Summary Process for Validity Checks

### 5.10.1 Settlement

- Evaluate the incident against each validity criterion.
- Determine if any thresholds are met or exceeded (e.g., impact on market participants, regulatory deadlines).
- If criteria justify it, the incident is promoted to Major Incident status, triggering the major incident management protocol.
- Document the criteria that triggered escalation and inform stakeholders of the incident's new status and response actions.

### 5.10.2 Data Integration Platform

- Evaluate the incident against the relevant validity criteria for DIP services, considering SLAs and processes outlined in the REC, in addition to Settlement-related impacts.
- Determine if any DIP-specific thresholds are met, such as impacts on Retail processes or REC obligations, alongside standard incident evaluation.
- If DIP-specific criteria justify escalation, promote the incident to Major Incident status, triggering the DIP-specific major incident management protocol.
- Document the DIP-specific criteria that triggered escalation and inform stakeholders of the incident's status, ensuring alignment with DIP-related SLAs and REC processes.

## 5.11 Major Incident Process Steps

| Number | Action                                   | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|--------|------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1.     | Elexon Service Portal                    | Service Users will raise a case on the Elexon Support Portal (unless a suspected Cyber Incident, then please call the support number)                                                                                                                                                                                                                                                                                                                                |
| 2.     | Review & 1st Line Case Management Triage | <p>Each case raised via the Elexon Support Portal is subject to 1st line triage (within 15 mins of raising case).</p> <p>1st line case management involves verifying if the query is valid for Elexon or requires re-routing. If re-routing is needed, guide the raiser to the correct service desk.</p> <p>If the case has been determined as to be dealt with by Elexon, the 1st Line triage will reassign to the correct function (Incident, Change, Request)</p> |
| 3.     | Major Incident Candidate                 | A major incident candidate in the Major Incident Management flow is an incident that has the potential to cause significant disruption to critical services, requiring immediate evaluation and possible escalation to major incident status for prioritised response and resolution.                                                                                                                                                                                |
| 4.     | Incident Management                      | If step 3 has been determined as an Incident only, then the Major Incident Management flow ends. If this is classified as a Major Incident, then the flow continues to Step 5                                                                                                                                                                                                                                                                                        |

|     |                                                                     |                                                                                                                                                                                                                                                                                                        |
|-----|---------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 5.  | Review Promotion Request                                            | Once the Incident has been determined as a Major Incident, the Major Incident Manager will then review the promotion request                                                                                                                                                                           |
| 6.  | Valid Major Incident                                                | After the Major Incident has been reviewed it will be determined if this is a valid Major Incident, if so, move to step 7. If not, this will move to the Incident Management flow and this flow ends                                                                                                   |
| 7.  | Promote to Major Incident                                           | Once all validity checks have been completed, this will then be promoted to a Major Incident                                                                                                                                                                                                           |
| 8.  | Initial Comms sent to Major Incident Comms List                     | Communications to Service Users will be sent using the Major Incident Communications List                                                                                                                                                                                                              |
| 9.  | Engage Technical Resolver & Product Owners - Establish Bridge Comms | If the Technical Triage is unable to resolve the Incident, then it will Engage Technical Resolvers and Product Owners. Technical Resolvers and Product Owners can be internal to Elexon or External Service User as part of the MHHS Target Operating Model. Bridge Communications will be established |
| 10. | Send Update Comms                                                   | Update Comms are issued to the Service Users who has raised the case, this communication will be via the Service Portal, which will also send an email update on the status of the Incident                                                                                                            |
| 11. | Industry Circular Required                                          | This step determines is an Industry Circular is required as part of the communications. If not move to step 14.                                                                                                                                                                                        |
| 12. | Send Industry Circular                                              | An Industry Circular is sent                                                                                                                                                                                                                                                                           |
| 13. | Update BSC Website (by Incident Manager)                            | The BSC Website will be updated by the Major Incident Management detailing the Major Incident                                                                                                                                                                                                          |
| 14. | Review Incident & Attempt Resolution                                | The Technical Resolver will review the Incident to attempt a resolution                                                                                                                                                                                                                                |
| 15. | Change Required                                                     | As part of the Major Incident resolution, a Change may be required, if not move to step 17.                                                                                                                                                                                                            |
| 16. | Change Management                                                   | If a Change is required, the flow now moves into the Change Management process flow                                                                                                                                                                                                                    |
| 17. | Resolved                                                            | Once a resolution has been applied (either via a technical solution applied or Change Management process) this step confirms the resolution                                                                                                                                                            |
| 18. | Industry Circular Required                                          | This step determines is an Industry Circular is required as part of the communications. If not move to step 21.                                                                                                                                                                                        |
| 19. | Send Industry Circular                                              | An Industry Circular is sent                                                                                                                                                                                                                                                                           |
| 20. | Update BSC Website (by Incident Manager)                            | The BSC Website will be updated by the Major Incident Management detailing the Major Incident resolution                                                                                                                                                                                               |
| 21. | Send Resolution Comms                                               | Once resolution has been confirmed, resolution communications is sent via the Service Portal                                                                                                                                                                                                           |
| 22. | Resolve Incident                                                    | The case that has been raised will then be moved to the resolve status in the ITSM toolset                                                                                                                                                                                                             |
| 23. | Major Incident Report                                               | Post Major Incident and after the resolution, a Major Incident report will be created to review the fix and determine if a problem record needs to be created                                                                                                                                          |
| 24. | Problem Record                                                      | If as part of the Major Incident Report a Problem Management Case needs to be created, if not, the flow ends                                                                                                                                                                                           |
| 25. | Problem Management                                                  | If a Problem Management Case needs to be created, this moves to the Problem Management flow and this process ends                                                                                                                                                                                      |

## 5.12 ServiceNow Status Options

Below are the ServiceNow Status Options with definition and usage.

| Type        | Definition                                                                                                                                                                                  | Usage                                                                                                            |
|-------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------|
| New         | The incident has been created but not yet assessed or assigned.                                                                                                                             | This is the initial status when a major incident is logged.                                                      |
| In Progress | The incident is actively being worked on.                                                                                                                                                   | Indicates that a team is investigating or resolving the issue.                                                   |
| On Hold     | Work on the incident has been paused temporarily. This would also pause any SLA clock running.<br><b>Subcategories:</b> Awaiting Caller, Awaiting Change, Awaiting Problem, Awaiting Vendor | This may be due to waiting for additional information, vendor support, or other dependencies.                    |
| Resolved    | The incident has been addressed, and a solution has been implemented.                                                                                                                       | This status indicates that the incident is resolved but may still need to be validated or confirmed by the user. |
| Closed      | The incident has been fully resolved, and all related tasks and follow-ups are complete.                                                                                                    | This status is applied once all necessary actions are taken, including communication with the affected users.    |

## 5.13 Example Major Incident Workflow

- New → (Assessment) → In Progress
- In Progress → (Dependency Check) → On Hold
- On Hold → (Receive Input) → In Progress
- In Progress → (Resolution Implemented) → Resolved
- Resolved → (Validation) → Closed

## 5.14 ServiceNow Category Drops Downs

| Category                       | Incident Category Description                                                              |
|--------------------------------|--------------------------------------------------------------------------------------------|
| Settlement Services            | Incidents related to core settlement functions.                                            |
| Data Submission                | Issues concerning data submitted by participants or collected via systems.                 |
| Market Systems                 | Technical issues related to the systems supporting the MHHS.                               |
| Participant Issues             | Issues reported by market participants, such as suppliers, generators, or data providers   |
| Data Aggregation and Reporting | Incidents related to aggregation, reporting, or reconciliation of market data.             |
| Regulatory Compliance          | Issues related to ensuring compliance with regulatory requirements for market settlements. |

| Category             | Incident Category Description                                                     |
|----------------------|-----------------------------------------------------------------------------------|
| Security             | Security-related incidents affecting MHHS operations or participant systems.      |
| Communications       | Issues regarding communication channels or notifications.                         |
| Change Management    | Incidents arising from planned or unplanned changes in the system.                |
| Third-Party Services | Incidents related to third-party systems or services supporting the MHHS process. |

## 5.15 Engagement Communications

| Description                                                         | Action                                                                                                                                         | Communication                                                                                                                                                                                                                                                                                                                                                          |
|---------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Case Raised in Elexon Support Portal                                | Service Users submit a case via the Elexon Support Portal, describing the issue and its impact                                                 | <ul style="list-style-type: none"> <li>Automated alert sent to Service Management team, notifying them of the new case.</li> <li>Acknowledgment email to Service User, confirming receipt of the case.</li> </ul>                                                                                                                                                      |
| 1st Line Case Management Triage                                     | First-line support assesses and categorises the case within 15 Mins<br>Case is routed to the appropriate function                              | <ul style="list-style-type: none"> <li>If classified as a Major Incident, an immediate escalation is triggered, notifying the Incident Manager, Product Owner, and relevant stakeholders.</li> </ul>                                                                                                                                                                   |
| Major Incident Management Engagement                                | Major Incident Manager begins the incident management process.                                                                                 | <b>Initial Incident Notification</b> <ul style="list-style-type: none"> <li>Recipients: MHHS TOM stakeholders, Product Owners, Elexon senior management, and relevant service teams.</li> <li>Method: Email and portal notification.</li> <li>Content: Brief incident summary, initial impact assessment, and confirmation of escalation to Major Incident.</li> </ul> |
| SME Triage - Understanding the Incident and Impact                  | Subject Matter Experts (SMEs) review the incident, assess impact, and urgency.                                                                 | <b>SME Triage Update</b> <ul style="list-style-type: none"> <li>Recipients: Incident Manager, Product Owners, and key technical stakeholders.</li> <li>Content: Update on preliminary findings, scope of impact, and urgency level.</li> </ul>                                                                                                                         |
| Incident Classification and Priority Assignment                     | The incident is classified based on impact and urgency.<br><a href="#">Classification is determined in the following area of this document</a> | <b>Priority Notification</b> <ul style="list-style-type: none"> <li>Recipients: Relevant technical resolver teams, Product Owner, and Incident Manager.</li> <li>Content: Assigned priority level, impact details, and any immediate actions planned.</li> </ul>                                                                                                       |
| Technical Triage - Assignment to Internal or Service User Resolvers | Determination of whether the incident requires internal Elexon teams or Service User support (e.g., LDSO, RECCo, DCC).                         | <b>Resolver Assignment Notification</b> <ul style="list-style-type: none"> <li>Recipients: Assigned technical resolver teams, Incident Manager.</li> <li>Related Industry Participants</li> <li>Content: Assignment details, description of issue, and any support required from Service Users.</li> </ul>                                                             |

| Description                                                  | Action                                                                                                                                | Communication                                                                                                                                                                                                                                                                                                                                                                                 |
|--------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Dual Triage Engagement with Service User Support (if needed) | Contact Service User support teams and begin joint investigation.                                                                     | <b>Engagement Notice</b> <ul style="list-style-type: none"> <li>Recipients: Service User support team, internal technical resolvers, Product Owner.</li> <li>Content: Description of the incident, required input from Service User, and contact points.</li> </ul>                                                                                                                           |
| Engagement with Technical Resolvers and Product Owner        | Technical resolvers and Product Owner engage in the incident resolution process, providing insight on technical and business impacts. | <b>Technical Collaboration Meeting</b> <ul style="list-style-type: none"> <li>Timing: As needed, often every 30 minutes in a “war room” format.</li> <li>Participants: Incident Manager, Product Owner, and key technical teams.</li> <li>Content: Updates on technical findings, proposed solutions, and alignment on business priorities.</li> <li>Related Industry Participants</li> </ul> |
| Data Capture and Analysis                                    | Technical teams gather and analyse data to identify the root cause.                                                                   | <b>Analysis Update</b> <ul style="list-style-type: none"> <li>Recipients: Incident Manager, Product Owner, and senior management.</li> <li>Content: Preliminary analysis findings, identified impact, and estimated time to resolution.</li> </ul>                                                                                                                                            |
| Containment and Mitigation Efforts                           | Immediate containment actions are implemented to limit the incident’s impact.                                                         | <b>Mitigation Update</b> <ul style="list-style-type: none"> <li>Recipients: All stakeholders, including technical teams, Product Owners, and affected Service Users.</li> <li>Content: Description of containment actions, current impact status, and expected effectiveness.</li> </ul>                                                                                                      |
| Remediation and Incident Resolution                          | Technical teams resolve the root cause and confirm resolution.                                                                        | <b>Resolution Notification</b> <ul style="list-style-type: none"> <li>Recipients: MHHS TOM stakeholders, Product Owners, and senior management.</li> <li>Method: Email and portal notification.</li> <li>Content: Confirmation of resolution, summary of actions taken, and statement of restored service.</li> </ul>                                                                         |
| Recovery                                                     | Restore systems and ensure normal operations resume                                                                                   | <b>Recovery Confirmation</b> <ul style="list-style-type: none"> <li>Recipients: Service Users, Product Owners, technical teams.</li> <li>Content: Confirmation that services are fully operational, with verification of restored data or systems.</li> </ul>                                                                                                                                 |
| Post-Incident Review (PIR)                                   | Conduct a review of the incident to identify root causes and process improvements.                                                    | Further details on Post Incident Review can be found <a href="#">here</a>                                                                                                                                                                                                                                                                                                                     |

## 5.16 Engagement Communications Summary Overview

| Step                                        | Timing                                         | Purpose                                             | Participants/Recipients                                               | Method                           |
|---------------------------------------------|------------------------------------------------|-----------------------------------------------------|-----------------------------------------------------------------------|----------------------------------|
| <b>Initial Detection &amp; Notification</b> | Immediately upon detection                     | Notify technical and management teams               | Service Management Team, Incident Manager                             | Automated alert, email           |
| <b>Initial Stakeholder Notification</b>     | Within 30 minutes from Major Incident Promoted | Inform stakeholders of incident                     | MHHS stakeholders, Product Owners, senior management                  | Email, portal notification       |
| <b>SME Triage</b>                           | As case is escalated                           | Confirm incident scope and impact                   | Incident Manager, Product Owners, SMEs                                | Email, ServiceNow update         |
| <b>Incident Classification</b>              | During SME triage                              | Set priority based on urgency and impact            | Technical teams, Product Owners                                       | Email, ServiceNow update         |
| <b>Technical Triage Assignment</b>          | Immediately after classification               | Assign resolvers and contact Service User if needed | Technical teams, Product Owner, Incident Manager                      | Email, direct messaging          |
| <b>Dual Triage with Service Users</b>       | As determined by triage                        | Collaborate with Service User technical teams       | Internal and external support teams, Product Owners                   | Conference call                  |
| <b>Resolver Engagement Meeting</b>          | Ongoing                                        | Coordinate technical troubleshooting and priorities | Incident Manager, Product Owner, Technical Resolvers                  | Conference bridge                |
| <b>Data Analysis Update</b>                 | During resolution efforts                      | Share analysis of findings and root cause           | Incident Manager, Product Owners, senior management                   | Email, ServiceNow update         |
| <b>Containment Update</b>                   | Ongoing during containment                     | Inform stakeholders of containment status           | Stakeholders, Product Owners, Service Users                           | Email, portal notification       |
| <b>Resolution Notification</b>              | Immediately post-resolution                    | Confirm incident resolved                           | All initially notified stakeholders                                   | Email, ServiceNow, portal update |
| <b>Recovery Confirmation</b>                | After full recovery                            | Verify data/system restoration                      | Service Users, Product Owners                                         | Email                            |
| <b>Post-Incident Review</b>                 | <a href="#">Details Here</a>                   | Review and improve incident response                | All key Elexon stakeholders, technical, and incident management teams | PIR meeting, report email        |

## 5.17 Major Incident Communications List

The Major Incident distribution list will be stored and managed within Elexon ServiceNow tool.

- **Managing the Distribution List**
  - The distribution list will be regularly reviewed and updated to ensure accuracy, reflecting any changes in roles or contact details for Service Users and other stakeholders.
- **Communication Methods**
  - Communication methods will be defined for each recipient group, detailing channels such as email, SMS, and the ServiceNow portal for prompt updates throughout the incident lifecycle.
- **cab Engagement**
  - The Emergency Change Advisory Board (eCAB) will be involved in critical decision-making processes during major incidents to oversee impact assessments, prioritization, and resolution approvals.

#### 5.17.1 Communications Frequency

| Communication Type           | Frequency                                                                                                                                                                                                    |
|------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Initial Notification         | Immediately upon incident identification                                                                                                                                                                     |
| Regular Updates              | Every 30 minutes to 1 hour during investigation<br>The frequency of updated may vary should a suitable update not be available; an update will be provided as soon as relevant information becomes available |
| Escalation Notifications     | Immediately upon escalation                                                                                                                                                                                  |
| Resolution Updates           | Once resolution is implemented                                                                                                                                                                               |
| Initial Post-Incident Review | Within 48 hours after resolution                                                                                                                                                                             |
| Follow-Up Review Meetings    | Within 1-2 weeks post-incident                                                                                                                                                                               |
| Ad-Hoc Communications        | As necessary                                                                                                                                                                                                 |

#### 5.18 Industry Circular

Industry Circulars during IT incidents based on several criteria, primarily to inform stakeholders about disruptions affecting core services like Settlement Administration Agent (SAA) reporting, Balancing Mechanism Reporting Service (BMRS), and data aggregation processes.

Key reasons for issuing these circulars include:

- **Service Disruptions**
  - If there is an incident that impacts the availability or accuracy of settlement or reporting data, such as delays or errors in releasing scheduled reports or system failures, Elexon informs the industry to provide transparency and allow affected parties to take any necessary actions.
- **Resolution Updates**
  - Circulars are also used to communicate resolutions to previous incidents, particularly when data accuracy or critical calculations have been impacted. These updates help industry participants understand when normal service will resume or if interim measures, like using default data, are in place.

- **Urgency and Impact**

- Circulars are more likely to be issued if the incident significantly affects settlement accuracy or creates potential financial implications for market participants. This aligns with Elexon's approach to maintain industry trust by managing risks proactively and keeping all stakeholders informed.

These criteria ensure that we provide timely and relevant information, helping stakeholders remain informed about critical infrastructure and data flows in the energy market.

## 5.19 How to get added to Major Incident Comms

### Major Incident Comms

To be added to the main Major Incident Comms list, raise a request in the Elexon Support Portal to be added, the process is the same to be removed from the list

There is no limit to the number of people you can have added.

### Industry Circulars

To be added to the industry Circulars add your email against the systems you would like notifications for at the BSC status website.

<https://status.elexon.co.uk/>

## 5.20 Location of the BSC Website

The location of the BSC Website is as follows: <https://status.elexon.co.uk/>

Below is a brief overview on the contents of this website

- Information on the latest developments including changes, updates, and timelines.
- Resources related to incident management, problem management, and other operational processes for BSC systems and services.
- Access to key reporting tools and services, such as the Balancing Mechanism Reporting Service (BMRS), Settlement Administration Agent (SAA) reports.
- Details on how to register and comply with BSC rules and regulations.
- Information on ongoing or upcoming consultations and industry changes.

## 5.21 Post Major Incident Review

| Category                             | Action                              | Description                                                                                                                                                                                                     | Timing – Post Incident                                                                                            |
|--------------------------------------|-------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------|
| Initial Incident Summary and Context | Assemble Key Stakeholders           | Convene a small, focused team of key stakeholders (e.g., incident manager, technical lead, MHHS TOM representatives, and relevant Elexon staff) who were involved or impacted by the incident                   | 2 Hours                                                                                                           |
|                                      | Review Incident Timeline            | Document a high-level timeline of the incident, detailing when it was first detected, actions taken, resolution, and impact duration.                                                                           |                                                                                                                   |
|                                      | Outline Scope and Immediate Impact  | Clearly summarize the scope of the incident, including which participants or systems were affected, and the overall business impact (e.g., disruption to half-hourly settlement processing, data inaccuracies). |                                                                                                                   |
| Root Cause Analysis                  | Gather Data                         | Collect relevant logs, reports, and stakeholder accounts to understand what led to the incident                                                                                                                 | 6 Hours (to start within this period. Root Cause Analysis can continue through process will informing next steps) |
|                                      | Conduct a Rapid Root Cause Analysis | Identify the immediate and underlying causes of the incident.                                                                                                                                                   |                                                                                                                   |
|                                      | Identify Contributing Factors       | Note any secondary factors that contributed to the incident (e.g., system load issues, delayed maintenance)                                                                                                     |                                                                                                                   |
| Assessment of Incident Response      | Evaluate Response Actions           | Assess how quickly and effectively the incident response was carried out, including any delays in detection, communication, or resolution.                                                                      | 8 Hours                                                                                                           |
|                                      | Review Communication Protocols      | Evaluate the internal and external communication steps taken during the incident to determine if they were effective in informing stakeholders.                                                                 |                                                                                                                   |
|                                      | Identify Gaps or Inefficiencies     | Note any areas where the response could have been faster or more effective.                                                                                                                                     |                                                                                                                   |

| Category                                   | Action                                | Description                                                                                                                         | Timing – Post Incident |
|--------------------------------------------|---------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------|------------------------|
| Impact Analysis                            | Assess Market and Participant Impact  | Quantify the incident's impact on market processes, participants, and any data integrity issues.                                    | 12 Hours               |
| Draft Recommendations and Action Plan      | Identify Immediate Corrective Actions | List any corrective measures needed to prevent a recurrence, such as updating systems, adjusting workflows, or enhancing monitoring | 18 Hours               |
|                                            | Assign Action Owners and Timelines    | Designate responsible teams or individuals for each recommended action and set preliminary deadlines.                               |                        |
| PIR Report Drafting and Stakeholder Review | Create the PIR Document               | Summarise findings, root cause analysis, impact assessment, and recommendations in a structured document.                           | 22 Hours               |
| Final PIR Review and Sign-Off              | Sign Off                              | Obtain formal sign-off from relevant leadership to finalise the report.                                                             | 22–24 hours            |
|                                            | Distribute the Final PIR              | Share the final report with relevant internal teams and external stakeholders as needed.                                            |                        |

## 5.22 Non-Elexon Major Incidents

If an industry-wide major incident occurs, a selection of Central Service Providers and Market Participants will collaborate to resolve the incident. This collaboration will be led by a specific Central Service Provider's SM function. For the definition of Central Service Providers

The nature of the major incident event and the affected services will dictate which Central Service Providers and Market Participants collaborate in the resolution, and which Central Service Provider's SM function leads the resolution. For example, if it was an issue with the Central Switching Service (CSS), it would be expected that the DCC would lead the resolution.

The SLAs that would apply to the resolution of the major incident would be the SLAs that are applicable to the SM function of the Central Service Provider who leads the resolution efforts.

**Note** that the industry-wide major incident resolution can only ever be led by a Central Service Provider.

However, such issues are likely to have a significant impact on wider parties, such as Suppliers and Licensed Distribution System Operators (LDSOs), and so the collaborative resolution efforts can involve not just Central Service Providers but also wider Market Participants.



## 6 Problem Management

### 6.1 Problem Management Definition

Problem Management within Elexon's Service Management framework for supporting MHHS TOM focuses on identifying, analysing, and addressing the root causes of recurring or significant incidents to minimize disruptions and improve service reliability.

This section applies exclusively to BSC-managed processes and systems. For systems or processes outside this scope, Problem Management will be handled by the relevant system/service owner.

### 6.2 Key Aspects of a Problem Management

| Type                                        | Description                                                                                                   |
|---------------------------------------------|---------------------------------------------------------------------------------------------------------------|
| Proactive Issue Identification              | Continuous monitoring and analysis of incidents to uncover underlying problems early.                         |
| Root Cause Analysis (RCA)                   | Systematic investigation to determine the fundamental causes of issues for effective resolution.              |
| Collaboration with Stakeholders             | Engaging market participants, service providers, and internal teams to validate findings and align solutions. |
| Problem Resolution and Prevention           | Implementing permanent fixes or temporary workarounds to minimize impact while addressing root causes.        |
| Knowledge Management                        | Documenting learnings, resolutions, and preventive measures to enhance future problem-handling efficiency.    |
| Alignment with SLAs and Business Objectives | Ensuring problem management supports service levels.                                                          |
| Post-Implementation Reviews (PIRs)          | Evaluating solutions' effectiveness and identifying opportunities for further service improvements.           |

### 6.3 Examples of Problems

| Problem                                    | Description                                                                                                   | Resolution Approach                                                                                                                                                     |
|--------------------------------------------|---------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Data Inconsistencies in Market Submissions | Market participants report discrepancies between submitted and processed data, impacting settlement accuracy. | Conduct RCA to identify systemic issues in data validation processes. Collaborate with participants to refine submission protocols and implement automated data checks. |
| Recurring Portal Authentication Failures   | Users experience frequent login failures, disrupting access to critical MHHS TOM services.                    | Analyse authentication logs to pinpoint root causes, such as system timeouts or compatibility issues. Deploy fixes and enhance user support documentation.              |

|                                            |                                                                                                           |                                                                                                                                                                                  |
|--------------------------------------------|-----------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Delayed Response to Out-of-Hours Incidents | Incident response times are inconsistent during non-business hours, leading to prolonged service outages. | Investigate escalation gaps in out-of-hours support processes. Engage stakeholders to redesign response protocols, ensure alignment with SLAs, and implement training for teams. |
|--------------------------------------------|-----------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

## 6.4 Raising a Problem with Elexon

| Number | Action                                | Description                                                                                                                                                                 |
|--------|---------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1      | Access the Elexon Support Portal      | Log into the Elexon Support Portal using authorized credentials and navigate to the "Raise a Case" section.                                                                 |
| 2      | Submit Problem Details                | Provide a detailed description of the issue, its impact on processes, affected systems, and supporting data. Select "Problem" as the case type.                             |
| 3      | Confirmation and Acknowledgment       | Receive a unique case reference number and an acknowledgment email confirming the case submission.                                                                          |
| 4      | First-Line Triage                     | The first-line support team reviews the case within 15 minutes, assesses the issue, and routes it to the appropriate function (e.g., Incident, Change, Problem Management). |
| 5      | Initial Evaluation                    | Evaluate the problem's impact. If significant, escalate to the Major Incident Management process. Otherwise, move to Problem Management.                                    |
| 6      | Problem Analysis and Technical Review | Conduct a root cause analysis (RCA) and collaborate with technical resolvers, product owners, or external providers.                                                        |
| 7      | Communication Updates                 | Send regular updates via the portal and email to the user who raised the problem, keeping them informed of progress.                                                        |
| 8      | Resolution or Escalation              | Apply a resolution through technical fixes or escalate to Change Management or other specialised workflows if needed.                                                       |
| 9      | Final Resolution and Confirmation     | Document the resolution, send a confirmation to the user, and mark the problem as resolved.                                                                                 |
| 10     | Post-Resolution Review                | Conduct a review to ensure the root cause is addressed, update documentation, and implement preventive measures to avoid recurrence.                                        |

## 6.5 Problem Management Mandatory Fields in ServiceNow

| Field             | Description                                                                                   |
|-------------------|-----------------------------------------------------------------------------------------------|
| Problem Number    | A unique identifier auto generated by ServiceNow for tracking the problem.                    |
| Short Description | A summary of the problem to provide quick insight into the issue.                             |
| Description       | Detailed information about the problem, including symptoms, impact, and any initial findings. |

|                         |                                                                                               |
|-------------------------|-----------------------------------------------------------------------------------------------|
| Priority                | The urgency and impact of the problem, often based on predefined criteria.                    |
| Category                | The high-level grouping or classification of the problem (e.g., software, hardware, network). |
| Assignment Group        | The team or department responsible for managing or resolving the problem.                     |
| Assigned To             | The specific individual responsible for resolving or investigating the problem.               |
| Impact                  | The scope of the problem's effect on users, systems, or services (e.g., High, Medium, Low).   |
| Urgency                 | The speed at which the problem must be addressed, influencing its priority level.             |
| Configuration Item (CI) | The affected system or component from the Configuration Management Database (CMDB).           |
| State                   | The current lifecycle status of the problem (e.g., New, In Progress, Resolved, Closed).       |
| Root Cause              | The identified underlying cause of the problem (mandatory when closing the problem).          |
| Workaround              | Details of any temporary solution implemented to mitigate the issue's impact.                 |
| Resolution              | A clear description of how the problem was resolved or permanently fixed.                     |
| Closure Code            | A reason for closing the problem, such as "Resolved" or "Known Error."                        |

## 7 Request Fulfilment

### 7.1 Method to raise a service request

| Step | Type                                                                                             | Description                                                                                                                                                                                                                                |
|------|--------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1    | Log In to the Elexon Support Portal:<br><a href="#">Elexon Support Homepage - Elexon Support</a> | <ul style="list-style-type: none"><li>Go to Elexon Support Portal</li><li>Log in with your credentials.</li></ul>                                                                                                                          |
| 2    | Navigate to the Case or Request Creation Section                                                 | <ul style="list-style-type: none"><li>On the homepage navigate to Report a Service Issue</li></ul>                                                                                                                                         |
| 3    | Fill Out Case Details                                                                            | <ul style="list-style-type: none"><li>Choose Category: MHHS Service Request</li><li>Enter in Subject name of Service Request</li><li>Enter in description details of the Service Request</li><li>Attach Supporting Documentation</li></ul> |
| 4    | Submit Case                                                                                      | <ul style="list-style-type: none"><li>Case is submitted to 1<sup>st</sup> Line Triage</li></ul>                                                                                                                                            |
| 5    | Track and Manage Your Case                                                                       | <ul style="list-style-type: none"><li>After submission, you can monitor the status of your case from the My Cases.</li></ul>                                                                                                               |

### 7.2 Response & Resolution SLA

The below are for Elexon Service Desk only.

| Type          | Response Times          | Resolution Times          | Examples                                                                                                                                     |
|---------------|-------------------------|---------------------------|----------------------------------------------------------------------------------------------------------------------------------------------|
| Standard      | Within 1 Business Day   | Within 5 Business Days    | <ul style="list-style-type: none"><li>Routine Access Requests</li><li>Standard Account Modifications</li><li>Data Extract Requests</li></ul> |
| Complex       | Within 1 Day            | Within 5-10 Business Days | <ul style="list-style-type: none"><li>System Configs</li><li>Creating New Reports</li></ul>                                                  |
| High Priority | Within 4 Business Hours | Within 1-2 Business Days  | <ul style="list-style-type: none"><li>Urgent Access</li><li>Configuration Adjustments</li></ul>                                              |
| Custom        | Within 2 Business Days  | Custom Timeline           | <ul style="list-style-type: none"><li>Integrations with New systems</li><li>Enhancements</li></ul>                                           |

### 7.3 Communications Method for Request Fulfilments

| Communication Type | Channel                   | Description                                                                               |
|--------------------|---------------------------|-------------------------------------------------------------------------------------------|
| Standard           | Service Management Portal | <ul style="list-style-type: none"><li>Real Time</li><li>Automated Notifications</li></ul> |

| Communication Type      | Channel                          | Description                                                                                                          |
|-------------------------|----------------------------------|----------------------------------------------------------------------------------------------------------------------|
|                         | Email Notifications              | <ul style="list-style-type: none"> <li>• Responses on Submission</li> <li>• Updates</li> <li>• Resolution</li> </ul> |
|                         | Knowledge Base                   | <ul style="list-style-type: none"> <li>• Guides</li> <li>• Instructions</li> <li>• Update Logs</li> </ul>            |
| Complex & High Priority | Same as Standard                 | <ul style="list-style-type: none"> <li>• See Standard Section</li> </ul>                                             |
|                         | Phone Support                    | <ul style="list-style-type: none"> <li>• For urgent requests that require a quick response</li> </ul>                |
|                         | Incident or Change Notifications | <ul style="list-style-type: none"> <li>• For complex requests that impact multiple users</li> </ul>                  |
| Custom                  | Same as Standard                 | <ul style="list-style-type: none"> <li>• See Standard Section</li> </ul>                                             |
|                         | Kick off meetings                | <ul style="list-style-type: none"> <li>• For request that may require a Project</li> </ul>                           |
|                         | Progress Updates                 | <ul style="list-style-type: none"> <li>• For custom or project-based request to give an update</li> </ul>            |

## 8 Change Management

### 8.1 Change Management Definition

Change Management is the process responsible for managing the lifecycle of all changes to minimize risk and disruption to IT services.

The goal of Change Management is to ensure that standardized methods and procedures are used for handling changes in IT infrastructure, applications, and services to prevent unnecessary interruptions, improve productivity, and maintain service quality.

The Change Process only refers to Elexon Central Systems, with other Central Systems under the TOM operating their own Change Process.

This process does not cover Changes that impact the Code, the following is a link to the BCS Code Change documentation.

<https://recportal.co.uk/operational-documents>

#### 8.1.1 Key Objectives of Change Management include:

- Ensuring all changes are recorded, assessed, authorized, prioritized, planned, tested, implemented, documented, and reviewed in a controlled manner.
- Minimizing the risk of disruption to IT services while facilitating beneficial changes.
- Providing a consistent and effective approach to evaluating, approving, and scheduling changes.
- Aligning IT services with evolving business needs and compliance requirements.

#### 8.1.2 Types of Changes:

| Type             | Description                                                                                                    |
|------------------|----------------------------------------------------------------------------------------------------------------|
| Standard Change  | Pre-approved, low-risk, and recurring changes that follow a set process                                        |
| Emergency Change | Requires immediate implementation due to an urgent need to restore service or prevent potential service impact |
| Normal Change    | Requires risk assessment and approval                                                                          |

### 8.2 Raising a Normal Change

Changes can be raised by any the following.

| Company | Role              |
|---------|-------------------|
| Elexon  | Service Owners    |
| Elexon  | Project Manager   |
| Elexon  | Service Providers |

### 8.3 Mandatory fields for the ServiceNow for Change

| Type                     | Categories               | Description                                                                                             |
|--------------------------|--------------------------|---------------------------------------------------------------------------------------------------------|
| Information              | Number                   | The unique identifier for the Change Request. It is auto generated.                                     |
|                          | Type                     | Specifies the type of change, Normal, Standard, or Emergency                                            |
|                          | Short Description        | A brief, one-line summary of the change.                                                                |
|                          | Category                 | High-level classification (e.g., Software, Hardware).                                                   |
|                          | Description              | A detailed description of the change, its purpose, and expected outcome.                                |
| Planning & Justification | Reason for Change        | Explanation of why the change is necessary                                                              |
|                          | Risk and Impact Analysis | Assessment of potential risks, which can include fields like risk level and impact level                |
|                          | Priority                 | Sets the urgency and business impact of the change, often chosen from a priority matrix.                |
|                          | Requested By             | The person requesting the change, often auto-filled based on the user submitting the request.           |
| Scheduling               | Planned Start Date       | The anticipated start date and time for the change.                                                     |
|                          | Planned End Date         | The anticipated end date and time for the change.                                                       |
|                          | Change Window            | A specified time frame in which the change will take place, often used for Standard and Normal changes. |
| Approval                 | Approval Fields          | Approval status and approvers, typically required for Normal and Emergency changes.                     |
| Post-Implementation      | Change Closure Code      | Reason or category for closing the change (e.g., Successful, Unsuccessful).                             |
|                          | Closure Notes            | Additional details about the outcome and any issues encountered.                                        |

### 8.4 Risk Matrix

Below is the risk matrix for Change Management.

| Impact / Probability | High Risk                                                                                                      | Medium Risk                                                                                                            | Low Risk                                                                                       |
|----------------------|----------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------|
| High Probability     | High Risk                                                                                                      | High Risk                                                                                                              | Medium Risk                                                                                    |
| Description          | High probability of service disruption or introducing instability. Involves critical systems, dependencies, or | High probability of disruption, moderate system impact. May involve systems with limited testing or interdependencies, | Low probability of disruption but may still involve interdependencies or slight uncertainties. |

|                           |                                                                                                                           |                                                                                                                         |                                                                                                              |
|---------------------------|---------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------|
|                           | unproven implementations. Requires thorough assessment and contingency plans.                                             | needing careful assessment.                                                                                             | Requires basic assessment.                                                                                   |
| <b>Medium Probability</b> | <b>High Risk</b>                                                                                                          | <b>Medium Risk</b>                                                                                                      | <b>Low Risk</b>                                                                                              |
| Description               | Critical systems involved, dependencies present, or lack of proven implementation success. Requires contingency planning. | Routine change with moderate risk due to limited testing or interdependent systems. Assessment required but manageable. | Well-understood processes with minimal likelihood of disruption. Often streamlined approval process.         |
| <b>Low Probability</b>    | <b>Medium Risk</b>                                                                                                        | <b>Low Risk</b>                                                                                                         | <b>Low Risk</b>                                                                                              |
| Description               | Occasional incidents or unpredictable circumstances. Requires careful evaluation and risk mitigation planning.            | Routine, low risk change with minimal impact, likely already pre-tested.                                                | Very low probability of issues, with routine or pre-tested processes that pose minimal disruption potential. |

## 8.5 Risk Definition

Risk reflects the likelihood that a change could cause issues, disruptions, or failures, often based on factors like change complexity, time constraints, and previous success with similar changes.

| Type        | Description                                                                                                                                                                                                                                                                                             |
|-------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| High Risk   | <ul style="list-style-type: none"> <li>High probability of causing service disruption or introducing instability</li> <li>Involves critical systems, has dependencies, or lacks a proven history of successful implementations</li> <li>Requires thorough assessment, and contingency plans.</li> </ul> |
| Medium Risk | <ul style="list-style-type: none"> <li>Moderate probability of service disruption or introducing some level of instability.</li> <li>Generally routine but with some elements that may introduce risk, like limited testing or interdependent systems.</li> <li>Requires careful assessment</li> </ul>  |
| Low Risk    | <ul style="list-style-type: none"> <li>Low probability of causing issues, often due to well-understood, routine processes or changes that are pre-tested</li> <li>Minimal impact on services even if something goes wrong</li> <li>Often qualifies for streamlined approval</li> </ul>                  |

## 8.6 Impact Definition

Impact represents the potential scope and severity of a change on the organization or affected services. ServiceNow typically defines impact in terms of its effect on users, systems, or business functions:

| Type          | Description                                                                                                                                                                                                                                                                                             |
|---------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| High Impact   | <ul style="list-style-type: none"> <li>• Affects a critical business function or has market wide impact</li> <li>• Likely to cause significant disruption to services or business processes.</li> <li>• Often requires careful planning and high-level approvals due to its potential reach.</li> </ul> |
| Medium Impact | <ul style="list-style-type: none"> <li>• Affects a limited set of users or a specific application</li> <li>• May cause moderate disruptions, but typically with less extensive business or market wide consequences</li> <li>• Requires moderate oversight</li> </ul>                                   |
| Low Impact    | <ul style="list-style-type: none"> <li>• Affects a minimal number of users or a minor part of the infrastructure.</li> <li>• Causes little to no disruption to business processes.</li> <li>• Often approved through a fast-track or simplified process</li> </ul>                                      |

## 8.7 Additional Information

- Should a Change have Low Risk and Low Impact it will not need to obtain CAB approval and will be assessed by the Change Manager.
- Normal Changes not requiring CAB approval should be raised 5 working days ahead of the proposed Change start date.
- Normal Changes requiring CAB approval should be submitted by COB on Tuesday to be reviewed at the CAB the following Tuesday.

## 8.8 Closing Changes

The Service Provider responsible for the Change implementation should close the change with one of the following Change outcomes.

| Type                   | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
|------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Successful             | The change occurred with no issues                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| Successful with Issues | The change occurred with a manageable issue, didn't need a high priority incident raised, and produced the intended outcome                                                                                                                                                                                                                                                                                                                                                                              |
| Unsuccessful           | <p><b><u>Failure to Meet Objectives</u></b><br/>The change does not deliver the expected functionality or improvement.</p> <p><b><u>Service Disruption</u></b><br/>Causes unexpected outages or degradation in performance of key systems</p> <p><b><u>Incident Generation</u></b><br/>Introduces incidents requiring unplanned troubleshooting or rollback.</p> <p><b><u>Ineffective Rollback</u></b><br/>Rollback procedures fail, prolonging service disruptions or causing data inconsistencies.</p> |
| Backed Out             | The change was attempted but to avoid failure was rolled back per planned rollback strategy within the planned time frame                                                                                                                                                                                                                                                                                                                                                                                |

|              |                                                                                                                                                                                                                                                       |
|--------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Cancelled    | The change did not happen; the Change Request was closed without implementation being attempted                                                                                                                                                       |
| Unauthorised | The change was made without authorisation (whether successful or not); also changes with an approved plan that were egregiously executed outside the plan details (e.g. completely outside planned window, changed additional or different CIs, etc.) |

Any Change that was closed with any Change outcome other than Successful or Cancelled will follow the Post Implementation Review process.

## 8.9 CAB

### 8.9.1 Purpose

The CAB exists to provide advice, risk assessment, and authorization support for changes impacting IT services and infrastructure. It ensures that changes are evaluated for potential risks, impacts, and alignment with organizational goals.

### 8.9.2 Scope

The CAB assesses and approves Normal changes that have either a risk or impact rating of 1 or 2 and require a thorough review due to their potential impact on IT services, users, or business operations. It excludes Standard Changes, which are pre-approved and follow a separate process, and Normal Changes that have an impact and risk of 3-Low

### 8.9.3 Changed Requiring CAB Approval

| Type of Change                  | Description                                                                                                                                                   |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Major System Updates            | Changes to core systems like the Data Integration Platform (DIP), or settlement platforms.                                                                    |
| High-Risk Changes               | Changes identified as having a high potential for service disruption, such as upgrades to critical infrastructure or changes impacting multiple stakeholders. |
| Regulatory or Compliance-Driven | Changes required to meet new regulatory requirements (e.g., Ofgem mandates, GDPR updates, or NIS Directive compliance).                                       |
| Infrastructure Overhauls        | Significant updates to underlying infrastructure, such as database migrations, cloud architecture changes, or network reconfigurations.                       |
| Service Level Changes           | Changes affecting agreed SLAs (Service Level Agreements) or OLAs (Operational Level Agreements).                                                              |
| Introduction of New Services    | Implementation of new functionalities, tools, or systems that impact market participants or operational processes.                                            |
| Cross-Stakeholder Impact        | Changes that involve multiple stakeholders, such as suppliers, generators, DNOs, or third-party vendors, requiring coordination and alignment.                |

| Type of Change             | Description                                                                                                    |
|----------------------------|----------------------------------------------------------------------------------------------------------------|
| Security Enhancements      | Implementation of security patches, upgrades, or measures addressing vulnerabilities in critical systems.      |
| Rollback-Dependent Changes | Changes where rollback is complex or carries significant risk, such as schema changes to settlement databases. |
| Incident Response Changes  | Changes to resolve major incidents that require structural updates or enhancements to prevent recurrence.      |
| Operational Policy Updates | Modifications to processes or policies that affect the operational framework of the MHHS TOM.                  |

#### 8.9.4 Objectives

- To ensure that all changes are reviewed for risk, impact, resources, and timing.
- To recommend approval or rejection of changes based on a balanced consideration of risk versus benefit.
- To monitor the progress of changes and post-implementation reviews to improve future change processes.

#### 8.9.5 Responsibilities

- Reviewing and advising on changes, focusing on, significant, or major changes.
- Ensuring that change requests have adequate documentation, risk assessments, testing results, and back-out plans.
- Prioritising changes based on organizational needs and resource availability.
- Providing final authorization for changes when required and escalating to senior management if necessary.
- Participating in post-implementation reviews to identify lessons learned.

#### 8.9.6 Agenda

- Review of the previous meeting's minutes and any action items
- New Change Proposals - Discuss new change requests, including scope, risk assessment, impact analysis, and testing
  - Identify and address any high-priority or critical changes that need immediate attention
- Scheduled Changes - Review and discuss scheduled changes and timelines that are due in the coming week
- Discuss any significant changes that are expected to be raised soon
- Emergency Changes: Analyse any unplanned/emergency changes and their impacts
- Review changes that have been recently implemented and not closed as Successful or Cancelled, and discuss their outcomes, lessons learned, or adjustments required
- Acceptance of new proposed Standard Changes

### 8.9.7 Membership

If a party wishes to be added to the CAB list, they would need to raise a Service Request, they will then be added to the Forward Schedule of Change report and CAB invite list.

Parties can review the Forward Schedule of Change to determine if they wish to attend CAB.

- CAB Membership will be a combination of Permanent and Ad-hoc Members depending on the Change.
- If any Permanent Members are unable to attend, they should nominate a deputy to attend on their behalf

### 8.9.8 Meeting Frequency

CAB will convene each Tuesday at 12.00. Emergency CAB will be held as required or may take place during a MIM Bridge call.

### 8.9.9 Post-Implementation Review (PIR)

The CAB reviews the success and lessons learned from changes for significant and major changes where the Change has not been successful, to inform future improvement.

## 8.10 Reporting

The following lists the scheduled reports from the Change Management team.

To either be added to, or removed from these reports, please email

[SMChangemanagement@elexon.co.uk](mailto:SMChangemanagement@elexon.co.uk)

The Forward Schedule of Change and Retrospective Change Report will be issued at 6am on a Mondays, the Forward Schedule of Change will include Changes submitted and approved up to that time.

#### 8.10.1 Forward Schedule of Change

| Type                      | Description                                        |
|---------------------------|----------------------------------------------------|
| Report Title              | Forward Schedule of Change                         |
| Purpose                   | To show all changes planned within the next xx day |
| Frequency                 | Include frequency and when – weekly, 6am Mondays   |
| <b>Field Descriptions</b> |                                                    |
| Number                    | The Change reference number                        |
| Category                  | The category of the change                         |
| Assigned to               | The person that the change is assigned to          |
| Short Description         | A field for the short description of the Change    |

|                    |                                           |
|--------------------|-------------------------------------------|
| Planned Start Date | Planned start date and time of the Change |
| Planned End Date   | Planned end date and time of the Change   |

### 8.10.2 Retrospective Change Report

| Type         | Description                                                                               |
|--------------|-------------------------------------------------------------------------------------------|
| Report Title | Retrospective Change Report                                                               |
| Purpose      | To show all changes that were due to be implemented in the previous week and their status |
| Frequency    | Include frequency and when – weekly, 6am Mondays                                          |

## 8.11 Monthly Reporting

The Change Manager will prepare regular reports on change activity, including metrics on the number of changes, types of changes, success rates, and any issues encountered.

- Number of Authorised vs. Unauthorised changes
- Percentage of reversed or backed-out changes
- Change acceptance rate vs. Rejected changes
- Schedule variance - Schedule variance is the difference between the amount of time a change implementation is expected to take vs. the amount of time it takes.
- Number of incidents/Cases caused by new changes
- Percentage of changes completed on time and budget

## 8.12 External Parties Notification of Change

Any external parties can send Change Notifications to the Change Team at [SMChangemanagement@elexon.co.uk](mailto:SMChangemanagement@elexon.co.uk)

## 9 Emergency Change Management

### 9.1 Emergency Change Management Definition

An Emergency Change is defined as a change that must be implemented urgently, typically to address a high-impact issue, such as an ongoing incident, security breach, or a situation that could cause significant service disruption. Emergency Changes bypass the standard Change Management process due to their critical nature but are still subject to risk assessment and review by an Emergency Change Advisory Board (CAB), to ensure they are safe and effective.

Key characteristics of an ITIL emergency change include:

- **Urgency:** The change must be implemented immediately to prevent or mitigate significant disruption or damage to services.
- **Approval Process:** Emergency changes still go through a streamlined version of the change management process, often requiring quick approval from designated senior personnel or an emergency CAB.
- **Risk and Impact Consideration:** Despite the urgency, the potential risks and impacts of an emergency change are still assessed to ensure minimal disruption to other services.
- **Documentation:** Emergency Changes are documented thoroughly to provide transparency and enable review after implementation for any necessary corrective actions or process improvements.

The Emergency Change Process only refers to Elexon Central Systems, with other Central Systems under the TOM operating their own Emergency Change Process.

### 9.2 Mandatory fields for the ServiceNow for Change

| Type                     | Categories               | Description                                                                                   |
|--------------------------|--------------------------|-----------------------------------------------------------------------------------------------|
| Information              | Number                   | The unique identifier for the Change Request. It is auto generated.                           |
|                          | Type                     | Specifies the type of change, such as Normal, Standard, or Emergency                          |
|                          | Short Description        | A brief, one-line summary of the change.                                                      |
|                          | Category                 | High-level classification (e.g., Software, Hardware).                                         |
|                          | Description              | A detailed description of the change, its purpose, and expected outcome.                      |
| Planning & Justification | Reason for Change        | Explanation of why the change is necessary                                                    |
|                          | Risk and Impact Analysis | Assessment of potential risks, which can include fields like risk level and impact level      |
|                          | Priority                 | Sets the urgency and business impact of the change, often chosen from a priority matrix.      |
|                          | Requested By             | The person requesting the change, often auto-filled based on the user submitting the request. |

|                     |                     |                                                                                                         |
|---------------------|---------------------|---------------------------------------------------------------------------------------------------------|
| Scheduling          | Planned Start Date  | The anticipated start date and time for the change.                                                     |
|                     | Planned End Date    | The anticipated end date and time for the change.                                                       |
|                     | Change Window       | A specified time frame in which the change will take place, often used for Standard and Normal changes. |
| Approval            | Approval Fields     | Approval status and approvers, typically required for Normal and Emergency changes.                     |
| Post-Implementation | Change Closure Code | Reason or category for closing the change (e.g., Successful, Unsuccessful).                             |
|                     | Closure Notes       | Additional details about the outcome and any issues encountered.                                        |

### 9.2.1 Risk Definition

Risk reflects the likelihood that a change could cause issues, disruptions, or failures, often based on factors like change complexity, time constraints, and previous success with similar changes.

| Type        | Description                                                                                                                                                                                                                               |
|-------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| High Risk   | High probability of causing service disruption or introducing instability<br>Involves critical systems, has dependencies, or lacks a proven history of successful implementations<br>Requires thorough assessment, and contingency plans. |
| Medium Risk | Moderate probability of service disruption or introducing some level of instability.<br>Generally routine but with some elements that may introduce risk, like limited testing or interdependent systems.<br>Requires careful assessment  |
| Low Risk    | Low probability of causing issues, often due to well-understood, routine processes or changes that are pre-tested<br>Minimal impact on services even if something goes wrong<br>Often qualifies for streamlined approval                  |

### 9.2.2 Impact Definition

Impact represents the potential scope and severity of a change on the organization or affected services. ServiceNow typically defines impact in terms of its effect on users, systems, or business functions:

| Type          | Description                                                                                                                                                                                                                         |
|---------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| High Impact   | Affects a critical business function or has market wide impact<br>Likely to cause significant disruption to services or business processes.<br>Often requires careful planning and high-level approvals due to its potential reach. |
| Medium Impact | Affects a limited set of users or a specific application                                                                                                                                                                            |

|            |                                                                                                                                                                                                |
|------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|            | May cause moderate disruptions, but typically with less extensive business or market wide consequences<br>Requires moderate oversight                                                          |
| Low Impact | Affects a minimal number of users or a minor part of the infrastructure.<br>Causes little to no disruption to business processes.<br>Often approved through a fast-track or simplified process |

### 9.3 Closing Emergency Changes

The Service Provider responsible for the Change implementation should close the change with one of the following Change outcomes.

| Type                   | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Successful             | The change occurred with no issues                                                                                                                                                                                                                                                                                                                                                                                                                           |
| Successful with Issues | The change occurred with a manageable issue, didn't need a high priority incident raised, and produced the intended outcome                                                                                                                                                                                                                                                                                                                                  |
| Unsuccessful           | The change was implemented and remains in effect, but significant issues occurred, such as <ul style="list-style-type: none"> <li>• A P1/P2 or several P3s</li> <li>• One or more problems caused by the change resulting in new problem records being created</li> <li>• Change occurred out of schedule, unless agreed to by the Change Manager (Unauthorised)</li> <li>• An organised rollback was attempted, but failed to reverse the change</li> </ul> |
| Backed Out             | The change was attempted but to avoid failure was rolled back per planned rollback strategy within the planned time frame                                                                                                                                                                                                                                                                                                                                    |
| Cancelled              | The change did not happen; the Change Request was closed without implementation being attempted                                                                                                                                                                                                                                                                                                                                                              |
| Unauthorised           | The change was made without authorisation (whether successful or not); also changes with an approved plan that were egregiously executed outside the plan details (e.g. completely outside planned window, changed additional or different CIs, etc.)                                                                                                                                                                                                        |

Any Change that was closed with any Change outcome other than Successful or Cancelled will follow the Post Implementation Review process.

### 9.4 Emergency CAB

#### 9.4.1 Purpose

An Emergency Change Advisory Board (ECAB) is convened to assess and authorize high-priority changes to infrastructure or services that require immediate action. The purpose of an emergency CAB is to:

- When an urgent, often unplanned change is necessary to address a critical incident or prevent imminent risks, the emergency CAB expedites the decision-making process. This

board typically includes senior IT leaders and relevant stakeholders, ensuring swift evaluation and approval.

- Emergency CABs carefully assess the potential impacts of the change on other systems, security, and service continuity. Even under time pressure, the emergency CAB evaluates potential risks and ensures that the change is implemented as safely as possible to minimize disruption.
- The goal is to restore normal operations quickly. The emergency CAB prioritizes changes that stabilize essential services, avoiding prolonged downtimes.
- The Emergency CAB also ensures that the change is documented and communicated to relevant teams, so that there's a record for future analysis and a clear line of accountability.

#### 9.4.2 Scope

The ECAB assesses and approves Changes relating to a Major Incident relating to systems managed by Elexon

#### 9.4.3 Membership

The attendees for the ECAB will be dynamic by their very nature and will typically involve members of the Major Incident team working on the incident resolution and if in hours the Change Manager – the Major Incident Manager will have delegated authority for an Emergency Change required out of hours.

#### 9.4.4 Meeting Frequency

As required

## 10 Service Portal Access Management

### 10.1 Requesting Service Portal Access

The Elexon Service Portal is configured for Self-Registration.

The guide to registering on the Portal is [https://support.elexon.co.uk/csm/en/accessing-elexon-support-using-microsoft-authenticator?id=kb\\_article\\_view&sysparm\\_article=KB0010104](https://support.elexon.co.uk/csm/en/accessing-elexon-support-using-microsoft-authenticator?id=kb_article_view&sysparm_article=KB0010104)

To register on the portal, go to <https://register.elexon.co.uk>

A valid email address is required along with a device capable of installing Microsoft Authenticator.

Microsoft Authenticator can be installed on a range of mobile and tablet devices, but not on desktop systems. Here's a breakdown of compatible platforms:

#### **Supported Devices for Microsoft Authenticator**

##### iOS Devices

- iPhones and iPads
- Requires iOS 14.0 or later
- Available via the Apple App Store

##### Android Devices

- Smartphones and tablets
- Requires Android 8.0 (Oreo) or later
- Available via the Google Play Store or Huawei AppGallery (limited)

#### **Unsupported Platforms**

Windows PCs or Macs: No native desktop app

Linux devices: No official app

Wearables (e.g. Apple Watch, Samsung Galaxy Watch): Formerly supported for approving sign-ins, but watch support was discontinued in 2023

Amazon Fire tablets: Not supported

If you encounter any issues during registration, contact Elexon support via the email or phone number provided on the registration page.

Once registered, if you have a requirement to be assigned to a party for the logging and managing of cases, please raise a Service Request.

### 10.2 Portal Account Permissions

There are 2 types of permissions we will apply to Portal Accounts.

Contact – this is the standard setup and will only allow the registered person to view cases they have logged themselves.

Super Contact – this will allow the registered person to view updates on cases logged by anybody in their organisation.

The default is Contact – should Super Contact be required, please raise a Service Request for this access to be granted

### 10.3 Case Updates

| Type                            | Update Type                         | Description                                                                                                                                                                                                                |
|---------------------------------|-------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Automated Email Notifications   | Status Updates                      | Elexon ServiceNow is configured to send automated email notifications to participants whenever there is a status update on their Case (e.g., "Acknowledged," "In Progress," "Resolved etc)                                 |
|                                 | Comments and Additional Information | If a support agent adds a comment or requests more information, the system will trigger an email to notify the participant that they need to logon to the Portal to view the update.                                       |
| Elexon Support Portal Interface | Portal Status View                  | Although participants may not access ServiceNow directly, they can still log in to the Elexon Support Portal to view the status of their Cases. The portal would reflect status updates from ServiceNow in near real-time. |
|                                 | Case History and Comment Threads    | Any notes or comments added in ServiceNow can be configured to appear in the portal's Case history, allowing participants to view detailed updates without needing direct ServiceNow access.                               |

### 10.4 Case Closures

| Step                                     | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Resolution Completion and Initial Review | <ul style="list-style-type: none"> <li>Once the support team resolves an issue in ServiceNow, they will update the case with a detailed resolution summary that explains the actions taken, any root cause identified, and any preventive steps implemented.</li> <li>Elexon Service Management team will review the case to confirm that all necessary actions have been completed and that the resolution aligns with Elexon's quality standards and regulatory requirements.</li> </ul> |
| Participant Notification of Resolution   | <ul style="list-style-type: none"> <li>ServiceNow sends an automated email to the participant informing them that the Case is marked as "Resolved" This email will invite the participant to review the resolution in the Elexon Support Portal.</li> <li>The resolution details are also posted in the Case history within the Support Portal, allowing participants to log in and review the outcome and any actions taken.</li> </ul>                                                   |
| Participant Confirmation of Resolution   | <ul style="list-style-type: none"> <li>Confirm Satisfaction with the resolution, which they can do by responding to the notification email or logging into the portal and marking the Case as resolved.</li> </ul>                                                                                                                                                                                                                                                                         |


|                                                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|--------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                                  | <ul style="list-style-type: none"> <li>Request Further Action if the resolution is unsatisfactory or if they have additional questions. Participants can add comments directly to the Case through the portal, reopening the case if further work is needed.</li> </ul>                                                                                                                                                                                                                                                                                               |
| Case Closure                                     | <ul style="list-style-type: none"> <li>Once the participant confirms that the issue is resolved or if no response is received after follow-up reminders, the support team proceeds with final Case closure.</li> <li>The case status is updated to “Closed” in ServiceNow, and the participant receives a final email notification confirming the Case’s closure.</li> <li>If no response from the participant is received within 5 days, the Case will be automatically closed by ServiceNow</li> </ul>                                                              |
| Reopening Process for Closed Cases (if required) | <ul style="list-style-type: none"> <li>If the participant later identifies that the issue was not fully resolved, they can request that the Case be reopened. They may do so through the Elexon Support Portal by commenting on the closed Case or by contacting support via email.</li> <li>This can only be done within 5 calendar days of the case moving to the resolved state</li> <li>Alternatively, if a reopened Case is not feasible or practical, a new Case can be created referencing the original issue to address any further support needs.</li> </ul> |


## 10.5 Parent & Child Accounts

As a user of the ServiceNow CSM portal, parent and child accounts can be established to manage multiple related accounts under a single parent account. This hierarchy allows you to effectively oversee different divisions or subsidiaries.

Elexon will configure account relationships and set appropriate access permissions, ensuring that users from child accounts can only view their own data while allowing parent accounts to see aggregated information from all child accounts.

The diagram shows the basic configuration of the ServiceNow Parent / Child configuration, further diagrams show other configuration’s.





Where required the setup will be made ahead of M10, changes can be made by raising a Case – any other organisations will be setup as part of the onboarding process.

## 10.6 Security Statement / Justification

### 10.6.1 Secure Data Handling and Protection

- The Elexon CSM Support Portal uses robust encryption standards (e.g., TLS 1.2 or higher) to secure data transmission between users and the platform, preventing unauthorised access during data transit.
- The portal enforces strict access controls to ensure that only authorised users can access sensitive information. Role-based access control (RBAC) is in place, limiting data visibility according to user roles and responsibilities.
- The portal complies with data residency and privacy requirements by storing data in approved locations, aligning with GDPR and other data protection standards.

### 10.6.2 User Authentication and Access Management

- The portal supports multi-factor authentication to add an additional layer of security, ensuring that only verified users can access sensitive data and system functions.

#### 10.6.3 Incident Management and Accountability

- The CSM Support Portal has monitoring and logging capabilities that capture detailed records of user actions and system events. This supports incident tracking, audit trails, and accountability, ensuring that all activities are traceable.
- The portal provides structured workflows for managing incidents, enabling Elexon and users to follow standardized procedures. This consistency improves the speed and effectiveness of incident response, minimising security risks and downtime.

#### 10.6.4 Compliance with Industry Security Standards

- The portal adheres to the ISO/IEC 27001 Information Security Management standard, demonstrating its commitment to managing sensitive information securely and systematically.
- The CSM Support Portal undergoes routine security audits, vulnerability assessments, and penetration testing to identify and remediate potential vulnerabilities proactively.

#### 10.6.5 Storing MPANs

MPAN details should never be sent via email, if an MPAN is required to be shared with another party it must be updated in the ServiceNow Case and the reference number shared.

ServiceNow email updates only contain the link to Portal view of the Case and not the detail.

## 11 Knowledge Management

### 11.1 How to access Knowledge Management

#### Support Portal - Knowledge Management Search Bar

- Access to our Knowledge Management is via the Support portal (<https://support.elexon.co.uk/csm>)
- You will be able to search for Knowledge Articles under the section 'Search for FAQs)
- There is a search bar for you to be able to search for the required Knowledge article

### 11.2 Requesting Knowledge Article

#### 11.2.1 Elexon Glossary

| Description                                     | Step                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|-------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Service User Access & Knowledge Search          | <ul style="list-style-type: none"><li>• Service Users log in to the Elexon Service Management Portal. <a href="https://support.elexon.co.uk/csm">https://support.elexon.co.uk/csm</a>)</li><li>• Service Users select the "Glossary" option from the toolbar.</li><li>• To locate information, they can use alphabetical filtering, e.g., select "D" for DIP-related Knowledge Management (KM) items.</li><li>• Service Users review the glossary entries to find answers to their queries.</li><li>• If relevant information, such as "Tips and best practices for effectively using DIP," is unavailable, proceed to raise a case.</li></ul>                                                                                                                                                                                                                                                                          |
| Raising a Case to Request New Knowledge Content | <ul style="list-style-type: none"><li>• Go to the CSM Service Catalo - Elexon Support section.</li><li>• Select the 'Report a Service Issue' option and fill out the form with the following details:</li><li>• Requested by: Enter the name of the person raising the request.</li><li>• Organisation Name / Party ID: Enter the organization's name or Party ID. If unknown, select "I do not have a party ID."</li><li>• Market Participant ID: Enter the Party ID if available, or select "I do not have a party ID."</li><li>• Category: Select the appropriate category from the drop-down options</li><li>• Subject: Enter "Add item to Glossary."</li><li>• Description: Detail the missing information, e.g., "No documentation for searched topic - Tips and best practices for effectively using DIP."</li><li>• URL or Related Page Section: Insert a relevant URL or section link if applicable.</li></ul> |
| Submit the Case                                 | <ul style="list-style-type: none"><li>• After completing the form, click Submit to create the case.</li></ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |

#### 11.2.2 Support Portal Knowledge Management

| Description                                     | Step                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|-------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Service User Access & Knowledge Search          | <ul style="list-style-type: none"> <li>Service Users log in to the Elexon Service Management Portal. <a href="https://support.elexon.co.uk/csm">https://support.elexon.co.uk/csm</a></li> <li>Service Users navigate to the Knowledge Management Search Bar on the portal homepage.</li> <li>They enter relevant keywords, such as "DIP best practices," to search for information related to their query.</li> <li>Service Users review search results to locate information that addresses their query.</li> <li>If relevant information, such as "Tips and best practices for effectively using DIP," is unavailable, proceed to raise a case.</li> </ul>                                                                                                                                                                                                                                                     |
| Raising a Case to Request New Knowledge Content | <ul style="list-style-type: none"> <li>Go to the CSM Service Catalog - Elexon Support section.</li> <li>Select the 'Report a Service Issue' option and fill out the form with the following details:</li> <li>Requested by: Enter the name of the person raising the request.</li> <li>Organisation Name / Party ID: Enter the organization's name or Party ID. If unknown, select "I do not have a party ID."</li> <li>Market Participant ID: Enter the Party ID if available, or select "I do not have a party ID."</li> <li>Category: Select the appropriate category from the drop-down options</li> <li>Subject: Enter "Add item to Glossary."</li> <li>Description: Detail the missing information, e.g., "No documentation for searched topic - Tips and best practices for effectively using DIP."</li> <li>URL or Related Page Section: Insert a relevant URL or section link if applicable.</li> </ul> |
| Submit the Case                                 | <ul style="list-style-type: none"> <li>After completing the form, click Submit to create the case.</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |

## 12 Operations Manual Governance

The Operations Manual will be integrated into the Elexon Service Management Team for version control and to ensure a structured, transparent, and accountable process for updating and managing the manual.

This approach ensures that each revision is properly documented, approved, and communicated to stakeholders, below are the process steps to achieve this:

| Process Step      | Description                                                                                                                                                                                                                                                                                               |
|-------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Version Control   | Every revision of the Elexon Operations Manual will be assigned a unique version number. A version history will be maintained, including a log of the specific changes made in each version (e.g., section updates, policy changes). This ensures transparency and traceability of all changes over time. |
| Approval Workflow | Updates to the Operations Manual will undergo a formal approval process before being finalised. This process will involve relevant stakeholders (e.g., Elexon Service Management, Code Bodies, and other governance bodies) to review the changes. Only after                                             |

|                           |                                                                                                                                                                                                                                                                                                                                                                       |
|---------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                           | obtaining the necessary approvals will the manual be signed off for distribution and implementation.                                                                                                                                                                                                                                                                  |
| Stakeholder Communication | Once signed off, updates to the manual will be communicated to all relevant stakeholders (e.g., market participants, Code Bodies, Service Providers). Communication will include a summary of changes, their impact, and access instructions to the latest version. Clear timelines for the rollout of changes will also be provided to ensure smooth implementation. |
| Audit Trail               | A detailed audit trail will be maintained for all updates made to the manual, documenting who made the change, the reason for the update, and when the update occurred. This will be part of the Change Management system, ensuring that all changes are auditable and comply with governance standards.                                                              |

The approval process will cover the publication of the Operations Manual up to M10 (publication schedule including in the Appendix – following M10, this section will be updated to cover BAU approval.

Reviewed Versions – published ahead of TORWG each month until M10

Each of the sections will then be stored as Knowledge Articles with an owner with a review cycle of every 3 months.

Review means review and if there are no changes a .x version is issued but with the comment “Document Reviewed – no further changes required”

## 13 Monitoring and Event Management

### 13.1 Post M10 Implementation

Below are the steps to the Monitoring and Event Management in place for SIT Testing and expected to go live at M10

| Type                                                | Action                      | Description                                                                                                                                                                                                                                                                         |
|-----------------------------------------------------|-----------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Azure Alert Generation and Monitoring               | Alert Configuration         | Azure Monitoring is configured to track specific performance metrics, thresholds, and availability conditions relevant to Elexon's environment.                                                                                                                                     |
|                                                     | Alert Trigger               | When a monitored resource (such as a virtual machine, database, or network component) breaches predefined thresholds (e.g., high CPU usage, network latency, or service unavailability), Azure automatically generates an alert.                                                    |
|                                                     | Alert Notification          | The alert is then sent as an email notification from Azure to the designated service management team or monitoring team inbox.                                                                                                                                                      |
| Manual Alert Review by Monitoring Team              | Alert Verification          | The monitoring team reviews the alert email to verify its accuracy, checking if it is a valid, actionable alert and not a false positive. This may involve checking Azure's monitoring dashboard or logs for more context.                                                          |
|                                                     | Alert Classification        | Based on the nature and impact of the alert, the monitoring team assigns a priority level (e.g., Critical, High, Medium, Low) to guide response urgency.                                                                                                                            |
| Email Notification to Service Management Team       | Email                       | If the alert is confirmed to require action, the monitoring team forwards the alert email to the Service Management Team with relevant details, including: <ul style="list-style-type: none"><li>• Alert Description</li><li>• Impact Assessment</li><li>• Priority Level</li></ul> |
| Service Management Team Case Creation in ServiceNow | Case Creation in ServiceNow | <ul style="list-style-type: none"><li>• Incident Summary and Description</li><li>• Classification and Priority</li><li>• Assignment</li><li>• Link to Azure Alert Details - If applicable</li></ul>                                                                                 |

#### 13.1.1 Process Summary Steps

| Step             | Action                            | Responsibility   |
|------------------|-----------------------------------|------------------|
| Alert Generation | Azure generates and emails alert. | Azure Monitoring |

| Step                     | Action                                                     | Responsibility            |
|--------------------------|------------------------------------------------------------|---------------------------|
| Manual Alert Review      | Verify and classify alert                                  | Monitoring Team           |
| Email Notification       | Email Service Management with alert details and priority   | Monitoring Team           |
| ServiceNow Case Creation | Create a ServiceNow Case with alert information and assign | Service Management Team   |
| Incident Resolution      | Investigate and resolve, updating Case progress            | Support/Technical Team    |
| Case Closure             | Finalise Case, notify monitoring team, and reset alert     | Service Management Team   |
| Post-Incident Review     | Conduct RCA if needed and document improvements            | Support Team & Monitoring |

## 13.2 M10 Readiness

The Azure Monitoring will have full integration into ServiceNow for M10 Readiness.

Alerts generated by Azure will automatically create and update ServiceNow Cases in real time, eliminating manual intervention and enabling immediate response to potential issues.

## 14 Service Reporting

### 14.1 Request a Report

| Step                                                     | Action                                                                                                                                     |
|----------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------|
| Access the Service Management Portal                     | Log into the Elexon Service Management Portal                                                                                              |
| Raise a Case for One-Time Report Request                 | From the Portal Drop Down Menu, select the "Report a Service Issue" option.                                                                |
| Complete the Required Fields in the Case Submission Form | Enter your full name in the "Requested by" field.                                                                                          |
| Organisation Name / Party ID                             | Enter your Organization Name or Party ID in the appropriate field.                                                                         |
| Market Participant ID                                    | Enter the Market Participant ID or Party ID. If you do not have a Party ID, select "I do not have a Party ID".                             |
| Category                                                 | From the Category drop-down menu, select the relevant category for your request. Categories are defined in <a href="#">4.15 Categories</a> |
| Subject                                                  | Enter "Report Request" in the Subject field.                                                                                               |
| Description                                              | Please can you supply Report XX                                                                                                            |
| Submit the Case                                          | After completing all the fields, click Submit to raise the case.                                                                           |

A list of standard reports is in Section 18.6

### 14.2 Reporting

The monthly report for Elexon Service Management will provide a concise summary of key performance data, incident details, service level adherence, and other relevant updates for the MHHS TOM service. Below is a list of report content:

| Content                         | Description                                                                                                                                                                                                                                                                                                                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Executive Summary               | Overview of key findings, significant incidents, and high-level performance trends for quick reference.                                                                                                                                                                                                                                                           |
| Service Performance Metrics     | <b>Availability:</b> System uptime and availability statistics.<br><b>Reliability:</b> Summary of any service outages or disruptions                                                                                                                                                                                                                              |
| Incident and Problem Management | <b>Incident Summary:</b> Total number of incidents, categorized by severity (e.g., critical, high, medium, low).<br><b>Top Incidents:</b> Details on high-impact incidents, including root cause, resolution time, and any potential preventive actions<br><b>Problem Trends:</b> Analysis of recurring issues or patterns that may indicate underlying problems. |
| Service Requests and Changes    | <b>Service Requests:</b> Volume and types of service requests, response times, and any bottlenecks.<br><b>Change Requests:</b> Number of change requests, types of changes (normal, standard, emergency), and any impact on service delivery.                                                                                                                     |

|                         |                                                                                                                                                                                                                                                            |
|-------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                         |                                                                                                                                                                                                                                                            |
| SLA Compliance          | <p><b>SLA Adherence:</b> Summary of SLA metrics, highlighting any breaches or near misses and their causes.</p> <p><b>Penalty Avoidance:</b> Overview of any SLA breaches with financial or operational implications</p>                                   |
| Stakeholder Feedback    | <p><b>Customer Satisfaction Scores:</b> Feedback from stakeholders, if collected, on the quality and responsiveness of service.</p> <p><b>Feedback Summary:</b> Summary of specific feedback received (e.g., from surveys or stakeholder discussions).</p> |
| Risk and Issue Register | <p><b>Open Risks:</b> Current risks related to service operations, with mitigation status.</p> <p><b>Critical Issues:</b> Any critical issues or areas of concern that require attention from management or stakeholders.</p>                              |

### 14.3 Reporting SLA

| SLA Component           | Objective                                     | Details                                                                                                                                                                            |
|-------------------------|-----------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Initial Acknowledgement | Confirm receipt of reports/queries            | <ul style="list-style-type: none"> <li>Automatic acknowledgment within 15 minutes of submission.</li> </ul>                                                                        |
| First Response          | Provide initial feedback on the report        | <ul style="list-style-type: none"> <li>Service Desk team response within 24 business hours.</li> </ul>                                                                             |
| Status Updates          | Keep Service Users informed on case progress  | <ul style="list-style-type: none"> <li>Minor Issues: Update every 48 business hours.</li> <li>Moderate Issues: Update every 24 business hours.</li> </ul>                          |
| On-Demand Updates       | Allow users to request additional information | <ul style="list-style-type: none"> <li>Respond to on-demand update requests within 48 business hours</li> </ul>                                                                    |
| Resolution Target       | Complete reports and resolve inquiries        | <ul style="list-style-type: none"> <li>Minor/Moderate Requests: Resolved within 5 business days.</li> <li>Complex Requests: Timelines provided on a case-by-case basis.</li> </ul> |

## 15 Service Level Management

Any request to change any of the existing Service Levels should be raised as a case in the Elexon ServiceNow Portal, this will be prioritised as a P4 Request and assigned to the appropriate team.

## 16 Supplier Management

### 16.1 Suppliers

Elexon collaborates with the following key suppliers to deliver solutions that support the deployment of new BSC Central Services:

- CGI
- Avande
- Cognizant
- BJSS

### 16.2 Routine Monitoring and SLA Compliance Tracking

#### 16.2.1 Daily and Weekly Monitoring:

The Service Management team monitors vendor performance daily, tracking adherence to SLAs, incident resolution times, and service availability.

#### 16.2.2 SLA Compliance Check

- At the end of each week, review SLA compliance reports generated to document any breaches and escalate unresolved issues as per escalation protocols.
- Elexon will engage vendors immediately to resolve minor SLA breaches, ensuring that corrective actions are implemented without delay.

#### 16.2.3 Monthly Performance Review Meetings

- Before each monthly performance review, prepare a summary of the vendor's performance, including SLA adherence, incident management, and any notable achievements or issues.
- Share this summary with vendors at least one week before the meeting so they can prepare responses or explanations for any areas of concern.
- Discuss the following items in the monthly performance review meeting:

#### 16.2.4 Review of key KPIs and SLA compliance.

- Status of incidents and problem resolutions, including root causes for significant incidents.
- Progress on continuous improvement initiatives or planned service optimizations.
- Any operational or service challenges encountered by either party.
- Feedback from Elexon stakeholders on vendor performance.
- Document meeting minutes, agreed actions, and deadlines for follow-up.

#### 16.2.5 Follow-Up on Action Items:

- Track all action items resulting from the monthly review. Ensure each item is addressed by the agreed deadline and follow up with vendors as needed.
- For any unresolved issues, escalate according to Elexon's escalation process.

### 16.3 Incident and Problem Management

- Track incidents daily and review all incidents managed by vendors, ensuring they follow the established incident management and escalation protocols.
- For major incidents, conduct an immediate review and request a Root Cause Analysis (RCA) from the vendor, followed by corrective action.
- Review recurring incidents in monthly meetings to determine if they indicate underlying problems that require resolution.
- Encourage vendors to engage in joint problem-solving sessions for issues affecting multiple systems or users, and document solutions in the knowledge base for future reference.

### 16.4 Change and Release Management

- Monitor all change requests submitted by vendors, ensuring they follow the standard change management process (e.g., approvals, testing requirements).
- Review changes in weekly or bi-weekly change coordination meetings, assessing any risks or dependencies, and avoiding conflicting changes.

### 16.5 Post-Implementation Review (PIR):

- Conduct PIRs for major changes to evaluate the change's success and any issues encountered.
- Document lessons learned from PIRs to improve the change management process and avoid similar issues in future changes.

### 16.6 Compliance and Risk Management

- Schedule quarterly compliance checks to ensure vendors adhere to regulatory requirements (e.g., data security, GDPR).
- Confirm that vendors maintain up-to-date documentation on compliance practices and meet all contractual obligations

### 16.7 Risk Assessments and Mitigation:

- Periodically assess risks related to each vendor's services, including data security, operational dependencies, and business continuity.
- Work with vendors to develop mitigation plans for identified risks and review these plans as part of the quarterly evaluations.

## 16.8 Reporting and Documentation

- Produce detailed monthly and quarterly performance reports summarizing vendor performance against KPIs, incident handling, SLA compliance, and any significant issues.
- Share these reports with relevant Elexon stakeholders to maintain transparency and accountability.

## 16.9 Roles and Responsibilities in Vendor Management

- **Vendor Manager:** Oversees daily operations, leads monthly/quarterly reviews, manages SLA compliance, and coordinates escalation and issue resolution with vendors.
- **Service Management Team:** Supports monitoring, escalation, change management, and facilitates incident/problem tracking.
- **Vendors:** Responsible for day-to-day service delivery, meeting SLAs, providing RCA for incidents, participating in reviews, and implementing agreed improvement initiatives.
- **Elexon Stakeholders:** Provide feedback on vendor performance and participate in the annual review process as needed.

## 17 DIP Management

Any issues that are encountered with DIP, should be logged through the Elexon Support Portal in the first instance, issues would include things such as.

- DIP Onboarding
- DIP Queries
- Technical issues with DIP
- Certificate issues & administration

This list is not exhaustive and is here to provide an example.

The DIP Manager Team have put together several documents that cover the processes around DIP in more details, in the interests of not duplicating the information in more than one documents, links to these can be found in the “Documents and References” section at the very start of this document.

Any clarifications required around the contents in these documents should be raised with the author(s) of each of the supporting DIP documents

## 18 Cross Party Service Desk (CPSD)

### 18.1 Purpose

The Cross-Party Service Desk (CPSD) is a core function within the MHHS Target Operating Model (TOM), enabling collaborative service management and Help Desk functions across Exelon, Service Providers, Market Participants (including LDSOs and Suppliers).

The CPSD acts as a coordination layer ensuring that incidents that span multiple parties are resolved efficiently and transparently.

The implementation of the Market-Wide Half-Hourly Settlement (MHHS) Target Operating Model (TOM) requires an effective and well-structured Cross-Party Ways of Working to support market participants in managing service-related activities.

Agreeing upon a unified framework promotes operational efficiency, leading to a consistent and reliable service experience for Market Participants.

The MHHS Service Management Strategy (MHHS-DEL2124) defines the Service Desk and Help Desk models as follows:

- |              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|--------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Service Desk | - Technical / System issues that will likely require L3 support to resolve and that should be routed to the MHHS Service Desk e.g. DIP / LSS not operating as expected.                                                                                                                                                                                                                                                                                                                                                 |
| Help Desk    | - Business Process / Data issues that can be resolved through the SM user practicing self-service using the knowledge management articles available on the SM Portal. Alternatively, these could be resolved using existing processes to resolve issues between industry parties such as SDEP, email and telephone queries. These types of queries should not be routed to the MHHS Service Desk e.g. individual message being rejected as not meeting validation criteria, however overall system working as expected. |

Currently LDSOs operate the MPAS Help Desk model within the existing arrangements. This service will persist and be extended to cover the relevant LDSO MHHS requirements under the new arrangements. and continue to operate within their existing SLAs and Operating Hours.

Any Incident / Query relating to Switching will be managed through the existing Switching Service Management process. This includes Switching Major Incidents which have defined cross party interactions within the REC. Note these interactions span further than the MHHS TOM and are for example dual fuel. There is no expectation that Settlement Service Management will have any oversight / jurisdiction over Switching incidents. Settlement Service Management will be treated as an impacted party in Switching Service Management and will be included in all comms and invited to the ECAB as appropriate.

Other REC Services (such as EES) will follow a similar process and keep Exelon informed where EES Incidents impact Settlement. EES will engage with Exelon Service Management where required to resolve issues with DIP flows and inconsistencies with SMRS registration data.

## 18.2 CPSD Stakeholders

| Stakeholder                                    | Description                                                                                                                                                                                                                                                                                                                                                                                   |
|------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Elxon                                          | Elxon facilitates and operates the CPSD, providing governance, integration, and centralised service oversight                                                                                                                                                                                                                                                                                 |
| Licensed Distribution System Operators (LDSOs) | LDSOs are responsible for the electricity distribution network, they operate several services, including the SMRS which is central to the MHHS TOM.                                                                                                                                                                                                                                           |
| Suppliers and Supplier Agents                  | Suppliers and Agents interact to raise incidents and coordinate resolutions.                                                                                                                                                                                                                                                                                                                  |
| DIP Operator (Data Integration Platform)       | The DIP Operator manages the data integration layer. They are a critical resolver group in the CPSD for issues related to data flow, latency, message routing, and transformation errors.                                                                                                                                                                                                     |
| Central Switching Service (CSS)                | This stakeholder provides central switching and registration capabilities under the Retail Energy Code (REC). They are integrated with the CPSD to resolve registration discrepancies. This service is operated by the DCC.                                                                                                                                                                   |
| Smart DSP                                      | This stakeholder operates the Smart Metering infrastructure. Smart DSP is responsible for issues within the Smart Metering Arrangements and the receipt of half-hourly consumption data from Smart Meters.                                                                                                                                                                                    |
| Electricity Enquiry Service (EES)              | This stakeholder operates the EES service, EES issues could prevent a user from accessing accurate data to use in a particular process. The EES Service Desk should be used to query EES system issues. Concerns with data displayed in EES should be raised with party responsible for populating that data item. (For MHHS this will usually be SMRS but is MDS for the Annual Consumption) |
| Resolver Groups                                | These include technical and support teams assigned within participant organisations or centrally They are responsible for investigating and resolving Cases escalated through the CPSD.                                                                                                                                                                                                       |
| DIP Connection Providers                       | Organisations that facilitate connections between market participants and the DIP                                                                                                                                                                                                                                                                                                             |
| Software Providers                             | Software providers are involved in supporting the MHHS programme by offering solutions that enable market participants to interact                                                                                                                                                                                                                                                            |

|  |                                                          |
|--|----------------------------------------------------------|
|  | with the DIP and manage half-hourly settlement processes |
|--|----------------------------------------------------------|

### 18.3 Cross Party Service Desk Principles

The key underpinning principles of the Cross-Party Service Desk approach are set out below. These principles have been developed to support the approach defined with the Service Management Strategy, which was developed by the MHHS Programme and approved by the industry.

These principles apply to:

- Those parties who will raise cases or enquiries to a Central Service Provider Service Desk or LDSO\* MPAS Help Desk function. Those parties will include Suppliers, Supplier Agents, Software Providers, DCP's, other Central Parties and LDSOs.
- Software Providers, DCP's, Central Parties Service Desks and LDSOs MPAS Help Desk functions will receive cases raised by those parties defined above

**\*LDSOs will not operate an external facing Service Desk function for Supplier and Agent queries. They will continue to operate their existing external facing Help Desk functions for Supplier and Agent queries and issues, to their existing SLAs and Operating Hours.**

Internal to the LDSO, their Help Desk may interact with their internal Service Desk function if technical / system issues exist which require their involvement to resolve. This in turn may require interactions with Central Service Provider Service Desks, such as Elexon, in the case of technical incidents identified between their services and Elexon services.

Incidents involving technical integration of systems, such as DIP connectivity, would be raised to Elexon Service Management, not individual LDSO or market participant service management functions.

The high-level principles are as follows:

- a) In line with the "Hybrid Distributed Service Management Model" defined within the strategy, each service owner will operate their own service management arrangements, which includes their own systems, processes, service levels, hours of operation and standards
- b) Each participant wishing to raise a case (i.e. Incident) is expected to have undertaken their own thorough investigation to:
  - a. Determine the potential root-cause and have identified, to the extent that they are able, the correct organisation to raise the incident to.
  - b. They will have utilised any available knowledge or other tools to have performed triage and obtained evidence or other information that will assist the organisation, to which the incident is raised, to perform their own investigation. Although not an exhaustive list, such information or tools would include messages returned from an external service to their own or use of the DIP Portal to investigate transactions and their status within the DIP.
  - c. When raising a case, query or incident the raiser will have included all information which will be required by the organisation to undertake their triage activities.

- c) Each organisation will investigate and triage each case raised to them in line with their agreed SLAs, the following outcomes will be expected following triage:
- Following triage, if it is determined that the case and query has been raised to that service in error, e.g. that service is not involved in a particular process or function; or their service has correctly working to design, but an issue may exist within another service, e.g. MPAN level processing of a transaction. Under this circumstance the service should inform the raiser and close the case, providing instruction, if possible, as to the correct service to raise the case to, with any supporting evidence provided (in the case of the latter example). In either example the case would be deemed to be resolved by that organisation.
  - Following triage, it is determined that the issue and resolution is internal to their service. The service will own this case through to resolution and inform the raiser once resolved.
  - Following triage, it is determined that they have identified a potential issue within an Elexon service (DIP, VAS, MDS, ISD) which has prevented their own service from correctly operating to design. In this instance, the service should notify Elexon Service Management via the Elexon SM Portal to raise a case, providing the relevant evidence to enable Elexon to undertake their own triage. If Elexon have undertaken triage and need to contact a 3<sup>rd</sup> party, they will contact that party via the agreed method – the method of communication between parties is not prescribed and Parties can use whichever communication method suits them best, this may include email, Teams and SDEP . The case will exist within the Elexon Service Management system, the 3<sup>rd</sup> party will receive the communications related to this case and then will then process utilising their own business processes and systems (e.g. raise their own cases/Cases within their own systems). Until the case is resolved between the two services the original case should remain open with the raiser. Once resolved the original case should be closed.

## 18.4 Service Desks and Help Desks

| Service & Help Desk (Internal and External) | Owner     | Service Provider | Covered Query Types                                                                                                                                                                                                                                              |
|---------------------------------------------|-----------|------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Elexon Service Desk</b>                  | Elexon    | Elexon           | Market-wide settlement incidents, DIP message failures, Load Shaping Service (LSS) issues, Market Data Service (MDS) issues, Volume Allocation Service (VAS) incidents, BSC-related queries.<br><br>Avanade DIP related issues                                   |
| <b>LDSO Service Desk</b>                    | Each LDSO | Each LDSO        | Each LDSO will operate their own internal facing Service Desk related to technical services. The Service Desk, in the case of major incidents, will interact with the Central Service Provider Service Desk which takes the lead on managing the major incident. |

| <b>Service &amp; Help Desk (Internal and External)</b> | <b>Owner</b>           | <b>Service Provider</b> | <b>Covered Query Types</b>                                                                                                                                |
|--------------------------------------------------------|------------------------|-------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>MPAS Help Desk</b>                                  | Each LDSO              | Each LDSO               | The MPAS Helpdesk serves as a point of contact for queries related to MPANs and supply point information                                                  |
| <b>DCC Service Desk</b>                                | DCC                    | DCC                     | Smart metering data communication failures, missing meter reads, security breaches, mass data outages impacting settlement accuracy.                      |
| <b>Supplier Service Desks</b>                          | Suppliers              | Suppliers               | Customer billing discrepancies, incorrect tariff applications, customer data integrity issues linked to settlements, metering point association problems. |
| <b>REC Help Desk</b>                                   | RECCo                  | REC Code Manager        | Various REC-related queries.                                                                                                                              |
| <b>EES Service Desk</b>                                | RECCo                  | C&C Group               | Issues related to the Electricity Enquiry Service (EES) system.                                                                                           |
| <b>Switching Service Desk</b>                          | DCC                    | DCC                     | Switching-related issues, erroneous customer data, incorrect registrations within CSS.                                                                    |
| <b>Software Providers</b>                              | Each Software Provider | Each Software Provider  | Issues with software provided that interacts with the DIP and manage half-hourly settlement processes                                                     |
| <b>DCPs</b>                                            | Each DCP               | Each DCP                | Issues maintaining connections to DIP                                                                                                                     |
| <b>DTS Service Desk</b>                                | Electralink            | Electralink             | DTS Technical queries                                                                                                                                     |

## 18.5 Elexon Case Exchange Protocols with External Service Desks

### 18.5.1 Raising Cases from Elexon to External Parties

Elexon will raise cases to External Parties (such as LDSOs, RECCo, DCC, Software Providers, DCP's and Suppliers) where it identifies that an issue resides outside of its own service boundary and resolution requires action from another party. Each industry participant will nominate to Elexon the contact information relevant to their organisation so that case information can be passed over – contact does not need to be a named individual, it can be a shared mailbox.

If the issue would not involve any resolution steps or investigation from Elexon, the caller will be advised to contact the appropriate Service Provider as per the CPSD Run Book.

### 18.5.2 Key expectations

- Elexon will complete internal triage and determine that the issue falls within the remit of another Service Provider before raising a case.
- Cases will be raised using the agreed communication method for each party (e.g. service desk portal or email).

#### 18.5.3 Case Contents:

- A clear description of the issue and its impact
- Reference details (e.g. timestamps, transactions etc)
- Relevant supporting evidence such as DIP Portal message status or returned error codes
- Elexon will track the issue internally until resolution is confirmed and communicated by the receiving party.

#### 18.5.4 Receiving Cases from External Parties into the Elexon Service Desk

When receiving cases from other parties, Elexon expects the following:

The submitting party has undertaken a reasonable level of initial investigation and determined Elexon to be the appropriate recipient.

#### 18.5.5 Case Contents


- Summary of the issue and its potential root cause
- Any supporting evidence gathered during investigation
- Relevant references (e.g. system logs, MPANs, or transaction IDs)
- Cases should be submitted via the Elexon Service Desk portal or agreed email contact points.

#### 18.5.6 Elexon Actions

- Accept and process the issue internally, or
- Advise the raising party if the issue falls outside Elexon's scope, providing direction where possible

### 18.6 Example Incident Flow

The flow below shows a typical flow for a Cross-Party Service Desk Incident



In the flow – party refers to any party within the MHHS Operating Model that is involved in the resolution of an Incident

Red line indicates a parallel activity

## Appendix A – Glossary of Terms

Common terms used in MHHS and IT service management.

|                 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|-----------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| BAU             | Business As Usual                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| BSC             | Balancing and Settlement Code                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| BSCCo           | <p>BSC Company</p> <p>BSCCo (Balancing and Settlement Code Company) refers to the organization responsible for managing the Balancing and Settlement Code (BSC), which governs electricity balancing and settlement arrangements in Great Britain. The BSCCo operates under the brand name Elexon.</p> <p>Key Functions of BSCCo/Elexon:</p> <p>Balancing and Settlement Code (BSC) Administration:</p> <ul style="list-style-type: none"> <li>• Administers the BSC, ensuring compliance with its rules and regulations.</li> <li>• Manages the processes required to balance electricity supply and demand and settle imbalances.</li> </ul> <p>Electricity Settlement:</p> <ul style="list-style-type: none"> <li>• Ensures that electricity generators and suppliers are financially balanced based on their actual versus contracted energy usage.</li> <li>• Calculates imbalance charges and distributes payments accordingly.</li> </ul> <p>Market Operations Support:</p> <ul style="list-style-type: none"> <li>• Provides tools, systems, and reports to market participants to aid in compliance with settlement processes.</li> <li>• Facilitates modifications to the BSC to reflect market changes or regulatory updates.</li> </ul> <p>Stakeholder Engagement:</p> <ul style="list-style-type: none"> <li>• Works with energy market participants, including suppliers, generators, and distribution network operators (DNOs).</li> <li>• Facilitates industry collaboration and consultation for changes to the BSC.</li> </ul> <p>Support for Industry Programs:</p> <ul style="list-style-type: none"> <li>• Plays a key role in delivering significant industry programs, such as the Market-Wide Half-Hourly Settlement (MHHS) Programme.</li> <li>• Provides expertise and system support to implement new market reforms.</li> </ul> <p>Governance</p> <p>Ownership: BSCCo is a non-profit entity owned by the electricity industry but independent of any specific market participant.</p> <p>Oversight: It is governed by the BSC Panel, which represents different market stakeholders and oversees its performance.</p> |
| Central Service | The providers that manage and operate the electricity Central Services, namely Elexon, the DCC, RECCo and Electralink                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |

|                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Providers        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| Central Services | The services that comprise the electricity central service delivery functions, namely the Elexon Central Services, Central Switching Service, Data Transfer Network, EES, Smart DSP and the central service delivery functions underpinning smart metering                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| CSS              | Central Switching Service                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| DCAB             | The DIP Change and Advisory Board (DCAB) are a specialist user group whose purpose is to advise the DIP Manager in relation to the Data Integration Platform (DIP) and, in limited circumstances, make determinations.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| DCC              | <p>Data Communications Company</p> <p>Key responsibilities for the MHHS Programme include:</p> <p>Secure Data Transmission: Enabling reliable and secure communication of half-hourly consumption data between smart meters, suppliers, and authorized parties.</p> <p>System Integration &amp; Testing: Supporting system compatibility and participating in testing to ensure seamless operation of MHHS processes.</p> <p>Security &amp; Compliance: Maintaining data security and ensuring compliance with industry regulations, including GDPR.</p> <p>Infrastructure Support: Providing a scalable, robust communication infrastructure for handling increased data volumes.</p> <p>Stakeholder Engagement: Collaborating with energy suppliers and stakeholders to facilitate a smooth transition to MHHS.</p> <p>Operational Continuity: Managing smart metering operations to ensure consistent, accurate data flow and addressing system issues.</p> <p>Facilitating Innovation: Supporting market flexibility, time-of-use tariffs, and renewable energy integration through accurate data services.</p> <p>Smart Service and Switching Service provider</p> |
| DCP              | DIP Connection Provider                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| Dependencies     | Refer to other tasks, systems, resources, or actions that need to be completed or aligned before the current task can proceed further.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| DIP              | Data Integration Platform                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| DNO              | Distribution Network Operator. A company licensed to operate and maintain electricity distribution networks within a specific region. DNOs deliver electricity from the transmission network to end users, manage infrastructure (e.g., substations and power lines), connect customers, respond to outages, and plan for future demand.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| DSP              | Data Services Provider                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| DTN              | Data Transfer Network                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| ECS              | Elexon Central Services                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| EES              | Electricity Enquiry Service                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| ELS              | Early Life Support                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| ERDS             | Electricity Retail Data Service                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| IDNO             | Independent Distribution Network Operator: A licensed operator of smaller electricity distribution networks, often serving new developments or renewable projects. Unlike DNOs, which manage regional networks, IDNOs operate within DNO areas, offering competition and alternative services.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| Incident         | An event that results in an unanticipated interruption in the delivery of a service or a reduction in the quality of a service                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| ISD              | Industry Standing Data                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |

|                    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|--------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Issue              | An issue refers to any situation or event that requires investigation to determine its cause and resolution.                                                                                                                                                                                                                                                                                                                                                         |
| ITIL               | Information Technology Infrastructure Library                                                                                                                                                                                                                                                                                                                                                                                                                        |
| ITSM               | IT Service Management                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| KA                 | A piece of content stored in the Knowledge Base to provide information, guidance, or solutions to users. These articles are designed to improve self-service capabilities, reduce reliance on IT support, and enhance knowledge sharing                                                                                                                                                                                                                              |
| Knowledge Articles | A piece of content stored in the Knowledge Base to provide information, guidance, or solutions to users. These articles are designed to improve self-service capabilities, reduce reliance on IT support, and enhance knowledge sharing                                                                                                                                                                                                                              |
| LDSO               | (Licensed Distribution System Operator): An entity licensed to manage and maintain electricity distribution networks in specific regions. LDSOs distribute electricity from the national grid to end users, oversee infrastructure (e.g., substations and lines), connect new customers, respond to outages, and ensure network reliability.                                                                                                                         |
| Legacy             | The existing arrangements set out under the BSC and REC.                                                                                                                                                                                                                                                                                                                                                                                                             |
| LSS                | Load Shaping Service                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| Major Incident     | An incident which occurs within a Central Service and causes significant disruption to both the BAU operations of the originating Central Service and other adjacent Central Services and / or Market Participants, and which demands an urgent, high-priority response requiring involvement from at least one or more Central Service or any third party associated with those Central Services.                                                                   |
| MDS                | Market-wide Data Service                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| MHHS               | Market-wide Half-Hourly Settlement                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| MHHS Arrangements  | The new MHHS arrangements as set out in the MHHS Core Design Artefacts.                                                                                                                                                                                                                                                                                                                                                                                              |
| MHHS SM            | The service management that will be delivered by Elexon in relation to the Elexon managed services, both new and old – DIP, LSS, CDCA, SAA etc.                                                                                                                                                                                                                                                                                                                      |
| MIM Bridge Call    | <p>A structured call mechanism used to coordinate responses to major incidents—typically critical disruptions to services or operations that require immediate resolution.</p> <ul style="list-style-type: none"> <li>• Facilitate real-time communication among stakeholders during a major incident.</li> <li>• Ensure swift coordination to minimize downtime and impact.</li> <li>• Provide a single point of communication for all involved parties.</li> </ul> |
| MPAN               | Meter Point Administration Number                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| MPRS               | Metering Point Registration System                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| NFR                | Non-Functional Requirement                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| Primary Function   | The core roles or responsibilities of a market participant or system within the settlement process. These functions ensure accurate, timely, and efficient settlement of electricity usage based on actual half-hourly consumption data.                                                                                                                                                                                                                             |
| REC                | Retail Energy Code                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| RECCo              | (Retail Energy Code Company): A not-for-profit organization managing the Retail Energy Code (REC), which sets rules for Great Britain’s retail energy market. RECCo oversees market processes like supplier switching, promotes competition                                                                                                                                                                                                                          |

|                      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|----------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                      | and innovation, and focuses on improving consumer outcomes, supporting efficiency and the transition to net zero.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| Registration Service | Central Registration Service (CRS) the Service operated by the DCC which includes the Central Switching Service (CSS) and Switching Service Desk. The service operated by Centra; Service Switching Provider (CSS)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| Response             | A response is defined as the initial contact (via a telephone call, where possible) with a customer to acknowledge the issue, undertake initial troubleshooting, ensure all details are documented and advise the customer of the next steps.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| Service Desk         | The single point of contact between the service provider and the users. A typical service desk manages incidents and service requests, and handles communication with the users.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| Service Providers    | <p>Types of Service Providers in the MHHS Context:</p> <p>Metering Services: Providers of advanced metering infrastructure (AMI) to enable half-hourly data collection.</p> <p>Data Aggregators: Entities responsible for aggregating and transferring settlement data.</p> <p>IT Solutions Providers: Firms that deliver technical systems to facilitate seamless integration into the MHHS framework.</p> <p>Consultancy Firms: Advisers on the MHHS transition strategy and compliance.</p> <p>By contributing to the MHHS Programme, these service providers play a critical role in transforming the electricity market, enabling better demand-side management, supporting renewable energy integration, and improving market transparency.</p> |
| Service Request      | A formal request from a user asking the service provider to offer something e.g. a request for information, approval or advice.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| Services (The)       | <p>Refer to the services and systems supported by Elexon</p> <ul style="list-style-type: none"> <li>• Data Integration Platform</li> <li>• Industry Standing Data</li> <li>• Load Shape Service</li> <li>• Market Wide Data Service</li> <li>• Volume Allocation Service</li> <li>• Settlement Operations</li> </ul><br><ul style="list-style-type: none"> <li>• Central Registration Agent</li> <li>• Funds Administration Agent</li> <li>• Central Data Collection Agent</li> <li>• Energy Contract Volume Aggregation Agent</li> <li>• Settlement Administration Agent</li> </ul>                                                                                                                                                                  |
| SIT                  | Systems Integration Testing                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| SLAs                 | Service Level Agreements                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| SM                   | Service Management                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| SM Portal            | A self-serve platform which users can visit to raise requests and retrieve information                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| SM Service Provider  | The Central Service Provider that would provide the Service Management wrap around the Central Systems they are responsible for                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| SM System            | The tool used by the SM Service Provider to support the delivery of the SM.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |

|               |                                                                                                                                                                                                                                                                                                    |
|---------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|               | The system will be used to manage incidents and service requests and provide knowledge.                                                                                                                                                                                                            |
| SMRS          | Supplier Meter Registration Service                                                                                                                                                                                                                                                                |
| TOM           | Target Operating Model                                                                                                                                                                                                                                                                             |
| UMS           | Unmetered Supplies                                                                                                                                                                                                                                                                                 |
| UMSO          | Unmetered Supplies Operator                                                                                                                                                                                                                                                                        |
| VAS           | Volume Allocation Service                                                                                                                                                                                                                                                                          |
| Vendor        | The Elexon suppliers providing the technical capability to delivery MHHS                                                                                                                                                                                                                           |
| Work Function | A specific set of activities or tasks performed by a role, system, or organization to support the MHHS process. These functions are part of the operational or technical workflow that enables the collection, validation, processing, and settlement of half-hourly electricity consumption data. |

## Appendix B - Standard Reports Available

### **Incident Management**

- Open Incidents by Assignment Group
- Incidents Resolved Per Assignment Group
- Aging Incidents (Grouped by Age Buckets)
- Open Incidents by Priority
- Mean Time to Resolution (MTTR) for Incidents
- Incidents by Category and Subcategory
- First Call Resolution Rate

### **Change Management**

- Open Changes by State
- Change Requests by Type (Normal, Emergency, Standard)
- Change Requests by Assignment Group
- Changes with Unauthorized CI Modifications
- Scheduled Changes

### **Request Management**

- Open Requests by Type
- Requests Fulfilled by Category
- Request Fulfilment Time by Assignment Group
- Backlog of Service Requests

### **Knowledge Management**

- Most Viewed Knowledge Articles
- Knowledge Article Usage by Category
- Knowledge Articles with Negative Feedback
- Knowledge Base Article Aging (Time Published)

### **Service Level Management**

- SLA Breach Trends by Assignment Group
- Open Tasks with SLA Breaches
- SLA Achievement Rate
- SLAs Met or Breached by Priority

Appendix C – Post Major Incident Review Template



Post Incident Review

Incident Details

|                            |  |
|----------------------------|--|
| Incident Title             |  |
| Incident Ref               |  |
| Incident Report Ref        |  |
| Service Affected           |  |
| Date/Time Service Impacted |  |
| Date/Time Service Restored |  |
| Major Incident Manger(s)   |  |

Incident Description

Business Impact

Incident Summary & Action Performed

Incident Resolution

Affected Services (Please list all affected services)

# ELEXON

Affected Users (Please provide an estimate of the number and groups of users impacted)

## Major Activities and Timeline of Events

Please describe the major activities and their associated timestamps during the incident

| Date & Time | Event | Comments |
|-------------|-------|----------|
|             |       |          |
|             |       |          |
|             |       |          |

## Root Cause Analysis

Root Cause (if known)

(If the root cause is not yet known, please provide the current status of the investigation)

## Follow-up Actions

Please list any follow-up actions that have been identified as a result of this incident review

| Owner | Action | Due |
|-------|--------|-----|
|       |        |     |
|       |        |     |
|       |        |     |

## Process Review

Please provide a brief evaluation of the coordination and list any areas of improvement in the execution of the Major Incident Process

## Additional Notes

Please provide any additional information or insights related to this incident



## Appendix D - ServiceNow Definitions (Cases, Incidents & Comms)

### **Case**

A Case is a record that represents a customer request, inquiry, or issue. It is used to track interactions between a customer and the support team, ensuring that the request is properly addressed and resolved.

The Case stays with the Service Desk and the Service Desk are responsible for managing the communication with the customer

### **Incident**

An Incident is an unplanned interruption or degradation of a service that needs immediate attention and resolution. They are created from a Case and are designed for the Technical Team to work on the issues, Incidents can be passed to different resolver groups

### **Communications**

There are 4 different methods of communication:

#### **ServiceNow Updates**

These are manually updated within the Case from Customer Visible Comments, the Service User will then receive an email with a link to the Service Portal allowing the Service User to see the update

- The Service Portal is not updated directly, the ServiceNow Case is
- Customer Visible Comments are designed to remove any technical communication between resolver teams
- Updates are made manually to allow for checking for suitability and if necessary, removal of technical or sensitive information

#### **Major Incident Comms**

Sent out via a ServiceNow Email group that provides business and impact language updates on the progress and resolution of a Major Incident

#### **BSC Website Update**

The BSC website is updated with the progress and resolution of a Major Incident, subscribers to the BSC website will receive the updates

#### **Industry Circular**

These are updates issued to Market Participants regarding issues related to IT systems or infrastructure

## Appendix E - Other Industry Service Desks and Help Desks

| Organisation                    | Service Hours                                                                            | Contact Details                                                                                                                | Our of Hours Contact Details                                                                                                                                                                                                        | Notes |
|---------------------------------|------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|
| Beboc Ltd                       | 08.30 to 16.30                                                                           | <a href="mailto:tracey.foxley@bebec.co.uk">tracey.foxley@bebec.co.uk</a><br><br>07894 756366                                   | <a href="mailto:tracey.foxley@bebec.co.uk">tracey.foxley@bebec.co.uk</a><br><br>07894 756366                                                                                                                                        |       |
| Bryt Energy Ltd                 | 09.00 to 17.30                                                                           | 01772 770280<br>(ESG - Our Service Provider)                                                                                   | Heidi Wilbor - 07787 835368                                                                                                                                                                                                         |       |
| BUUK Infrastructure             | 08.30 to 17.00                                                                           |                                                                                                                                |                                                                                                                                                                                                                                     |       |
| C & C Group                     | 08.00 to 18.00                                                                           | support@candc-uk.com<br><br>0203 086 7205                                                                                      | A dedicated MHHS out of ours support number will be created and shared once the scope of OOH support has been agreed. This service will be for P1 and P2 support priorities only We will not support an email service out of hours. |       |
| C&C Group Holdings Limited      | 08:00 to 18:00                                                                           | support@candc-uk.com<br><br>0203 086 7205 Option 7                                                                             | 0203 086 7107                                                                                                                                                                                                                       |       |
| Centrica PLC                    | Mon - Fri<br><br>08:00 to 18:00<br><br>24x7 for P1 & P2                                  | Multiple Service desks exist including support partners. A single point of contact is being envisaged.                         | incident.managment@centrica.com                                                                                                                                                                                                     |       |
| Champion Energy                 |                                                                                          | joe.beasley@champion-energy.co.uk                                                                                              |                                                                                                                                                                                                                                     |       |
| DCC - Incident Management       | Mon - Fri<br><br>07.30 to 18:00<br>(For Incident Management. DCC Service Centre is 24/7) | opsMIM@smartdcc.co.uk (Incident Management)<br>ServiceCentre@smartdcc.co.uk (Service Centre)<br>0844 225 4445 (Service Centre) | 0844 225 4445                                                                                                                                                                                                                       |       |
| Electricity North West          | Mon - Fri<br><br>08:00 to 18:00                                                          | 0330 055 2767                                                                                                                  | 0330 055 2767                                                                                                                                                                                                                       |       |
| Energy Assets                   | Mon - Fri<br><br>08.30 to 17.30                                                          | itservicedesk@energyassets.co.uk<br>01506405471                                                                                | -                                                                                                                                                                                                                                   |       |
| ENGIE                           | 08:30 to 17:00                                                                           | 01322627770                                                                                                                    | 01322627770                                                                                                                                                                                                                         |       |
| Equinicity Limited              | 09:00 to 17:30                                                                           | henryc@noriker.co.uk                                                                                                           |                                                                                                                                                                                                                                     |       |
| F & S Energy Limited            | 09:00 to 17:30                                                                           | metering@fs-energy.co.uk                                                                                                       | -                                                                                                                                                                                                                                   |       |
| Flexitricity                    | Mon - Fri<br><br>09:00 to 17:00<br><br>Excluding Bank Holidays                           | it.flex@flexitricity.com<br><br>0131 221 8100                                                                                  | <a href="mailto:it.flex@flexitricity.com">it.flex@flexitricity.com</a><br><a href="mailto:operator@flexitricity.com">operator@flexitricity.com</a><br>0131 221 8104                                                                 |       |
| IMServ Europe Ltd               | 08:00 to 17:30                                                                           | 01908 257700<br>application.support@imserv.com                                                                                 | 07000 951753                                                                                                                                                                                                                        |       |
| Itron Metering Solutions UK LTD | Mon - Fri<br><br>09:00 to 17:00                                                          | Support.EUK@itron.com                                                                                                          | Support.EUK@itron.com                                                                                                                                                                                                               |       |

|                                                  |                                                        |                                                                                                                                                                                                                                                                             |                                                                                                               |  |
|--------------------------------------------------|--------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------|--|
|                                                  |                                                        |                                                                                                                                                                                                                                                                             |                                                                                                               |  |
| Kraken Technologies (Customer & OES)             | Mon - Fri<br>09:00 to 17:30                            | henri.naef@kraken.tech<br>joe.tsoi@kraken.tech<br>david.mclean@kraken.tech<br>angelos.rizoyannis@kraken.tech                                                                                                                                                                |                                                                                                               |  |
| National Grid Electricity Distribution           | Mon - Fri<br>09.00 to 17.00                            | nged.itbusapps@nationalgrid.co.uk                                                                                                                                                                                                                                           | 07855 263655                                                                                                  |  |
| NCGL - nPower Business Services (powered by EON) | -                                                      | -                                                                                                                                                                                                                                                                           | -                                                                                                             |  |
| Octopus Energy                                   | Mon - Fri<br>09:00 to 17:30                            | henri.naef@kraken.tech<br>joe.tsoi@kraken.tech<br>angelos.rizoyannis@kraken.tech<br>mhhs-notifications@octoenergy.com                                                                                                                                                       |                                                                                                               |  |
| Power Data Associates                            | 08:00 to 17:30                                         | 01908 257700<br>application.support@imserv.com                                                                                                                                                                                                                              | 07000 951753                                                                                                  |  |
| Positive Energy Limited                          | 08.00 to 18.00                                         | portal.support@pe.solutions<br>020 3884 0020                                                                                                                                                                                                                                | portal.support@pe.solutions<br>020 3884 0020                                                                  |  |
| Procode                                          | Mon - Fri<br>08.00 to 18:00                            | toc@procode.co.uk<br>01202 298444                                                                                                                                                                                                                                           | 01202 298444 press the option for major incidents                                                             |  |
| Procode Technology Limited                       | Mon - Fri<br>08:00 to 18:00                            | 01962 874859                                                                                                                                                                                                                                                                | -                                                                                                             |  |
| REC Code Manager (Gemserve)                      | 09.00 – 17.00                                          | enquiries@recmanager.co.uk<br>0800 640 4300                                                                                                                                                                                                                                 |                                                                                                               |  |
| Seaglass Cloud Technology Ltd                    | 08:30 to 18:00                                         | servicedesk@seaglasscloud.com;<br>matt.armstrong@seaglasscloud.com<br>07919355556                                                                                                                                                                                           |                                                                                                               |  |
| Siemens                                          | Mon - Fri<br>08:30 to 16:30<br>Excluding Bank Holidays | <a href="mailto:mas.itsd.gb@siemens.com">mas.itsd.gb@siemens.com</a><br><br>Portal (only approved users):<br><a href="https://siemenscms.atlassian.net/servicedesk/customer/portal/2">https://siemenscms.atlassian.net/servicedesk/customer/portal/2</a><br><br>02038327269 | OOH support only for Major Incidents 24/7<br><br>02038327269                                                  |  |
| SPEN                                             | Mon - Fri<br>09.00 to 17:00                            | spen_regkey_coe_support@spenergynetworks.co.uk                                                                                                                                                                                                                              |                                                                                                               |  |
| SSE - Distribution                               | 24x7                                                   | 02392494444                                                                                                                                                                                                                                                                 | 02392494444                                                                                                   |  |
| TotalEnergies Gas & Power Limited                | Mon - Fri<br>08:00 to 17:00                            | 01737 275555                                                                                                                                                                                                                                                                | 01737 275555                                                                                                  |  |
| UK Power Networks                                | 24/7/365                                               | 020 3282 0653,<br>ukpnsd@kyndryl.com                                                                                                                                                                                                                                        | 020 3282 0653,<br>ukpnsd@kyndryl.com                                                                          |  |
| Unify Energy Limited                             | 08.30-17.00                                            | 0330 058 0580.<br><br>hello@unifyenergy.co.uk                                                                                                                                                                                                                               | N/A                                                                                                           |  |
| United Gas & Power Ltd                           | Mon - Fri<br>09.00 to 17:00                            | mhhsugp@ugp.co.uk                                                                                                                                                                                                                                                           |                                                                                                               |  |
| Wheatley Software Solutions                      | Mon - Fri<br>08.30 to 17.30                            | Customers have access to a support portal to raise requests with us. Outside of this or for general enquiries                                                                                                                                                               | Customers have access to a support portal to raise requests with us. Outside of this or for general enquiries |  |

|  |                         |                                 |                                 |  |
|--|-------------------------|---------------------------------|---------------------------------|--|
|  | Excluding Bank Holidays | support@wheatleysolutions.co.uk | support@wheatleysolutions.co.uk |  |
|--|-------------------------|---------------------------------|---------------------------------|--|